

STAMP - Activities

[New Search](#)

[Help using this report](#)

Run Date: 10/19/22 03:34 PM

Sort by Most Recent Date

Starting Date:

House#:

Folder Type: All Folder Types

Ending Date:

Street Name:

Folder Count: 230

Include Same PIN Addresses: Yes

Click on address links below to access mapping services and Ramsey County info.

Click on ID# link below to view detail

PIN:032823320076

Address	In Date	ID #	Status	Type	Description
1567 GRAND AVE - HISTORIC/ARCHIVED - Archive	10/02/2017	17 175664	Open	RE - Real Estate Assessments	Owner Bill Perron Coper Properties
1569 GRAND AVE - Dunn Brothers Coffee	05/20/2022	22 054947	Inspection Pending	RW - PW Right of Way Permit - Obstruction - Sidewalk Cafe	Contractor Douglas Hinderaker Dunn Bros Coffee-Sidewalk Cafe - DUNN BROS COFFEE - 2022 Sidewalk Café
	06/03/2021	21 268431	Pending	CO - Certificate of Occupancy - Assembly	Responsible Party Lynn Robson Telus Property Services
	04/06/2021	21 250858	Finald	RW - PW Right of Way Permit - Obstruction - Sidewalk Cafe C-19	Contractor Douglas Hinderaker Dunn Bros Coffee-Sidewalk Cafe - DUNN BROS COFFEE - Sidewalk Cafe DSI License #20010001026 2021 TEMPORARY C-19 SIDEWALK CAFE - FEE WAIVED FEE (\$60.00) WAIVED PER MAYOR'S EXECUTIVE ORDER FOR 2021
	03/16/2020	20 020194	Finald	RW - PW Right of Way Permit - Obstruction - Sidewalk Cafe	Contractor Douglas Hinderaker Dunn Bros Coffee-Sidewalk Cafe - DUNN BROS COFFEE-Sidewalk Cafe DSI License #20010001026
	01/03/2020	20 002848	Closed	RF - Referral - Citizen Complaint	Owner Bill Perron Coper Properties - no hot water in bathrooms
	01/03/2020	20 002847	In Compliance	CS - CSO Complaint - Certificate of Occupancy - Complaint	no hot water in bathrooms
	03/21/2019	19 021087	Finald	RW - PW Right of Way Permit - Obstruction - Sidewalk Cafe	Contractor Douglas Hinderaker Dunn Bros Coffee-Sidewalk Cafe - DUNN BROS COFFEE-Sidewalk Cafe License #20010001026
	02/12/2019	19 010561	Certified	CO - Certificate of Occupancy - Assembly	Responsible Party Lynn Robson Telus Property Services
	04/23/2018	18 054947	Withdrawn	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor Jennifer Stone Cal-Tex Electric Inc - Electrical for remodel
	03/07/2018	18 035251	Finald	RW - PW Right of Way Permit - Obstruction - Sidewalk Cafe	Contractor Douglas Hinderaker Dunn Bros Coffee-Sidewalk Cafe - DUNN BROS COFFEE-Sidewalk Cafe License #20010001026
	01/18/2018	18 020874	Finald	W - Warm Air, Ventilation & General Sheet - Ventilation Only - Commercial Repair/Alter	Contractor Ron Spande Rts Mechanical LLC - PROVIDE AND INSTALL (1) BATHROOM EXHAUST FAN AND VENTING ASSOCIATED.
	12/20/2017	17 223794	Finald	PG - Plumbing/Gasfitting/Inside Water Piping - Plumbing/Inside Water (All) - Commercial Alter	Contractor Frederick Muralt Budget Plumbing Corp - NEW ADA RESTROOM BUILDOUT IN EXISTING COFFEE SHOP
	12/18/2017	17 222628	Finald	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor Jennifer Stone Cal-Tex Electric Inc - electrical demo for stair removal; purchase and install lights and vanity for level two restroom remodel
	11/22/2017	17 216279	Finald	B - Building Permit - Commercial - Remodel	Contractor Hunerberg Construction Company - ALTERATION OF EXISTING DUNN BROS COFFEE TO PROVIDE A GROUND LEVEL ADA RESTROOM.
	10/02/2017	17 175664	Open	RE - Real Estate Assessments	Owner Bill Perron Coper Properties
	07/17/2017	17 060533	Finald	PG - Plumbing/Gasfitting/Inside Water Piping - Plumbing/Inside	Contractor Duane Farr Farr Plumbing & Heating LLC - New 50 Gallon Gas

06/16/2017	17 050799	Finald	Water (All) - Commercial Replace E - Electrical Permit - Service & Circuits - Commercial Repair/Alter	Water Heater and chimney liner. Contractor Jennifer Stone Cal-Tex Electric Inc - ELECTRICAL TO REWIRE EQUIPMENT
05/19/2017	17 041266	Finald	PG - Plumbing/Gasfitting/Inside Water Piping - Plumbing/Inside Water (All) - Commercial Replace	Contractor Frederick Muralt Budget Plumbing Corp - DISCONNECT AND RECONNECT EXISTING EQUIPMENT/ SINKS IN COFFEE SHOP AT SERVING AREA - FOR CABINETS AND COUNTER REPLACEMENT. REPLACE FLOOR DRAINS.
04/26/2017	17 032651	Finald	B - Building Permit - Commercial - Remodel	Contractor Hunerberg Construction Company - REPLACE FRONT COUNTER MILLWORK AND INSTALL QUARRY TILE FLOOR.
03/10/2017	17 018723	Finald	RW - PW Right of Way Permit - Obstruction - Sidewalk Cafe	Contractor Douglas Hinderaker Dunn Bros Coffee-Sidewalk Cafe - DUNN BROS COFFEE-Sidewalk Cafe License #20010001026
02/03/2017	17 008710	History	CO - Certificate of Occupancy - Assembly	Responsible Party Bill Perron Coper Properties
05/06/2016	16 033939	Resolved	CS - CSO Complaint - Pothole - Complaint	Pothole in front of Dunn Brothers Coffee is a foot in diameter and down to the bricks.
03/08/2016	16 016544	Finald	RW - PW Right of Way Permit - Obstruction - Sidewalk Cafe	Contractor Douglas Hinderaker Dunn Bros Coffee-Sidewalk Cafe - DUNN BROS COFFEE-Sidewalk Cafe License #20010001026
02/20/2015	15 012059	Finald	RW - PW Right of Way Permit - Obstruction - Sidewalk Cafe	Contractor Douglas Hinderaker Dunn Bros Coffee-Sidewalk Cafe - DUNN BROS COFFEE-Sidewalk Cafe License #20010001026
04/10/2014	14 193696	Finald	RW - PW Right of Way Permit - Obstruction - Sidewalk Cafe	Contractor Douglas Hinderaker Dunn Bros Coffee-Sidewalk Cafe - DUNN BROS COFFEE-Sidewalk Cafe License #20010001026
07/11/2013	13 208343	History	CO - Certificate of Occupancy - Assembly	Responsible Party Bill Perron Coper Properties
07/11/2013	13 208344	Closed	RF - Referral - C of O	Owner Bill Perron Coper Properties - Follow up on C of O folder approved with corrections.
05/31/2013	13 191488	Finald	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor Rick Johnson R Johnson and Sons Inc
05/30/2013	13 191077	Scheduled	RS - Restaurant Inspection - Medium Risk - Routine Inspection	Establishment Dunn Brothers Coffee
05/29/2013	11 282501	History	RS - Restaurant Inspection - Medium Risk - Routine Inspection	Establishment Dunn Brothers Coffee
04/03/2013	13 169764	Finald	RW - PW Right of Way Permit - Obstruction - Sidewalk Cafe	Contractor Douglas Hinderaker Dunn Bros Coffee-Sidewalk Cafe - DUNN BROS COFFEE-Sidewalk Cafe License #20010001026
02/24/2012	12 027595	Scheduled	FM - Food Manufacturing Warehouse - Low Risk - Routine Inspection	Establishment Dunn Brothers Coffee
02/15/2012	12 024028	Finald	RW - PW Right of Way Permit - Obstruction - Sidewalk Cafe	Contractor Douglas Hinderaker Dunn Bros Coffee-Sidewalk Cafe - DUNN BROS COFFEE-Sidewalk Cafe License #20010001026
01/26/2012	12 012662	Open	GT - General Activity Tracking - SCS	01/26/2012: Dunn Bros Coffee License ID #20010001026
09/27/2011	11 267983	History	RS - Restaurant Inspection - Medium Risk - Routine Inspection	Establishment Dunn Brothers Coffee
08/23/2011	10 132000	History	FM - Food Manufacturing Warehouse - Low Risk - Routine Inspection	Establishment Dunn Brothers Coffee
08/23/2011	10 126188	History	RS - Restaurant Inspection - Medium Risk - Routine Inspection	Establishment Dunn Brothers Coffee
06/06/2011	11 234741	History	CO - Certificate of Occupancy - Assembly	Responsible Party Bill Perron Coper Properties - 032823320076
03/15/2011	11 108961	Finald	RW - PW Right of Way Permit - Obstruction - Sidewalk Cafe	Contractor Douglas Hinderaker Dunn Bros Coffee-Sidewalk Cafe - DUNN

03/23/2010	08 148289	History	RS - Restaurant Inspection - Medium Risk - Routine Inspection	BROS COFFEE-Sidewalk Cafe License #20010001026 Establishment Dunn Brothers Coffee
03/23/2010	09 022301	History	FM - Food Manufacturing Warehouse - Low Risk - Routine Inspection	Establishment Dunn Brothers Coffee
09/21/2009	09 273932	Closed	LC - DSI Env Health Complaint - Health-Safety-Environment - Env Health	Smoking outside on bench near doorway.
09/21/2009	09 273931	In Compliance	CS - CSO Complaint - License - Complaint	Smoking outside on bench near doorway.
06/19/2009	09 091032	Inactive	W - Warm Air, Ventilation & General Sheet - Ventilation Only - Commercial Replace	Contractor Rodney Albers Northwest Sheetmetal Co Of St Paul Inc - 07/12/2010: Automatically closed by system due to no activity in one year.
04/03/2009	09 051496	History	CO - Certificate of Occupancy - Assembly	Responsible Party Bill Perron Coper Properties - 032823320076
03/16/2009	07 089198	Expired	CT - Certificate of Insurance - Awning/Sign - Insurance	Business Owner Dunn Brothers Coffee
02/04/2009	07 018334	History	FM - Food Manufacturing Warehouse - Low Risk - Routine Inspection	Establishment Dunn Brothers Coffee
09/10/2008	08 128887	History	RS - Restaurant Inspection - Medium Risk - Routine Inspection	Establishment Dunn Brothers Coffee
08/07/2008	07 018332	History	RS - Restaurant Inspection - Medium Risk - Routine Inspection	Establishment Dunn Brothers Coffee
03/24/2008	08 011868	Canceled	XF - ECLIPS Food Related - Restaurant (3) - 13-50 Seats	Licensee Dunn Bros Coffee - ECLIPS License# 20010001026
04/09/2007	07 058881	History	CO - Certificate of Occupancy - Assembly	Responsible Party Bill Perron Coper Properties - 032823320076
02/02/2007	06 106623	History	FM - Food Manufacturing Warehouse - Low Risk - Routine Inspection	Establishment Dunn Brothers Coffee
02/02/2007	06 106628	History	RS - Restaurant Inspection - Medium Risk - Routine Inspection	Establishment Dunn Brothers Coffee
07/06/2006	06 106457	Closed	RF - Referral - Form 4	Owner Bill Perron Coper Properties - COMMERCIAL COFFEE ROASTER OVERHEATED.1. NO THERMOCOUPLE ON UNIT TO SHUT IT OFF WHEN TEMPERATURE RISES TO AN EXCESSIVE LEVEL. 2. ADDITIONALLY, FF'S NEED TO CRAWL THROUGH A 60'CRAWL SPACE TO CHECK THE CHIMNEY AT THE POINT IT GOES THROUGH THE ROOF. THIS IS A DANGEROUS CONDITION. A HATCH COVER NEEDS TO BE CONSTRUCTED IN THE ROOF IN CLOSE PROXIMITY TO THE CHIMNEY FOR INSPECTION.
07/05/2006	05 160168	History	RS - Restaurant Inspection - Medium Risk - Fire Call	Establishment Dunn Brothers Coffee
07/05/2006	05 160385	History	FM - Food Manufacturing Warehouse - Low Risk - Fire Call	Establishment Dunn Brothers Coffee
07/05/2006	06 106316	Closed	RF - Referral - Form 4	Owner Bill Perron Coper Properties - Fire in 50 year-old coffee bean roaster. Roaster needs to be shut down until repaired AND until a thermocouple cutoff is installed that will prevent overheating in the future, per Fire Marshal Zaccard. Also, need to provide hatch access to roaster's vent pipe above the machine.
09/20/2005	04 062420	History	RS - Restaurant Inspection - Medium Risk - Routine Inspection	Establishment Dunn Brothers Coffee
09/20/2005	03 324010	History	FM - Food Manufacturing Warehouse - Low Risk - Routine Inspection	Establishment Dunn Brothers Coffee
02/04/2005	05 060729	History	CO - Certificate of Occupancy -	Responsible Party Bill Perron Coper

03/26/2004	03 324011	History	Assembly RS - Restaurant Inspection - Medium Risk - Complaint Inspection	Properties - 032823320076 Establishment Dunn Brothers Coffee
03/17/2004	04 056712	Closed	LC - DSI Env Health Complaint - Health-Safety-Environment - Env Health - Food	Coffee shop on Grand Avenue at Snelling Avenue with dirty floors & restrooms and uncleared tables. DOUG HINDERAKER- OWNER/MANAGER. HE IS NOT AWARE OF ANY COMPLAINT OR THIS COMPLAINT.
03/15/2004	04 055548	Closed	CS - CSO Complaint - License - Complaint	Coffee shop on Grand Avenue at Snelling Avenue with dirty floors & restrooms and uncleared tables.
07/03/2003	01 183653	History	FM - Food Manufacturing Warehouse - Low Risk - Routine Inspection	Establishment Dunn Brothers Coffee
07/03/2003	01 183654	History	RS - Restaurant Inspection - Medium Risk - Routine Inspection	Establishment Dunn Brothers Coffee - DOUG HINDERAKER, OWNER. BAGS OF COFFEE BEANS STORED UNDER UNPROTECTED SEWER AND WATER LINES. NORLAKE CHEST COOLERS-DOOR GASKETS CRACKED. HANDSINK-NOT ACCESSIBLE; BAG OF COFFEE BEAN IN THE WAY, NO SOAP, NO TOWEL; NO NAILBRUSH. 651 698 0618
06/20/2002	02 133435	Closed without Approval	M - Mechanical Permit - Gas - Commercial Repair/Alter	Contractor Jocina Hammer Fireside Hearth & Home - 08-Aug-2003: FOLDER CLOSED BY SYSTEM DUE TO NO ACTIVITY IN ONE YEAR. . Closed without final approval
04/05/2002	02 108504	History	CO - Certificate of Occupancy - Business	Responsible Party Bill Perron Coper Properties - 032823320076
04/05/2002	02 108505	Closed	RF - Referral - C of O	Owner Bill Perron Coper Properties - Follow up on C of O folder approved with corrections.
03/24/2002	01 001026	Canceled	XF - ECLIPS Food Related - Food Processing/Packaging/Distributing	Licensee Dunn Bros Coffee - ECLIPS License# 20010001026
03/21/2002	02 105528	Project Completed	PV - Project Facilitator Review	Project Applicant Doug Hinderaker - Proposing to create a walkway between Dunn Brothers and Spudzza. See file.
09/11/2001	01 222984	Finald	B - Building Permit - Single Family Dwelling - Express Repair	Contractor Quimby CO - Closed without final approval
07/02/2001	01 212770	Finald	E - Electrical Permit - Service & Circuits - Commercial Repair/Alter	Contractor R T S Electric - 08-Aug- 2003: FOLDER CLOSED BY SYSTEM DUE TO NO ACTIVITY IN ONE YEAR. . Closed without final approval
05/18/2001	01 203810	Active	PS - Pre-Fire Survey - Business	Owner Coper Properties/C/O Michael A Cole & William C Perron
05/09/2001	01 200322	Finald	W - Warm Air, Ventilation & General Sheet - Warm Air & Ventilation - Commercial Repair/Alter	Contractor Mark Silvernail Silvernail Ent. Ltd
05/04/2001	01 001026	Canceled	XF - ECLIPS Food Related - Food Processor to 2000 sq ft	Licensee Dunn Bros Coffee - ECLIPS License# 20010001026
05/04/2001	01 001026	Canceled	XF - ECLIPS Food Related - Restaurant (B) - more than 12 seats	Licensee Dunn Bros Coffee - ECLIPS License# 20010001026
05/04/2001	01 001026	Canceled	XF - ECLIPS Food Related - Sidewalk Cafe	Licensee Dunn Bros Coffee - ECLIPS License# 20010001026
05/04/2001	01 001026	Canceled	XE - ECLIPS License - Entertainment - Cabaret - Class A	Licensee Dunn Bros Coffee - ECLIPS License# 20010001026
05/03/2001	01 188519	Finald	M - Mechanical Permit - Gas - Commercial Replace	Contractor Jocina Hammer Fireside Hearth & Home
03/20/2001	99 002593	History	FM - Food Manufacturing Warehouse - Low Risk - Routine Inspection	Establishment Dunn Brothers Coffee
03/20/2001	99 003527	History	RS - Restaurant Inspection - Medium Risk - Routine Inspection	Establishment Dunn Brothers Coffee
03/19/2001	21 228170	Active	PF - Police Alarm Permit - Alarm	Applicant Dbc Inc - Dunn Bros

03/13/2001	01 024062	History	Permit (Renew) - Commercial CO - Certificate of Occupancy - Business	Coffee - Eclips Data conversion Responsible Party Bill Perron Coper Properties - 032823320076
02/23/2001	01 180869	Finald	B - Building Permit - Commercial - Repair	Contractor Ty Arlandson - 16-Nov-2005: Folder closed by system due to no activity in one year 10/08/2001 NSF check - Owes \$49.25. ES. Closed without final approval
12/22/1998	98 017215	History	RS - Restaurant Inspection - Medium Risk - Routine Inspection	Establishment Dunn Brothers Coffee
12/06/1997	97 060171	Canceled	XF - ECLIPS Food Related - Restaurant (B) - more than 12 seats	Licensee Edward Dunn Dunn Brothers Coffee - ECLIPS License# 0060171
12/01/1997	97 130515	Closed without Approval	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor Aaron Gunderson / Bob Grill Hunt Electric Corporation - Closed without final approval
10/23/1997	97 129047	Finald	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor Coffee Shop
10/17/1997	97 128582	Finald	W - Warm Air, Ventilation & General Sheet - General Sheet Metal - Commercial Repair/Alter	Contractor Dunn Brothers
10/07/1997	96 017110	History	FM - Food Manufacturing Warehouse - Low Risk - Routine Inspection	Establishment Dunn Brothers Coffee
06/06/1996	96 089108	Finald	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor Kivel Electric
05/15/1996	95 015046	History	FM - Food Manufacturing Warehouse - Low Risk - Routine Inspection	Establishment Dunn Brothers Coffee
12/21/1995	95 083521	Finald	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor Kivel Electric
05/26/1995	95 073945	Finald	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor Dunn Bros. Coffee
04/20/1995	95 072307	Closed without Approval	M - Mechanical Permit - Refrigeration - Commercial Install	Contractor Bob Winder Vogt Htg A/C & Plumbing LLC - Closed without final approval
11/09/1994	95 022128	History	FM - Food Manufacturing Warehouse - Low Risk - Routine Inspection	Establishment Dunn Brothers Coffee
11/09/1994	99 001254	Closed	EC - Environmental Complaint History (DC)	Emitting coffee fumes in neighborhood, causing asthma attacks. Happens daily, starting at 8:30, on and off morning and afternoon. Notify Complainant with results, so they can inform parents of students at school. 7/20/94 KKO .
07/18/1994	94 025880	History	FM - Food Manufacturing Warehouse - Low Risk - Routine Inspection	Establishment Dunn Brothers Coffee
07/18/1994	99 000698	Closed	EC - Environmental Complaint History (DC)	The smell and smoke from this coffee shop causes nausea. It is a burnt coffee smell. .
09/18/1992	99 011475	History	FM - Food Manufacturing Warehouse - No Risk - Routine Inspection	Establishment Dunn Brothers Coffee
06/11/1992	99 011401	History	FM - Food Manufacturing Warehouse - No Risk - Routine Inspection	Establishment Dunn Brothers Coffee
01/08/1992	99 011495	History	FM - Food Manufacturing Warehouse - No Risk - Routine Inspection	Establishment Dunn Brothers Coffee
12/07/1991	91 060171	Canceled	XF - ECLIPS Food Related - Food Processor to 2000 sq ft	Licensee Edward Dunn Dunn Brothers Coffee - ECLIPS License# 0060171
12/07/1991	91 060171	Canceled	XF - ECLIPS Food Related - Sidewalk Cafe	Licensee Edward Dunn Dunn Brothers Coffee - ECLIPS License# 0060171
12/07/1991	91 060171	Canceled	XE - ECLIPS License - Entertainment - Cabaret - Class A	Licensee Edward Dunn Dunn Brothers Coffee - ECLIPS License# 0060171

02/04/1991	99 009872	History	FM - Food Manufacturing Warehouse - No Risk - Routine Inspection	Establishment Dunn Brothers Coffee
03/12/1990	99 002398	Closed	EC - Environmental Complaint History (DC)	CONVERTED FROM PARADOX SYSTEM. NO NARRATIVE.
02/16/1990	99 000613	Closed	EC - Environmental Complaint History (DC)	CONVERTED FROM PARADOX SYSTEM. NO NARRATIVE.
01/17/1990	99 000634	Closed	EC - Environmental Complaint History (DC)	CONVERTED FROM PARADOX SYSTEM. NO NARRATIVE.
06/24/1974	74 001955	History	CO - Certificate of Occupancy - Business	Responsible Party Coper Proprerties/ William Cp - 032823320076
06/24/1974	74 011954	History	CO - Certificate of Occupancy - Business	Responsible Party Coper Proprerties/ William Cp - 032823320076

1571 GRAND AVE - Khyber Pass Cafe

09/08/2022	22 093418	Pending	XE - ECLIPS License - Entertainment - Entertainment (A)	Licensee Ralena Young Bar Cart Lounge & Restaurant - ECLIPS License# 20220001568
09/08/2022	22 093406	Pending	XL - ECLIPS License - Liquor - Liquor On Sale - Sunday	Licensee Ralena Young Bar Cart Lounge & Restaurant - ECLIPS License# 20220001568
09/08/2022	22 093415	Pending	XL - ECLIPS License - Liquor - Liquor On Sale - 100 seats or less	Licensee Ralena Young Bar Cart Lounge & Restaurant - ECLIPS License# 20220001568
10/02/2017	17 175664	Open	RE - Real Estate Assessments	Owner Bill Perron Coper Properties
11/25/2015	15 181756	Resolved	CS - CSO Complaint - Graffiti - Complaint	Graffiti on the sidewalk in black.
06/21/2013	13 201388	Closed	PA - Parks Summary Abatement - Graffiti	Owner Bill Perron Coper Properties - Graffiti alley side.
06/21/2013	13 201387	Transferred - Closed	CS - CSO Complaint - Graffiti - Complaint	Graffiti alley side.
06/17/2013	13 199081	Scheduled	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Khyber Pass Cafe
06/17/2013	13 184590	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Khyber Pass Cafe
05/13/2013	11 292418	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Khyber Pass Cafe
03/19/2013	13 164502	Closed	PA - Parks Summary Abatement - Graffiti	Owner Bill Perron Coper Properties - 1571 Grand-Kyber Pass-graffitti on alley side
03/19/2013	13 164501	Transferred - Closed	CS - CSO Complaint - Graffiti - Complaint	1571 Grand-Kyber Pass-graffitti on alley side
02/27/2013	13 158299	Closed	PA - Parks Summary Abatement - Graffiti	Owner Bill Perron Coper Properties - Graffiti - North/alley side of building has black graffiti tag
02/27/2013	13 158298	Transferred - Closed	CS - CSO Complaint - Graffiti - Complaint	Graffiti - North/alley side of building has black graffiti tag
01/26/2012	12 012873	Closed	PA - Parks Summary Abatement - Graffiti	Owner Bill Perron Coper Properties - Tag on the west side of the property. Thanks.
01/26/2012	12 012872	Transferred - Closed	CS - CSO Complaint - Graffiti - Complaint	Tag on the west side of the property. Thanks.
10/24/2011	10 919820	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Khyber Pass Cafe
02/10/2011	11 014597	Closed	PA - Parks Summary Abatement - Graffiti	Owner Bill Perron Coper Properties - GRAF-IN ALLEY ON DUMPSTER POLICE RPT
02/10/2011	11 014596	Transferred - Closed	CS - CSO Complaint - Graffiti - Complaint	GRAF-IN ALLEY ON DUMPSTER POLICE RPT
11/04/2010	09 273242	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Khyber Pass Cafe
09/18/2009	08 140774	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Khyber Pass Cafe
08/27/2009	09 261577	Closed	PA - Parks Summary Abatement - Graffiti	Owner Bill Perron Coper Properties - Graffiti The back door and West side of bldg
08/27/2009	09 261576	Transferred - Closed	CS - CSO Complaint - Graffiti - Complaint	Graffiti The back door and West side of bldg
08/06/2009	09 226037	Finalled	RW - PW Right of Way Permit - Excavation - Utility	Contractor Cc: Department of Public Works Sewer Maintenance - GOPHER#90377749 SR#0918513

				SEWER REPAIR PAVING PROJECT NO FEE
03/20/2009	07 089182	Expired	CT - Certificate of Insurance - Sign - Insurance	Business Owner Masooda Sherzad Khyber Pass Cafe
08/27/2008	08 120001	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Khyber Pass Cafe
07/21/2008	07 102823	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Khyber Pass Cafe
01/31/2008	08 012452	Canceled	XF - ECLIPS Food Related - Restaurant (4) - 51-150 Seats	Licensee Masooda Sherzad Khyber Pass Cafe - ECLIPS License# 20020000187
01/14/2008	08 007639	In Compliance	CL - Compliance Checks - Liquor Compliance Check	Licensee Masooda Sherzad Khyber Pass Cafe - ECLIPS License# 20020000187
06/20/2007	06 098848	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Khyber Pass Cafe
06/01/2007	07 089139	Closed	PA - Parks Summary Abatement - Graffiti	Owner Bill Perron Coper Properties - Graffiti on W side of bldg
06/01/2007	07 089138	Closed	CS - CSO Complaint - Graffiti - Complaint	Graffiti on W side of bldg
11/03/2006	06 262675	In Compliance	CL - Compliance Checks - Liquor Compliance Check	Licensee Masooda Sherzad Khyber Pass Cafe - ECLIPS License# 20020000187
06/16/2006	06 098330	Closed	LC - DSI Env Health Complaint - Health-Safety-Environment - Env Health - Food	RECIEVED REPORT FROM MDH. 1 OF 2 FELL ILL AFTER EATING AT THIS ESTABLISHMENT. MEAL DATE: 6/7/06 AT 13:00 FOODS EATEN: BUFFET (WHITE RICE, GREEN CURRY, SPICY RICE, SOUP, PUDDING, CHICKEN DISH, ORANGE DISH). ILLNESS ONSET: 6/8/06 AT 03:00 WITH VOMITING (ONE OCCURRENCE) 6/8/06 AT 05:30 WITH DIARRHEA (LASTED FOR ONE DAY) INCUBATION PERIOD: 14 HOURS
06/16/2006	06 096941	History	RS - Restaurant Inspection - High Risk - Complaint Inspection	Establishment Khyber Pass Cafe
06/13/2006	05 108998	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Khyber Pass Cafe
05/26/2005	04 042580	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Khyber Pass Cafe
05/26/2005	05 108174	Closed	LC - DSI Env Health Complaint - Health-Safety-Environment - Env Health - Food	Complainants were there on 5/23/05 at 1130 and rice, beans, sauses, potatoes, meatballs and chix at the buffet line. Got sick with diarrhea and cramps on 5/24/05 at 0400. Complaint referred from MDH for follow up, [fl]
09/09/2004	04 143396	Closed	BS - Billboard / Sign - Signs - Commercial New	Contractor Emel Sherzad Khyber Pass Cafe - 19-Sep-2006: Folder closed by system due to no activity in one year copy to read "KHYBER PASS CAFE"
07/07/2004	04 115483	Closed without Approval	M - Mechanical Permit - Refrigeration - Commercial Replace	Contractor David Smith St Paul Plbg & Htg CO - Msp Plbg - Closed without final approval
02/12/2004	04 041675	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Khyber Pass Cafe - POP DISPENSING NOZZLES SOILED. KITCHEN-FILTERS FOOD SOILED. SPRAY BOTTLE WITHOUT LABEL. WASH HANDS AND UTENSILS IN FOOD SINK. IMPROPER COOLING OF PHF-BIG POT OF FOOD AT RT.
02/10/2004	03 353501	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Khyber Pass Cafe
09/15/2003	02 107719	History	RS - Restaurant Inspection - High Risk - Plan Review Inspection	Establishment Khyber Pass Cafe
12/19/2002	02 246516	Closed	BS - Billboard / Sign - Signs - Commercial Replace	Contractor Emel Sherzad Khyber Pass Cafe - 16-Nov-2005: Folder closed by system due to no activity

in one year Copy to Read: KHYBER PASS. Closed without final approval

12/04/2002	03 254763	Closed No Action	PV - Project Facilitator Review	
04/02/2002	02 105751	History	RS - Restaurant Inspection - High Risk - Plan Review Inspection	Establishment Khyber Pass Cafe
04/01/2002	02 000187	Active/Issued	XL - ECLIPS License - Liquor - Malt On Sale (Strong)	Licensee Masooda Sherzad Khyber Pass Cafe - ECLIPS License# 20020000187
04/01/2002	02 000187	Active/Issued	XL - ECLIPS License - Liquor - Wine On Sale	Licensee Masooda Sherzad Khyber Pass Cafe - ECLIPS License# 20020000187
04/01/2002	02 000187	Canceled	XF - ECLIPS Food Related - Restaurant (B) - more than 12 seats	Licensee Masooda Sherzad Khyber Pass Cafe - ECLIPS License# 20020000187
03/22/2002	02 105862	Closed	RF - Referral - Citizen Complaint	Owner Bill Perron Coper Properties - SATISFY ALL PERMITS TO CERTIFICATE OF OCCUPANCY.
03/21/2002	02 103835	History	RS - Restaurant Inspection - High Risk - Plan Review Inspection	Establishment Khyber Pass Cafe
03/08/2002	02 101734	History	RS - Restaurant Inspection - High Risk - Plan Review Inspection	Establishment Khyber Pass Cafe
02/22/2002	02 097863	History	RS - Restaurant Inspection - High Risk - Plan Review Inspection	Establishment Khyber Pass Cafe
01/30/2002	02 097861	History	RS - Restaurant Inspection - High Risk - Plan Review Inspection	Establishment Khyber Pass Cafe
01/29/2002	02 097009	Finalized	E - Electrical Permit - Service & Circuits - Commercial Repair/Alter	Contractor Jatco Electric, Inc.
01/23/2002	01 241114	History	RS - Restaurant Inspection - High Risk - Plan Review Inspection	Establishment Khyber Pass Cafe
01/16/2002	02 068622	Finalized	B - Building Permit - Commercial - Remodel	Contractor Emel Sherzad
12/10/2001	01 182663	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Spudzza
03/13/2001	00 121392	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Spudzza
03/16/2000	99 003277	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Spudzza
07/06/1999	98 008661	Canceled	XL - ECLIPS License - Liquor - Malt On Sale (Strong)	Licensee Spudzza - ECLIPS License# 19980008661
07/06/1999	98 008661	Canceled	XL - ECLIPS License - Liquor - Wine On Sale	Licensee Spudzza - ECLIPS License# 19980008661
06/18/1999	98 008661	Canceled	XF - ECLIPS Food Related - Sidewalk Cafe	Licensee Spudzza - ECLIPS License# 19980008661
02/05/1999	99 157995	Expired	M - Mechanical Permit - Gas - Commercial New	Contractor David Hodgson Equipment Supply Inc
12/22/1998	98 020852	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Spudzza
12/17/1998	98 001338	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Spudzza
12/17/1998	98 104956	Closed without Approval	PL - Plumbing & Gas Fitting (OLD) - Sprinkler Head-Stand Pipe-Fire Pump - Residential Replace	Contractor Steven Brown United States Mechanical Inc - Closed without final approval
12/15/1998	98 008661	Canceled	XF - ECLIPS Food Related - Restaurant (B) - more than 12 seats	Licensee Spudzza - ECLIPS License# 19980008661
12/09/1998	98 001738	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Spudzza
12/03/1998	98 014933	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Spudzza
12/02/1998	98 154369	Closed without Approval	W - Warm Air, Ventilation & General Sheet - Warm Air & Ventilation - Commercial Repair/Alter	Contractor Scott Then Metro Sheet Metal Inc - Closed without final approval
11/24/1998	98 016163	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Spudzza
11/23/1998	98 153952	Closed without Approval	W - Warm Air, Ventilation & General Sheet - Warm Air &	Contractor Scott Then Metro Sheet Metal Inc - Closed without final approval

			Ventilation - Commercial Repair/Alter	
11/20/1998	98 000963	Finald	BS - Billboard / Sign - Signs - Commercial Repair/Alter	Contractor Mark D Wilson A Lapointe Sign Inc
11/17/1998	98 002590	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Spudzza
11/03/1998	98 000439	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Spudzza
11/02/1998	98 152324	Closed without Approval	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor White Bear Electric Inc - Closed without final approval
10/27/1998	98 019626	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Spudzza
10/19/1998	94 020142	History	FH - Food Vehicle - Low Risk - Management Review	Establishment Spudzza
10/19/1998	94 020181	History	FM - Food Manufacturing Warehouse - Low Risk - Management Review	Establishment Spudzza
10/16/1998	98 012011	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Spudzza
10/02/1998	98 006585	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Spudzza
09/15/1998	98 013812	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Spudzza
09/15/1998	99 000996	Closed	EC - Environmental Complaint History (DC)	COCKROACHES AN RODENTS IN THE ESTABLISHMENT. .
10/30/1997	98 011652	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Spudzza
10/20/1997	98 025148	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Spudzza
10/07/1997	97 003248	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Spudzza
10/07/1997	99 006004	Closed	EC - Environmental Complaint History (DC)	FIRE DEPARTMENT REQUEST FOR INSPECTION. FIRE BROKE OUT IN DUNN BROTHERS COFFEE AND SMOKE FILLED THE OLD CITY RESTAURANT.
10/14/1996	97 000665	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Spudzza
10/14/1996	99 005083	Closed	EC - Environmental Complaint History (DC)	From Mayor's Complaint Office, 10/9/96. Complainant says the retaurant is dirty - grease used in deep fryer is old - caller reported this about 6 months ago. He says nothing has changed and that the Inspector had a bad attitude when he called her about this again. kko .
10/02/1996	96 000143	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Spudzza
10/02/1996	99 005635	Closed	EC - Environmental Complaint History (DC)	Complainant there on 9/30/96 in evening. There was thick dust on fans and lights, and the kitchen area was terrible. Complainant had complained in 1/96 about same problem. kko .
01/18/1996	96 023979	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Spudzza
01/18/1996	99 001324	Closed	EC - Environmental Complaint History (DC)	Complaint's second complaint for restaurant. Fluorescent light over where food is prepared is filthy. Dust is thick and hanging from every light fixture there. Needs to be inspected and cleaned up. Food is being left out also. Taken by Lynne L. 1/11/96. .
12/11/1995	94 009439	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Spudzza
12/11/1995	99 005792	Closed	EC - Environmental Complaint History (DC)	Complainant was there on 11/29/95 about 7:30 p.m. The ceiling fans were not turning, but were very thick with dust, and dust fell down

			onto their table while they were eating. Also other general uncleanliness: food wasn't refrigerated, holes in wall, etc. Complainant from out of state, says he didn't believe how poor conditions were. KKO . Contractor The Old City
09/12/1995	95 078867	Finald	E - Electrical Permit - Electrical - Commercial Repair/Alter
10/12/1994	94 026310	History	RS - Restaurant Inspection - High Risk - Routine Inspection Establishment Spudzza
10/12/1994	99 003486	Closed	EC - Environmental Complaint History (DC) About 7:00 p.m., 2/15/94, Complainant saw mouse run from under a bus-cart by radiator, across they floor, and under the refrig. deli case by order counter. Staffperson told her the . . .
06/01/1994	94 001420	History	RS - Restaurant Inspection - High Risk - Routine Inspection Establishment Spudzza
06/01/1994	99 002306	Closed	EC - Environmental Complaint History (DC) About 7:00 p.m., 2/15/94, Complainant saw mouse run from under a bus-cart by radiator, across they floor, and under the refrig. deli case by order counter. Staffperson told her the . . .
04/20/1994	94 007489	History	RS - Restaurant Inspection - High Risk - Routine Inspection Establishment Spudzza
04/20/1994	99 000618	Closed	EC - Environmental Complaint History (DC) About 7:00 p.m., 2/15/94, Complainant saw mouse run from under a bus-cart by radiator, across they floor, and under the refrig. deli case by order counter. Staffperson told her the .
11/30/1993	99 018563	History	RS - Restaurant Inspection - No Risk - Routine Inspection Establishment Spudzza
07/14/1993	99 002701	Closed	EC - Environmental Complaint History (DC) CONVERTED FROM PARADOX SYSTEM. NO NARRATIVE.
07/14/1993	99 017162	History	RS - Restaurant Inspection - No Risk - Routine Inspection Establishment Spudzza
08/17/1992	99 002765	Closed	EC - Environmental Complaint History (DC) CONVERTED FROM PARADOX SYSTEM. NO NARRATIVE.
08/17/1992	99 017255	History	RS - Restaurant Inspection - No Risk - Routine Inspection Establishment Spudzza
11/21/1991	99 017193	History	RS - Restaurant Inspection - No Risk - Routine Inspection Establishment Spudzza
04/23/1991	99 002667	Closed	EC - Environmental Complaint History (DC) CONVERTED FROM PARADOX SYSTEM. NO NARRATIVE.
04/23/1991	99 017205	History	RS - Restaurant Inspection - No Risk - Routine Inspection Establishment Spudzza
12/12/1990	99 002800	Closed	EC - Environmental Complaint History (DC) CONVERTED FROM PARADOX SYSTEM. NO NARRATIVE.
09/13/1990	99 002717	Closed	EC - Environmental Complaint History (DC) CONVERTED FROM PARADOX SYSTEM. NO NARRATIVE.
08/12/1987	87 089824	Canceled	XF - ECLIPS Food Related - Catering - Add On Licensee Simone Mishulovin The Old City Cafe - ECLIPS License# 0089824
08/12/1987	87 089824	Canceled	XF - ECLIPS Food Related - Food Vehicle Licensee Simone Mishulovin The Old City Cafe - ECLIPS License# 0089824
08/12/1987	87 089824	Canceled	XF - ECLIPS Food Related - Restaurant (B) - more than 12 seats Licensee Simone Mishulovin The Old City Cafe - ECLIPS License# 0089824
08/12/1987	87 089824	Canceled	XL - ECLIPS License - Liquor - Malt On Sale (Strong) Licensee Simone Mishulovin The Old City Cafe - ECLIPS License# 0089824
08/12/1987	87 089824	Canceled	XL - ECLIPS License - Liquor - Wine On Sale Licensee Simone Mishulovin The Old City Cafe - ECLIPS License# 0089824