Exhibit A

Ordinance Permit 20200010103

Exhibit H

Form of Public Infrastructure Conveyance

PUBLIC INFRASTRUCTURE CONVEYANCE

ORDINANCE PERMIT # #20200010103

This Public Infrastructure Conveyance Agreement ("<u>Agreement</u>") is made and entered into effective _February 3, 2022, by and between PROJECT PAUL, LLC, a Delaware limited liability company ("<u>Developer</u>"), and CITY OF SAINT PAUL, MINNESOTA, a municipal corporation existing under the laws of the State of Minnesota ("<u>City</u>").

NOW, THEREFORE, in consideration of the mutual obligations of the parties hereto, each of them does hereby covenant and agree as follows:

- 1. <u>Notification</u>. The Developer has delivered to the City a duly executed Certificate of Completion and, thereafter, the City has determined that the applicable components of the Public Infrastructure as described in <u>Exhibit A</u> hereto (the "<u>Infrastructure</u>") appear to have been constructed in accordance with the approved plans and specifications and the preliminary and final plat and has so notified the Developer in writing. As a result, via this Agreement, the Developer is conveying the Property to the City in accordance with the Site Improvement Performance Agreement, dated December 19, 2019. The acceptance of the Infrastructure does not take effect until the Saint Paul City Council accepts the Infrastructure via Resolution.
- 2. <u>Representations.</u> The Developer hereby represents, certifies, and promises to the City the following:
 - (a) With respect to the Property, Developer has complied with the provision of the Redevelopment Agreement, dated December 19, 2019, including that the Property conveyed to the City in this Agreement is completely constructed, constructed in compliance with all applicable Standards as described in the St. Paul Department of Public Works' Construction of Infrastructure by Private Developers Policy, is free of defects, and is free and clear of any encumbrances or liens.
 - (b) A final walk-through inspection with appropriate City staff has been completed and any required corrective work (written punch list) determined through said walk-through or as determined under the normal and ordinary course of on-site observations by City staff or those hired by the City to complete such observations, has been completed.
 - (c) The following documents respecting the Property are complete, accurate, and have been filed with the appropriate department(s) of the City of Saint Paul:
 - (i) Original, reproducible As-Built Plans acceptable to the Department of Public Works, City of Saint Paul are on file with said Department.
 - (ii) Certificate of Completion signed by Engineer of Record who is a licensed Professional Engineer with the State of Minnesota per Minnesota State Statute 326.

(iii)	For sewer systems, video records of televised inspections of sewer mains
	have been submitted by permittee and approved by Sewer Utility staff.

- (iv) For sewer systems, sewer connection permit information on file with Public Works.
- (v) Operation and Maintenance plans.
- (vi) All other permit requirements as set forth in the Ford site ordinance permit policy.
- (d) Developer has undertaken any and all necessary actions to assign warranties it owns or possesses on or with the Property to the City.
- (e) Developer will duly execute and deliver any other documents as may be reasonably and customarily required in connection with the transfer of the Property to the City.
- 3. <u>Conveyance</u>. The Developer hereby dedicates, conveys and assigns in good title to the City of Saint Paul, together with all hereditaments and appurtenances all rights, entitlements, benefits, permits, approvals, and licenses that pertain to, with, or in the Property in its entirety, without reservation or exception, together with all warrantees, free and clear of any mortgage, pledge, hypothecation, encumbrance, lease, license, lien or others security interest. If necessary, Developer shall execute a recordable Warranty Deed to be recorded with the Ramsey County Registrar's Office.

IN WITNESS WHEREOF, the City and Developer have caused this Agreement to be duly executed in their names and on their behalf, all on or as of the date first above written.

PROJECT PAUL, LLC, a Delaware limited liability company

By: Ryan Companies US, Inc., a Minnesota corporation, its Sole Member

	By: Mayhar E1430C9DF3EB48A Name: Maureen Michalski
	Its
STATE OF	
oy, the	vledged before me this day of, 2019, 2019 of Ryan Companies US, Inc., a Minnesota corporation claware limited liability company, on behalf of the limited
	Notary Public





January 20, 2021

The safety and health of our Ryan team members, our clients, our partners and the general public is a top priority at Ryan. Safety is a key core value at Ryan, and we are committed to maintaining a safe work environment in our offices and at our project sites, including Highland Bridge.

As part of that commitment to safety, many of our employees are working from their homes which brings challenges as it relates to notarizing specific documents.

Ryan and the City of Saint Paul have confirmed the Form of Public Infrastructure Conveyance is not recorded at the County Recorder's Office so a notary is not necessary. As such, the notary requirement for the Form of Public Infrastructure Conveyance is deleted.

Certificate Of Completion

Envelope Id: F6BAE2510D3D4EF48E57C74F6309E9A4

Subject: Please DocuSign: Exhibit H - Form of Public Infrastructure Conveyances

Source Envelope:

Document Pages: 17 Signatures: 8 Certificate Pages: 1 Initials: 0 Kelly Beach

AutoNav: Enabled

Envelopeld Stamping: Enabled

Time Zone: (UTC-06:00) Central Time (US & Canada)

Envelope Originator:

Status: Completed

533 South Third Street, Suite 100

Minneapolis, MN 55415

Kelly.Beach@RyanCompanies.com

IP Address: 216.70.43.100

Record Tracking

Status: Original Holder: Kelly Beach Location: DocuSign

2/3/2022 12:42:26 PM Kelly.Beach@RyanCompanies.com

Timestamp

Timestamn

Signer Events

Maureen Michalski

Maureen.Michalski@RyanCompanies.com

Vice President

Ryan Companies US, Inc.

Security Level: Email, Account Authentication

(None)

Manfillation -E1430C9DF3EB48A..

DocuSigned by:

Signature

Signature Adoption: Uploaded Signature Image

Using IP Address: 174.199.35.5

Signed using mobile

Signature

Sent: 2/3/2022 12:45:20 PM Viewed: 2/3/2022 5:16:07 PM Signed: 2/3/2022 5:16:33 PM

Electronic Record and Signature Disclosure:

Not Offered via DocuSign

In Person Signer Events

in Person Signer Events	Signature	rimestamp
Editor Delivery Events	Status	Timestamp
Agent Delivery Events	Status	Timestamp
Intermediary Delivery Events	Status	Timestamp
Certified Delivery Events	Status	Timestamp
Carbon Copy Events	Status	Timestamp
Witness Events	Signature	Timestamp
Witness Events Notary Events	Signature Signature	Timestamp Timestamp
	-	·
Notary Events	Signature	Timestamp
Notary Events Envelope Summary Events	Signature Status	Timestamp Timestamps
Notary Events Envelope Summary Events Envelope Sent	Signature Status Hashed/Encrypted	Timestamp Timestamps 2/3/2022 12:45:20 PM
Notary Events Envelope Summary Events Envelope Sent Certified Delivered	Signature Status Hashed/Encrypted Security Checked	Timestamp Timestamps 2/3/2022 12:45:20 PM 2/3/2022 5:16:07 PM

Exhibit G

Form of Completion Certificate



CITY OF SAINT PAUL DEPARTMENT OF PUBLIC WORKS

Certificate of Compliance

I hereby certify that work completed under this Ordinance Permit and materials provided for installation conform to the appropriate specifications and provisions of and the Department of Public Works, City of Saint Paul, Minnesota, Standard Supplemental Specifications for Construction of Public Infrastructure by Private Developers Policy, as amended, and that I am a duly Licensed Professional Engineer under the laws of the State of Minnesota.

Right of Way Ordinance Permit #3		
Project Description		
20200010103		
Permit Number		
Dan Cleubren	44614	10/28/2021
(Signature and License No.)		Date
Kimley-Horn and Associates Inc.		
Organization (Print)		

1/2012

SAINT PAUL

CITY OF ST PAUL

Department of Public Works 25 West 4th Street 1500 City Hall Annex Saint Paul, MN 55102

ORDINANCE PERMIT

The Most Livable City in America	02					
Type of Permit (select one only):	:					
■Base Roadway		□Roadway Sidew	alks	☐ Sanitary Sewer Collection System		
□Bridge		☐Roadway Traffic		\Box S	torm Sewer Collection System	
☐Retaining Wall		☐ Sanitary Drop S	haft	\Box S	torm Sewer Treatment System	
N	I	0 5 /7 /	/ /: /D/ /		the state of the s	
Phase:	1		Adjacent Lots/Blocks):			
One			•		and the second s	
Description of Work: [Include the incorporated by reference.]	e description provid	ded in the permit ap	plication and all subseque	ent amendm	ents or revisions, which are hereby	
The scope of work to be installed under five pedestrian ramps and curb and gutters in quantities of asphalt paving, aggregate b SERIES #3 SEQ". Applicable plan sheets related to this per 388, 389, 390, 391	n the areas identified in ase, granular embankr	the locations section a ment, ramps, and curb	above along with the attached ' and gutter can be seen as an a	'Right of Way attachment to	Ordinance Permit #3 Exhibit". Estimated this application labeled "ROW OP	
Applicant Contact Person:	Contact Person	Γitle:	Contact Person Teleph	one:	Contact Person Email:	
Will Rollo	Sr. Project Enginee	er	612-257-3536	i it en	will.rollo@ryancompanies.com	
Bond Co.:	2		Bond Amount:		Bond No.:	
Travelers Casualty & Surety Co			\$73,609,974.00	· fry. *,	107185400	
Insurance Co.:			Insurance Certificate N	Vo.:		
Zurich American Insurance Compan	у		NA			
Permit Conditions:				2		
Mississippi River Boulevard is not a	haul route and can	not be used as a cor	nstruction haul route unless	there's price	or approval by the City.	
	3					


This permit is issued with the stipulation that the work of the permittee and related agents, employees and contractors shall conform in all respects to the Redevelopment Agreement (including all Legal Requirements as defined by Article 1), the City of Saint Paul Department of Public Works Ordinance Permit Process Document, and the Department of Public Works List of Applicable Standards & Specifications. The permit shall be available for display at the site referred to herein and shown to any Police Officer or Inspector upon demand and does not authorize or allow for interference with the work of any Contract made or to be made with the City of Saint Paul.

THIS PERMIT MAY BE REVOKED AT ANY TIME BY THE DIRECTOR OF PUBLIC WORKS


	A PERMIT FOR THE ABOVE DESCRIBED	CONSTRUCTION IS AUTHORIZED BY:	
-	Pavid Kulo Cu	City Project Technical Lead	9/25/2020
-	Signature	Title	Date
	David Kuebler, P. E.		
	Printed Name		

ITEMS TO BE COMPLETED PRIOR TO ACCEPTANCE OF INFRASTRUCTURE AND RELEASE OF PERMIT


Prior to acceptance of any infrastructure and release of City permits, the following items must be completed to the satisfaction of the City:
▼ Corrective (punch list) work completed;
☑ Original reproducible CAD and PDF as-built plans, signed by the Engineer of Record, provided to Public Works; Submittal of final copies of Metropolitan Council Environmental Services and MN Pollution Control Agency Permits (Sewer Extension, SAC Determination, etc.); CAD file to be provided at the end of the project which, for the purposes of obtaining the CAD file, is defined as the end of 2025 or within a reasonable time post 2025.
☑ Full compliance with project Quality Management Plan or other document(s) governing quality management and quality assurance;
☑ Documentation of compliance with all applicable City and non-City permit requirements, including, but not limited to: City Public Works Right-of-Way Office, Minnesota Pollution Control Agency, Capitol Region Watershed District, and National Pollution Discharge Elimination System permit requirements;
☑ Documentation of roadway materials at compaction of grading and base, plant mix design report, strength;
NA Video of all sanitary sewer mains and laterals, storm sewer mains and laterals, and any structural BMP's (pipe galleries, draintile, sediment control structures, weir structures, etc.) installed under any permit, provided to the Public Works Sewer Division;
NA Sewer Permit drawings for paving connections or stubs installed to service vertical development provided to Public Works, in addition to Private Service Lateral Permit Drawings;
NA Documentation of Public Works notified for signal and lighting inspection of pole field layouts (staking), conduits and foundations installed, poles and wiring installed, and head positioning and phasing/detection verification (signals only);
NA For infrastructure within parks: Documentation that Parks Department has been notified of completion status;
NA All applicable operation and maintenance manuals provided to Public Works; and
RELEASE OF PERMIT:
Permit No Council Res. No Permit Date
Release Authorized by Title




INSET B - SECONDARY ROAD



INSET C - 4" CONCRETE SIDEWALK



TYPICAL GRADING DETAIL AT CURBS



WOODLAWN AVENUE

MOUNT CURVE BOULEVARD TO YORKSHIRE AVENUE (STA. 80+00 - STA. 83+96)MONTREAL AVENUE TO SAUNDERS AVENUE (STA. 87+93 - STA. 91+50)VILLAGE WAY TO BEECHWOOD AVENUE (STA. 95+00 - STA. 98+93)


No.	Date	Revisions	App.	DRAWING NAME	
				Ford Plan	iyps.awg
				DESIGNED BY:	RJG
				DRAWN BY:	RJG
				CHECKED BY:	GSB
				DATE:	05/27/20
				PROJECT NO.	160640016

Kimley» Horn 767 EUSTIS STREET, SUITE 100, ST, PAUL, MN 55114 PHONE: 651-645-4197 WWW.KIMLEY-HORN.COM

I HEREBY CERTIFY THAT THIS PLAN, SPECIFICATION OR REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND THAT I AM A DULY
LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF MINNESOTA.

GREGORY S. BROWN, PE DATE: 05/27/20 MN LIC. NO. 22814





RYAN COMPANIES US, INC. FORD SITE REDEVELOPMENT CITY OF ST PAUL, MINNESOTA

TYPICAL SECTIONS

SHEET NO. 8 522

Suy S. Brown FINAL SITE PLAN

<u>LEGEND</u>

GRADE.

VILLAGE WAY.

GENERAL NOTES:

STREET.

1 BOULEVARD CROSS SLOPE MAY VARY FROM 0.5% TO 8%.

OR CONSTRUCTION DEBRIS

FINISHED GRADE.

ROADWAY MATERIALS).

(5) PRIVATE UTILITY CORRIDOR.

(6) 8' SIDEWALK NORTH OF VILLAGE

WAY. 6' SIDEWALK SOUTH OF

1. BOULEVARD TREES AND STREETLIGHT

2. TREE DETAILS INCLUDED FOR GENERAL INFORMATION AND

ON LANDSCAPE PLANS.

INCLUDED FOR GENERAL

TO ALTERNATE THE LENGTH OF THE

COMMENT. SPACING AND SPECIES OF BOULEVARD TREES TO BE INCLUDED

SPACING OF STREET LIGHTING TO BE

3. STREETLIGHT DETAIL AND LOCATION

INFORMATION AND COMMENT.

4. CITY STANDARD 12" OF TOPSOIL

AND SEED/SOD.

REJECTED

INCLUDED ON LIGHTING PLANS.

5. UNLESS OTHERWISE SPECIFIED, THE

OUTFALL CURB AND GUTTER CROSS SLOPES SHALL BE THE SAME AS THE ADJACENT FINISHED SURFACE.

6. TACK COAT TO BE APPLIED BETWEEN

BITUMINOUS PAVEMENT LIFTS.

7. SIDEWALKS SHALL HAVE A MINIMUM

CROSS SLOPE OF 1.5% AND A MAXIMUM CROSS SLOPE OF 2%.

OUT OF COMPLIANCE WILL BE

SIDEWALK THAT IS CONSTRUCTED

(4) LIGHT BASE DIMENSIONS OF 2'

(2) EXCAVATE AND DISPOSE OF SHALE

(3) CENTER TREES IN BOULEVARD OR

ENCOUNTERED WITHIN 3 FEET OF

MEDIAN. MINIMUM OF 300 CF OF


ZONE (TOPSOIL SHALL DISPLACE

DIAMETER AND 6' DEEP PER CITY STANDARD PLATE 8127E. TOP OF


FOUNDATION TO BE 3" ABOVE BLVD

TOPSOIL REQUIRED FOR TREE ROOT


PRELIMINARY SITE PLAN




INSET A - PRIMARY ROAD




INSET B - SECONDARY ROAD




INSET C - 4" CONCRETE SIDEWALK



TYPICAL GRADING DETAIL AT CURBS



WOODLAWN AVENUE BOHLAND AVENUE TO HILLCREST AVENUE (STA. 102+73 - STA. 106+18)



WOODLAWN AVENUE

YORKSHIRE AVENUE TO MONTREAL AVENUE

(STA. 83+96 - STA. 87+93)

SAUNDERS AVENUE TO VILLAGE WAY

(STA. 91+50 - STA. 95+00)

BEECHWOOD AVENUE TO BOHLAND AVENUE

(STA. 98+93 - STA. 102+73)

<u>LEGEND</u>

- 1 BOULEVARD CROSS SLOPE MAY VARY FROM 0.5% TO 8%.
- ② EXCAVATE AND DISPOSE OF SHALE OR CONSTRUCTION DEBRIS ENCOUNTERED WITHIN 3 FEET OF FINISHED GRADE.
- 3 CENTER TREES IN BOULEVARD. MINIMUM OF 300 CF OF TOPSOIL REQUIRED FOR TREE ROOT ZONE (TOPSOIL SHALL DISPLACE ROADWAY MATERIALS).
- 4 LIGHT BASE DIMENSIONS OF 2' DIAMETER AND 6' DEEP PER MNDOT STANDARD PLATE 8127E. TOP OF FOUNDATION TO BE 3" ABOVE BLVD GRADE.
- (5) PRIVATE UTILITY CORRIDOR.

GENERAL NOTES:

- 1. TREE DETAILS INCLUDED FOR GENERAL INFORMATION AND COMMENT. SPACING AND SPECIES OF BOULEVARD TREES TO BE INCLUDED ON LANDSCAPE PLANS.
- 2. STREETLIGHT DETAIL AND LOCATION INCLUDED FOR GENERAL INFORMATION AND COMMENT. SPACING OF STREET LIGHTING TO BE INCLUDED ON LIGHTING PLANS.
- 3. CITY STANDARD 12" OF TOPSOIL AND SEED/SOD.
- 4. UNLESS OTHERWISE SPECIFIED, THE OUTFALL CURB AND GUTTER CROSS SLOPES SHALL BE THE SAME AS THE ADJACENT FINISHED SURFACE.
- 5. TACK COAT TO BE APPLIED BETWEEN BITUMINOUS PAVEMENT LIFTS.
- 6. SIDEWALKS SHALL HAVE A MINIMUM CROSS SLOPE OF 1.5% AND A MAXIMUM CROSS SLOPE OF 2%. SIDEWALK THAT IS CONSTRUCTED OUT OF COMPLIANCE WILL BE REJECTED

No.	Date	Revisions	App.	DRAWING NAME	
				Ford Plan Ty	/ps.awg
				DESIGNED BY:	RJG
				DRAWN BY:	RJG
				CHECKED BY:	GSB
				DATE:	05/27/20
				PROJECT NO.	160640016




I HEREBY CERTIFY THAT THIS PLAN, SPECIFICATION OR REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND THAT I AM A DULY LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF MINNESOTA.

GREGORY S. BROWN, PE

DATE: 05/27/20 MN LIC. NO. 22814






RYAN COMPANIES US, INC.
FORD SITE REDEVELOPMENT
CITY OF ST PAUL, MINNESOTA
PRELIMINARY SITE PLAN


TYPICAL SECTIONS

SHEET NO. 9 522


Smy & Bon




<u>INSET A - PRIMARY ROAD</u>



INSET C - 4" CONCRETE SIDEWALK




TYPICAL GRADING DETAIL AT CURBS



HILLCREST AVENUE

MOUNT CURVE BOULEVARD TO CIVIC SQUARE


(STA. 110+43 - STA. 113+15)



No. Date Revisions App. DRAWING NAME Ford Plan Typs.dwg DESIGNED BY: RJG DRAWN BY: RJG CHECKED BY: GSB DATE: 05/27/20 PROJECT NO. 160640016



WWW.KIMLEY-HORN.COM



(STA. 106+18 - STA. 110+43)

GREGORY S. BROWN, PE

DATE: 05/27/20 MN LIC. NO. 22814





RYAN COMPANIES US, INC.
FORD SITE REDEVELOPMENT
CITY OF ST PAUL, MINNESOTA
PRELIMINARY SITE PLAN

<u>LEGEND</u>

1 BOULEVARD CROSS SLOPE MAY VARY FROM 0.5% TO 8%.

CONSTRUCTION DEBRIS ENCOUNTERED WITHIN 3

3 CENTER TREES IN BOULEVARD. MINIMUM OF 300 CF

(TOPSOIL SHALL DISPLACE ROADWAY MATERIALS).

DEEP PER MNDOT STANDARD PLATE 8127E. TOP OF

OF TOPSOIL REQUIRED FOR TREE ROOT ZONE

(4) LIGHT BASE DIMENSIONS OF 2' DIAMETER AND 6'

FOUNDATION TO BE 3" ABOVE BLVD GRADE.

BOULEVARD TREES AND STREETLIGHT TO ALTERNATE THE LENGTH OF THE STREET.

TREE DETAILS INCLUDED FOR GENERAL

INFORMATION AND COMMENT. SPACING AND

SPECIES OF BOULEVARD TREES TO BE INCLUDED ON LANDSCAPE PLANS.

3. STREETLIGHT DETAIL AND LOCATION INCLUDED FOR

STREET LIGHTING TO BE INCLUDED ON LIGHTING

4. CITY STANDARD 12" OF TOPSOIL AND SEED/SOD.

AS THE ADJACENT FINISHED SURFACE.

5. UNLESS OTHERWISE SPECIFIED, THE OUTFALL CURB

6. TACK COAT TO BE APPLIED BETWEEN BITUMINOUS

7. SIDEWALKS SHALL HAVE A MINIMUM CROSS SLOPE OF 1.5% AND A MAXIMUM CROSS SLOPE OF 2%.

SIDEWALK THAT IS CONSTRUCTED OUT OF

COMPLIANCE WILL BE REJECTED

AND GUTTER CROSS SLOPES SHALL BE THE SAME

GENERAL INFORMATION AND COMMENT. SPACING OF

(2) EXCAVATE AND DISPOSE OF SHALE OR

FEET OF FINISHED GRADE.

(5) PRIVATE UTILITY CORRIDOR.

GENERAL NOTES:


PLANS.

PAVEMENT LIFTS.


TYPICAL SECTIONS

SHEET NO. 10 522

Smy & Bon



INSET E - SHARED PATH



YORKSHIRE AVENUE

MISSISSIPPI RIVER BOULEVARD TO MOUNT CURVE BOULEVARD


(STA. 140+34 - STA. 144+44)

<u>LEGEND</u>

- 1 BOULEVARD CROSS SLOPE MAY VARY FROM 0.5% TO 33%. PROPOSED SWALE BOTTOM TO BE 1 FOOT LOWER THAN EDGE OF PAVEMENT GRADE.
- 2 EXCAVATE AND DISPOSE OF SHALE OR CONSTRUCTION DEBRIS ENCOUNTERED WITHIN 3 FEET OF FINISHED GRADE.
- 3 CENTER TREES IN BOULEVARD OR BACK SLOPE OF SWALE. MINIMUM OF 300 CF OF TOPSOIL REQUIRED FOR TREE ROOT ZONE (TOPSOIL SHALL DISPLACE ROADWAY MATERIALS).
- 4 LIGHT BASE DIMENSIONS OF 2' DIAMETER AND 6' DEEP PER MNDOT STANDARD PLATE 8127E. TOP OF FOUNDATION TO BE 3" ABOVE BLVD GRADE.
- 5 PRIVATE UTILITY CORRIDOR.

GENERAL NOTES:

- 1. BOULEVARD TREES AND STREETLIGHT TO ALTERNATE THE LENGTH OF THE STREET.
- 2. TREE DETAILS INCLUDED FOR GENERAL INFORMATION AND COMMENT. SPACING AND SPECIES OF BOULEVARD TREES TO BE INCLUDED ON LANDSCAPE PLANS.
- 3. STREETLIGHT DETAIL AND LOCATION INCLUDED FOR GENERAL INFORMATION AND COMMENT. SPACING OF STREET LIGHTING TO BE INCLUDED ON LIGHTING PLANS.
- 4. CITY STANDARD 12" OF TOPSOIL AND SEED/SOD.
- 5. UNLESS OTHERWISE SPECIFIED, THE OUTFALL CURB AND GUTTER CROSS SLOPES SHALL BE THE SAME AS THE ADJACENT FINISHED SURFACE.
- 6. TACK COAT TO BE APPLIED BETWEEN BITUMINOUS PAVEMENT LIFTS.
- 7. SIDEWALKS SHALL HAVE A MINIMUM CROSS SLOPE OF 1.5% AND A MAXIMUM CROSS SLOPE OF 2%. SIDEWALK THAT IS CONSTRUCTED OUT OF COMPLIANCE WILL BE REJECTED



No.	Date	Revisions	App.	DRAWING NAME	
				Ford Plan T	yps.awg
				DESIGNED BY:	RJG
				DRAWN BY:	RJG
				CHECKED BY:	GSB
				DATE:	05/27/20
				PROJECT NO.	160640016

Kimley» Horn

767 EUSTIS STREET, SUITE 100, ST, PAUL, MN 55114
PHONE: 651-645-4197
WWW.KIMLEY-HORN.COM

MISSISSIPPI RIVER BOULEVARD TO FALLS PASSAGE WEST

(STA. 175+34 - STA. 181+92)

FALLS PASSAGE EAST TO FINN STREET

(STA. 185+10 - STA. 193+70)

I HEREBY CERTIFY THAT THIS PLAN, SPECIFICATION OR REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND THAT I AM A DULY LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF MINNESOTA.

GREGORY S. BROWN, PE

DATE: 05/27/20 MN LIC. NO. 22814






RYAN COMPANIES US, INC.
FORD SITE REDEVELOPMENT
CITY OF ST PAUL, MINNESOTA
PRELIMINARY SITE PLAN


TYPICAL SECTIONS

SHEET NO. 15 522


Single Brown




<u>INSET A - PRIMARY ROAD</u>




INSET C - 4" CONCRETE SIDEWALK




INSET D - BITUMINOUS TRAIL



INSET G - 8" CONCRETE PAVEMENT



TYPICAL GRADING DETAIL AT CURBS




BOHLAND AVENUE

MISSISSIPPI BOULEVARD TO FALLS PASSAGE WEST

(STA. 240+11 - STA. 250+45)

FALLS PASSAGE EAST TO FINN STREET

(STA. 253+53 - STA. 262+43)



<u>LEGEND</u>

- 1 BOULEVARD CROSS SLOPE MAY VARY FROM 0.5% TO 33%. PROPOSED SWALE BOTTOM TO BE 1 FOOT LOWER THAN EDGE OF PAVEMENT GRADE.
- 2 EXCAVATE AND DISPOSE OF SHALE OR CONSTRUCTION DEBRIS ENCOUNTERED WITHIN 3 FEET OF FINISHED GRADE.
- 3 CENTER TREES IN BOULEVARD OR BACK SLOPE OF SWALE. MINIMUM OF 300 CF OF TOPSOIL REQUIRED FOR TREE ROOT ZONE (TOPSOIL SHALL DISPLACE ROADWAY MATERIALS).
- 4 LIGHT BASE DIMENSIONS OF 2' DIAMETER AND 6' DEEP PER MNDOT STANDARD PLATE 8127E. TOP OF FOUNDATION TO BE 3" ABOVE BLVD GRADE.
- (5) PRIVATE UTILITY CORRIDOR.

GENERAL NOTES:

- 1. BOULEVARD TREES AND STREETLIGHT TO ALTERNATE THE LENGTH OF THE STREET.
- . TREE DETAILS INCLUDED FOR GENERAL INFORMATION AND COMMENT. SPACING AND SPECIES OF BOULEVARD TREES TO BE INCLUDED ON LANDSCAPE PLANS.
- 3. STREETLIGHT DETAIL AND LOCATION INCLUDED FOR GENERAL INFORMATION AND COMMENT. SPACING OF STREET LIGHTING TO BE INCLUDED ON LIGHTING PLANS.
- 4. CITY STANDARD 12" OF TOPSOIL AND SEED/SOD.
- 5. UNLESS OTHERWISE SPECIFIED, THE OUTFALL CURB AND GUTTER CROSS SLOPES SHALL BE THE SAME AS THE ADJACENT FINISHED SURFACE.
- 6. TACK COAT TO BE APPLIED BETWEEN BITUMINOUS PAVEMENT LIFTS.
- 7. SIDEWALKS SHALL HAVE A MINIMUM CROSS SLOPE OF 1.5% AND A MAXIMUM CROSS SLOPE OF 2%. SIDEWALK THAT IS CONSTRUCTED OUT OF COMPLIANCE WILL BE REJECTED

No.	Date	Revisions	App.	DRAWING NAME Ford Plan Typs.dwg	
				rora Pian i	yps.awg
				DESIGNED BY:	RJG
				DRAWN BY:	RJG
				CHECKED BY:	GSB
				DATE:	05/27/20
				PROJECT NO.	160640016

Kimley» Horn
767 EUSTIS STREET, SUITE 100, ST, PAUL, MN 55114
PHONE: 651-645-4197

WWW.KIMLEY-HORN.COM

I HEREBY CERTIFY THAT THIS PLAN, SPECIFICATION OR REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND THAT I AM A DULY LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF MINNESOTA.

DATE: 05/27/20 MN LIC. NO. 22814

(STA. 250+45 - STA. 253+53)

OFESSIONAL ENGINEER UNDER THE E STATE OF MINNESOTA.

GREGORY S. BROWN, PE





RYAN COMPANIES US, INC.
FORD SITE REDEVELOPMENT
CITY OF ST PAUL, MINNESOTA
PRELIMINARY SITE PLAN


TYPICAL SECTIONS


SHEET NO. 17 522


Smy & Bon






























Suy S. Bur



Smy S. Bur

