






Sound Level Variance Application

Legislative Code Chapter 293. - Noise Regulations Application and \$178 fee should be submitted a minimum of sixty (60) days prior to the event date to allow ample time for required public notification period and scheduling of a Council public hearing. Applications submitted within sixty (60) days of the event date may not satisfy the processing timeline requirements.

1. Organization/person seeking variance: Anderson Race Management for Susan G Komen
2. Event Name: Race for the Cure
3. Address and physical description of noise source location (Event, Worksite): Harriet Island
4. Responsible person: Jennifer Williams Title: ARM Director of Events
5. Telephone: 612-475-0600 E-Mail: jennifer@andersonraces.com
6. Date(s) variance requested: Sunday, May 14, 2023
7. Noise source - Time(s) of operation: 7:30 am - 12 pm
- Time(s) of pre-event sound check: 7 am
8. Sound level requested (dBA/Decibels): 90 db below
9. Mailing address w/zip code: 4047 Camberwell Dr N, Eagan, MN 55123
10. Briefly describe the noise source and equipment involved: sound system and speakers for event music and announcements
11. Describe the steps that will be taken to minimize the noise levels: Will face speakers away from river and face towards the crowd
12. State reason for seeking variance (example - music, announcements, construction, etc.): event music and announcements
13. Maximum number of attendees: 4000
14. A site diagram & map must be attached showing location of noise source(s), streets, stages, tents, etc. (If there will be amplified sound, indicate location and direction that all speakers will be facing. Multiple locations may require more than one application.)
15. Submit completed application, site diagram/map, and \$178 fee to:
**CITY OF SAINT PAUL, DEPARTMENT OF SAFETY AND
INSPECTIONS 375 JACKSON STREET, SUITE 220
SAINT PAUL, MN 55101-1806**

I understand any social gathering associated with this variance must be managed in compliance with any applicable Mayor Carter executive order regarding vaccinations, distancing, masks and attendance limits.


Signature of responsible person: Jennifer Williams Digitally signed by Jennifer Williams
Date: 2023.02.23 10:54:00 -06'00' Date: 2/23/2023







Condos & Park Across The River

What this is basically illustrating is a max SPL (Sound Pressure Level) of 90db in the park, with full coverage of anyone inside the entrance, and a dropoff below 72db for the condos across the river, even at max volume. I expect that, for the most part we will be at 85db or less for the event. A sound variance for 90db in the park and 70db off of it, should be sufficient.









DSI RECEIPT

CITY OF SAINT PAUL
Department of Safety and Inspections
375 Jackson Street Suite 220
Saint Paul, Minnesota 55101-1806
Phone: (651) 266-8989 Fax: (651) 266-9124
www.stpaul.gov/dsi

Date: 03/02/2023

Received From: ANDERSON RACE MANAGEMENT
4047 CAMBERWELL DRIVE N EAGAN MN 55123

Description:

Invoice Details

1141956

Noise Variance

Invoice Amount

\$178.00

Amount Paid

\$178.00

TOTAL AMOUNT PAID:

\$178.00

Paid By:

Payment Type	Check #	Received Date	Amount
Credit Card	V9064	03/02/2023	\$178.00