



Saint Paul Fire Department
645 Randolph Avenue
Saint Paul, MN 55102
(651) 224-7811

NFIRS-1 Basic

A							
62210	MN	12	01	2021	Station #8 (08)	SPFD211201052436	0
FDID	State	Month	Day	Year	Station	Number	Exposure

B Location Type						Census tract: 0308.00	
☒ Street Address							
☐ Intersection							
☐ In Front Of	1213		WOODBIDGE	ST-Street			
☐ Rear Of	Number	Prefix	Street or Highway	Street Type	Suffix		
☐ Adjacent To							
☐ Directions							
☐ US National Grid							
		Saint Paul		MN	55117		
	Apt./Suite/Room	City		State	Zip Code		
	Cross Street						

C Incident Type		E1 Dates and Times		E2 Shifts and Alarms	
111-Building fire		Alarm 12 01 2021 03:48		B 1 D2	
		Arrival 12 01 2021 03:51		Shift or Alarms District	
		Controlled		Platoon	
		Last Unit 12 01 2021 05:13			
		Cleared			

D Aid Given Or Received		E3 Special Studies	
☐ 1 Mutual Aid Received		9244 4 - Unknown	
☐ 2 Auto. Aid Received		ID# Value	
☐ 3 Mutual Aid Given			
☐ 4 Auto. Aid Given			
☐ 5 Other Aid Given			
☒ None			

F Actions Taken		G1 Resources		G2 Estimated Dollar Losses and Values	
11-Extinguishment by fire service personnel		☒ Apparatus or Personnel Module is used.		Losses: Required for all fires if None	
Primary Action Taken		Apparatus Personnel		Property: \$ 7,500.00	
		Suppression 10 0		Contents: \$ 2,000.00	
		EMS 1 0		Pre-Incident Values: Optional None	
		Other 0 0		Property: \$ 99,000.00	
		☐ Resource counts include aid received resources.		Contents: \$	

Completed Modules ☐ 2 - Fire ☐ 3 - Structure Fire ☐ 4 - Civilian Fire Cas. ☐ 5 - Fire Service Cas. ☐ 6 - EMS ☐ 7 - HazMat ☐ 8 - Wildland Fire ☐ 9 - Apparatus ☐ 10 - Personnel ☐ 11 - Arson	H1 Casualties ☒ None Deaths Injuries Fire Service 0 0 Civilian 0 0	H3 Hazardous Materials Release ☐ 1 - Natural Gas ☐ 2 - Propane Gas ☐ 3 - Gasoline ☐ 4 - Kerosene ☐ 5 - Diesel Fuel / Fuel Oil ☐ 6 - Household Solvents ☐ 7 - Motor Oil ☐ 8 - Paint ☐ 0 - Other ☒ None	I Mixed Use Property ☐ Not Mixed ☐ 10 - Assembly Use ☐ 20 - Education Use ☐ 33 - Medical Use ☐ 40 - Residential Use ☐ 51 - Row Of Stores ☐ 53 - Enclosed Mall ☐ 58 - Business and Residential ☐ 59 - Office Use ☐ 60 - Industrial Use ☐ 63 - Military Use ☐ 65 - Farm Use ☐ 00 - Other Mixed Use
	H2 Detector Required for Confined Fires ☐ 1 - Detector Alerted Occupants ☐ 2 - Detector Did Not Alert Them ☐ 3 - Unknown		

J Property Use ☐ None Structures 131 ☐ Church, Place of Worship 161 ☐ Restaurant or Cafeteria 162 ☐ Bar/Tavern or Nightclub 213 ☐ Elementary School, Kindergarten 215 ☐ High School, Junior High 241 ☐ College, Adult Education 311 ☐ Nursing Home 331 ☐ Hospital	341 ☐ Clinic, Clinic-Type Infirmary 342 ☐ Doctor/Dentist Office 361 ☐ Prison or Jail, Not Juvenile 419 ☒ 1- or 2-Family Dwelling 429 ☐ MultiFamily Dwelling 439 ☐ Rooming/Boarding House 449 ☐ Commerical Hotel or Motel 459 ☐ Residential, Board and Care 464 ☐ Dormitory/Barracks 519 ☐ Food and Beverage Sales	539 ☐ Household Goods, Sales, Repairs 571 ☐ Gas or Service Station 579 ☐ Motor Vehicle/Boat Sales/Repairs 599 ☐ Business Office 615 ☐ Electric-Generating Plant 629 ☐ Laboratory/Science Laboratory 700 ☐ Manufacturing Plant 819 ☐ Livestock/Poultry Storage (Barn) 882 ☐ Non-Residential Parking Garage 891 ☐ Warehouse
---	---	--

Outside 124 ☐ Playground or Park 655 ☐ Crops or Orchard 669 ☐ Forest (Timberland) 807 ☐ Outdoor Storage Area 919 ☐ Dump or Sanitary Landfill 931 ☐ Open Land or Field 936 ☐ Vacant Lot	938 ☐ Graded/Cared for Plot of Land 946 ☐ Lake, River, Stream 951 ☐ Railroad Right-of-Way 960 ☐ Other Street 961 ☐ Highway/Divided Highway 962 ☐ Residential Street/Driveway 981 ☐ Construction Site 984 ☐ Industrial Plant Yard	Property Use: Description Look up and enter a Property Use code and description only if you have NOT checked a Property Use box.
---	---	--

K2

Owner							
Local Option	Person/Entity Type	Business Name (if applicable)		Phone Number			
Mr., Ms., Mrs.	First Name	MI	Last Name		Suffix		
Number	Prefix	Street or Highway		Street Type		Suffix	
Post Office Box		Apt./Suite/Room		City			
State		Zip Code					

L Remarks:

Engine 22 arrived to find fire showing from a dwelling in the alpha/bravo corner of the building. They pulled a preconnected hose line to put the fire out. Ladder 22 performed a primary search on the first and second floors. Engine 17 was ordered to pull a back up hose line. Engine 8 established a water supply to Engine 17 and Engine 22, they than moved on deck.

Ladder 8 was assigned IRIT and secured gas to the building. Ladder 22 found the electrical panel and turned off power to the building. Squad 1 set up ventilation and performed a secondary search on both floors of the building. The fire was deemed out and Squad 2 was called to investigate the fire. District Chief 1 performed the Safety Officer duties and completed a 360-walk around of the building. The resident had a family member to stay with so there was no need for Red Cross. Board up was called to secure the building.

M Authorization

Officer In Charge ID	Signature	Position or Rank	Assignment	Date
Member Making Report ID	Signature	Position or Rank	Assignment	Date

NFIRS-2 Fire

A							
62210	MN	12	01	2021	Station #8 (08)	SPFD211201052436	0
FDID	State	Month	Day	Year	Station	Number	Exposure

B Property Details B1 1 ☐ Not Residential Estimated number of residential living units in the building of origin whether or not all units became involved B2 1 ☐ Buildings Not Involved Number of buildings involved B3 ☒ None ☐ Less than 1 acre Acres burned (outside fires)	C On-Site Materials Or Products On-Site Materials Storage Use
---	---

D Ignition D1 21-Bedroom - < 5 persons; included are jail or prison Area of Fire Origin D2 66-Candle Heat Source D3 32-Bedding; blanket, sheet, comforter Item First Ignited D4 71-Fabric, fiber, cotton, blends, rayon, wool Type of Material First Ignited	E1 Cause of Ignition ☐ 1 - Intentional ☒ 2 - Unintentional ☐ 3 - Failure of Equipment or Heat Source ☐ 4 - Act of Nature ☐ 5 - Cause Under Investigation ☐ U - Cause Undetermined After Investigation E2 Factors Contributing to Ignition 12-Heat source too close to combustibles Factor Contributing to Ignition	E3 Human Factors Contributing to Ignition Check all applicable boxes ☐ None ☒ 1 - Asleep ☐ 2 - Possibly impaired by alcohol or drugs ☐ 3 - Unattended person ☐ 4 - Possibly Mentally Disabled ☐ 5 - Physically Disabled ☐ 6 - Multiple Persons Involved ☐ 7 - Age Was A Factor Estimated Age of Person Involved ☐ Male ☐ Female
--	--	---

F1 Equipment Involved In Ignition ☒ None Equipment Involved Brand Model Serial # Year	F2 Equipment Power Source Equipment Power Source F3 Equipment Portability ☐ 1 - Portable ☐ 2 - Stationary Portable equipment normally can be moved by one or two persons.	G Fire Suppression Factors
---	--	---

H1 Mobile Property Involved ☐ 1 - Not involved in ignition, but burned ☐ 2 - Involved in ignition, but did not burn ☐ 3 - Involved in ignition and burned ☒ None	H2 Mobile Property Type and Make Mobile Property Type Mobile Property Make	Local Use ☐ Pre-Fire Plan Available ☐ Arson Report Attached ☐ Police Report Attached ☐ Coroner Report Attached ☐ Other Reports Attached
 Mobile Property Model		 Year
 State	 License Plate Number	 VIN

NFIRS-3 Structure Fire

I1 Structure Type ☒ 1 - Enclosed Building ☐ 2 - Portable/Mobile Structure ☐ 3 - Open Structure ☐ 4 - Air-Supported Structure ☐ 5 - Tent ☐ 6 - Open Platform ☐ 7 - Underground Structure ☐ 8 - Connective Structure ☐ 0 - Other	I2 Building Status ☐ 1 - Under Construction ☒ 2 - In Normal Use ☐ 3 - Idle, Not Routinely Used ☐ 4 - Under Major Renovation ☐ 5 - Vacant and Secured ☐ 6 - Vacant and Unsecured ☐ 7 - Being Demolished ☐ 0 - Other ☐ U - Undetermined	I3 Building Height 2 Number of Stories At/Above Grade 0 Number of Stories Below Grade	I4 Main Floor Size 842 Total Square Feet OR BY Length (ft) X Width (ft)
J1 Fire Origin 1 ☐ Below Grade Story of Fire Origin J2 Fire Spread ☐ Confined to Object of Origin ☒ 2 - Confined to Room of Origin ☐ 3 - Confined to Floor of Origin ☐ 4 - Confined to Building of Origin ☐ 5 - Beyond Building of Origin	J3 Number of Stories Damaged By Flame Number of Stories w/Minor Damage (1-24%) Number of Stories w/Significant Damage (25-49%) Number of Stories w/Heavy Damage (50-74%) Number of Stories w/Extreme Damage (75-100%) *Count the roof as part of the highest story	K Type of Material Contributing Most to Flame Spread K1 Item Contributing Most to Flame Spread K2 Type of Material Contributing Most To Flame Spread	
L1 Presence of Detectors ☐ N - None Present ☒ 1 - Present ☐ U - Undetermined L2 Detector Type ☒ 1 - Smoke ☐ 2 - Heat ☐ 3 - Combination of Smoke and Heat ☐ 4 - Sprinkler, Water Flow Detection ☐ 5 - More Than One Type Present ☐ 0 - Other ☐ U - Undetermined	L3 Detector Power Supply ☒ 1 - Battery Only ☐ 2 - Hardwire Only ☐ 3 - Plug-In ☐ 4 - Hardwire With Battery ☐ 5 - Plug-In With Battery ☐ 6 - Mechanical ☐ 7 - Multiple Detectors & Power Supplies ☐ 0 - Other ☐ U - Undetermined L4 Detector Operation ☐ 1 - Fire Too Small To Activate ☐ 2 - Operated ☐ 3 - Failed To Operate ☒ U - Undetermined	L5 Detector Effectiveness ☐ 1 - Alerted Occupants, Occupants Responded ☐ 2 - Alerted Occupants, Occupants Failed to Respond ☐ 3 - There Were No Occupants ☐ 4 - Failed to Alert Occupants ☐ U - Undetermined L6 Detector Failure Reason ☐ 1 - Power Failure, Shutoff, or Disconnect ☐ 2 - Improper Installation or Placement ☐ 3 - Defective ☐ 4 - Lack of Maintenance, Dirty ☐ 5 - Battery Missing or Disconnected ☐ 6 - Battery Discharged or Dead ☐ 0 - Other ☐ U - Undetermined	
M1 Presence of Automatic Extinguishing System ☒ N - None Present ☐ 1 - Present ☐ 2 - Partial System Present ☐ U - Undetermined M2 Type of Automatic Extinguishing System ☐ 1 - Wet-Pipe Sprinkler ☐ 2 - Dry-Pipe Sprinkler ☐ 3 - Other Sprinkler System ☐ 4 - Dry Chemical System ☐ 5 - Foam System ☐ 6 - Halogen-Type System ☐ 7 - Carbon Dioxide System ☐ 0 - Other ☐ U - Undetermined Required if fire was within designed range of AES	M3 Operation of Automatic Extinguishing System ☐ 1 - Operated/Effective ☐ 2 - Operated/Not Effective ☐ 3 - Fire Too Small To Activate ☐ 4 - Failed To Operate ☐ 0 - Other ☐ U - Undetermined Required if fire was within designed range M4 Number of Sprinkler Heads Operating Required if system operated	M5 Reason for Automatic Extinguishing System Failure ☐ 1 - System Shut Off ☐ 2 - Not Enough Agent Discharged ☐ 3 - Agent Discharged But Did Not Reach Fire ☐ 4 - Wrong Type of System ☐ 5 - Fire Not In Area Protected ☐ 6 - System Components Damaged ☐ 7 - Lack of Maintenance ☐ 8 - Manual Intervention ☐ 0 - Other ☐ U - Undetermined Required if system failed or not effective	