



CITY OF SAINT PAUL

375 Jackson Street, Suite 220
St Paul, Minnesota 55101-1806

Telephone: 651-266-8989
Facsimile: 651-266-9124
Web: www.stpaul.gov/dsi

March 18, 2022

Heather Otto
RBK Management
1017 Laurel Ave
St. Paul Park, MN 55071USA

Revocation of Fire Certificate of Occupancy and Order to Vacate

RE: 1171 ROSS AVE
Ref. # 122242

Dear Property Representative:

Your building was inspected on March 18, 2022, for the renewal of the Certificate of Occupancy. Since you have failed to comply with the applicable requirements, it has become necessary to revoke the Certificate of Occupancy in accordance with Section 40.06 of the Saint Paul Legislative Code. A reinspection will be made on April 4, 2022 at 2:00P.M. or the property vacated.

The Saint Paul Legislative Code further provides that no building shall be occupied without a Certificate of Occupancy. Failure to immediately complete the following deficiency list or the building vacated may result in a criminal citation.

DEFICIENCY LIST

1. SPLC 39.02(c) - Complete and sign the smoke detector affidavit and return it to this office.
2. SPLC 113.02, MSFC 1030.3 - Remove the accumulation of snow or ice from the public sidewalk abutting this property.-
3. SPLC 34.19 - Provide access to the inspector to all areas of the building.-Default Remedy

Saint Paul Legislative Code authorizes this inspection and collection of inspection fees. For forms, fee schedule, inspection handouts, or information on some of the violations contained in this report, please visit our web page at: <http://www.stpaul.gov/cofo>

You have the right to appeal these orders to the Legislative Hearing Officer. Applications for appeals may be obtained at the Office of the City Clerk, 310 City Hall, City/County Courthouse,
An Equal Opportunity Employer

15 W Kellogg Blvd, Saint Paul MN 55102 Phone: (651-266-8585) and must be filed within 10 days of the date of this order.

If you have any questions, email me at: james.thomas@ci.stpaul.mn.us or call me at 651-266-8983 between 7:30 - 9:00 a.m. Please help to make Saint Paul a safer place in which to live and work.

Sincerely,

James Thomas
Fire Safety Inspector

Ref. # 122242