LICENSE APPLICATION NOTIFICATION

License Number:

20220000633

Application for:

Liquor On Sale – 101-180 Seats, Liquor On Sale-Sunday, and Liquor Outdoor

Service Area (Sidewalk)

License at:

345 Wabasha St. N

Licensee:

Lowry Building LLC, doing business as Gray Duck Tavern

Rosemary Kortgard, owner, 651-756-8063

Recommended License Conditions:

1. The licensee shall be responsible for monitoring to ensure that patron consumption of liquor remains in the designated liquor service areas

- 2. Licensee agrees to limit the number of seats placed on the public sidewalk to that shown on the approved sidewalk seating plan on file with the Department of Safety and Inspections (DSI).
- 3. Each year prior to the placement of table(s) and/or chair(s) in the public right-of-way (i.e., sidewalk), the licensee agrees to obtain a new Obstruction Permit from the Department of Public Works. Licensee agrees to maintain the sidewalk café in accordance with the conditions placed on an approved Obstruction Permit, acknowledges that an Obstruction Permit is effective on April 1 and expires on October 31 of each year, that table(s) and/or chair(s) may not be placed in the public right-of-way before or after the effective/expiration dates, and that a failure to comply with this condition will result in adverse action being taken against all of their licenses.
- 4. Licensee agrees to take appropriate action(s) to ensure that the sale, display, and/or consumption of alcoholic beverages is contained within the defined area as per the approved sidewalk seating plan on file with DSI.

Deadline for Response Date: Friday, July 8, 2022 at 4:30 p.m.

If you have any objections to the license application, you must respond in writing by Friday, July 8, 2022 to:

Legislative Hearing Officer 310 City Hall 15 West Kellogg Blvd. Saint Paul, MN 55102

Or email to: LH-Licensing@ci.stpaul.mn.us

If you have any questions, please contact DSI Inspectors Ross Haddow or Jeff Fischbach at 651-266-8989.

Notice Mailed: Friday, June 24, 2022