

CITY OF SAINT PAUL Christopher B. Coleman, Mayor

375 Jackson Street, Suite 220 Saint Paul, Minnesota 55101-1806

 Telephone:
 651-266-8989

 Facsimile:
 651-266-8951

 Web:
 www.stpaul.gov/dsi

February 2, 2011

JOHN P OSBORNE 6331 Edgemont Circle N Brooklyn Park MN 55428-1881

FIRE INSPECTION CORRECTION NOTICE

RE: 1142 MCLEAN AVE

Ref. #109466

Residential Class: C

Dear Property Representative:

Your building was inspected on January 31, 2011 for the renewal of your Fire Certificate of Occupancy. Approval for occupancy will be granted upon compliance with the following deficiency list. The items on the list must be corrected prior to the re-inspection date.

A re-inspection will be made on March 3, 2011 at 10:15 am.

Failure to comply may result in a criminal citation or the revocation of the Fire Certificate of Occupancy. The Saint Paul Legislative Code requires that no building shall be occupied without a Fire Certificate of Occupancy. The code also provides for the assessment of additional reinspection fees.

YOU WILL BE RESPONSIBLE FOR NOTIFYING TENANTS IF ANY OF THE FOLLOWING LIST OF DEFICIENCIES ARE THEIR RESPONSIBILITY.

DEFICIENCY LIST

- 1. EXTERIOR SPLC 34.09 (3), 34.32 (3) Repair and maintain the doors in good condition.-Replace door closers on both front storm doors.
- 2. EXTERIOR SPLC 34.09 (3), 34.32 (3) Repair and maintain the door frame.-Repair frame on front door in a professional manner. Repair loose deadbolt lock on front door.
- 3. EXTERIOR SPLC 34.09 (3), 34.32 (3) Provide or repair and maintain the window screens.

- 4. EXTERIOR Remove the accumulation of snow or ice from the public and private sidewalk abutting this property.
- 5. INTERIOR BASEMENT MSFC 605.4 Discontinue use of all multi-plug adapters.
- 6. INTERIOR SPLC 34.10 (5), 34.33 (4), 34.16 Provide and maintain interior in a clean and sanitary condition.
- 7. INTERIOR SPLC 34.10 (3), 34.33(2) Repair or replace the damaged handrail in an approved manner.-Repair loose handrail to upstairs.
- 8. INTERIOR MSFC1026.1 Provide and maintain an approved escape window from each sleeping room. The minimum size must be 5 square feet of glazed area with a minimum of 24 inches of openable height and 20 inches of openable width. With a finished sill height not more than 48 inches. This work may require permit(s). Call DSI at (651)- 266-9090. Refer to the Escape Windows for Residential Occupanices handout for more information.-Upon inspection, double-hung window in bedroom two measured 22.5 inches openable height x 26 inches openable width.
- 9. INTERIOR MSFC 605.5 Discontinue use of extension cords used in lieu of permanent wiring.
- 10. INTERIOR MSFC 605.5.3 Immediately, discontinue use of frayed, deteriorated, damaged or spliced electrical cords.-Remove strings of decorative lights from bedroom two.
- 11. INTERIOR SPLC 34.09 (3), 34.32 (3) Repair and maintain the door frame.-Repair door frame in bedroom two in a professional manner.
- 12. INTERIOR MSFC 1011.2 Remove the materials that cause an exit obstruction. Maintain a clear and unobstructed exitway.-Unable to measure windows in bedroom one due to obstructions.

For an explanation or information on some of the violations contained in this report, please visit our web page at: http://www.ci.stpaul.mn.us/index.aspx?NID=211

You have the right to appeal these orders to the Legislative Hearing Officer. Applications for appeals may be obtained at the Office of the City Clerk, 310 City Hall, City/County Courthouse, 15 W Kellogg Blvd, Saint Paul MN 55102 Phone: (651-266-8688) and must be filed within 10 days of the date of this order.

If you have any questions, email me at: kelly.booker@ci.stpaul.mn.us or call me at 651-266-8985 between 7:30 a.m. - 9:00 a.m. Please help to make Saint Paul a safer place in which to live and work.

Sincerely,

Kelly Booker Fire Inspector