



## Legislation Details (With Text)

---

**File #:** Ord 21-38      **Version:** 1

**Type:** Ordinance      **Status:** Passed

**In control:** City Council

**Final action:** 11/3/2021

**Title:** Amending Section 94.13 of the Legislative Code to ensure consistency with the 2015 MN Plumbing and Building Codes.

**Sponsors:** Amy Brendmoen

**Indexes:**

**Code sections:**

**Attachments:** 1. Heat Exchanger Memo

Date	Ver.	Action By	Action	Result
11/8/2021	1	Mayor's Office	Signed	
11/3/2021	1	City Council	Adopted	Pass
10/27/2021	1	City Council	Laid Over to Final Adoption	Pass
10/13/2021	1	City Council	Laid Over to Second Reading	

Amending Section 94.13 of the Legislative Code to ensure consistency with the 2015 MN Plumbing and Building Codes.

### SECTION 1

WHEREAS, Saint Paul Legislative Code Section 94.13 is inconsistent and more restrictive than the 2015 MN Plumbing and Building Codes; and

WHEREAS, Saint Paul Legislative Code should not be more restrictive than the 2015 MN Plumbing and Building Codes; and

WHEREAS, the inconsistency is causing confusion for licensed installers; and

WHEREAS, the Department of Safety and Inspections wishes to address this inconsistency; Now, therefore be it

RESOLVED, that the Council of the City of Saint Paul does hereby ordain:

### SECTION 2

Chapter 94.13 of the Saint Paul Legislative Code is hereby amended as follows:

**Sec. 94.13. Water heating systems.**

- (a) In the installation of plumbing for the heating of water for domestic use or for house heating purposes, approved safety devices shall be installed to protect against explosion and meter damage.
- (b) Water heaters and water storage tanks having a capacity greater than six (6) gallons and that are connected to a potable water system shall be no higher than eighteen (18) inches above the floor.
- (c) ~~Heat exchanger units connected to a potable water system shall be double-walled and designed in such a way that will cause the automatic discharge of heat transfer medium and/or potable water to the atmosphere in the event of unit failure.~~

SECTION 3

This Ordinance shall take effect and be in force thirty (30) days following passage, approval, and publication.