



Saint Paul Fire Department
645 Randolph Avenue
Saint Paul, MN 55102
(651) 224-7811

NFIRS-1 Basic

A

62210	MN	05	17	2022	Station #18 (18)	SPFD220517020882	0
FDID	State	Month	Day	Year	Station	Number	Exposure

B Location Type

Census tract:
0321.00

- ☒ Street Address
☐ Intersection
☐ In Front Of
☐ Rear Of
☐ Adjacent To
☐ Directions
☐ US National Grid

1610		BLAIR	AVE-Avenue	
Number	Prefix	Street or Highway	Street Type	Suffix

	Saint Paul	MN	55104
Apt./Suite/Room	City	State	Zip Code

Cross Street

C

Incident Type

111-Building Fire

E1

Dates and Times

Alarm 05 17 2022 22:52

Arrival 05 17 2022 22:56

Controlled

Last Unit
Cleared 05 18 2022 00:49

E2

Shifts and Alarms

B	1	D1
Shift or Platoon	Alarms	District

D

Aid Given Or Received

- ☐ 1 Mutual Aid Received
☐ 2 Auto. Aid Received
☐ 3 Mutual Aid Given
☐ 4 Auto. Aid Given
☐ 5 Other Aid Given
☒ None

Their FDID Their State

Their Incident Number

E3

Special Studies

9244	3 - No, COVID 19 was not a factor
ID#	Value

F

Actions Taken

11-Extinguishment by fire service personnel

Primary Action Taken

12-Salvage & overhaul

Additional Action Taken

82-Notify other agencies.

Additional Action Taken

G1

Resources

- ☒ Apparatus or Personnel Module is used.

	Apparatus	Personnel
Suppression	6	0
EMS	1	0
Other	0	0

- ☐ Resource counts include aid received resources.

G2

Estimated Dollar Losses and Values

Losses: Required for all fires if known. Optional for all non-fires. None

Property: \$ 50,000.00 ☐

Contents: \$ 25,000.00 ☐

Pre-Incident Values: Optional None

Property: \$ 50,000.00 ☐

Contents: \$ ☒

Completed Modules ☐ 2 - Fire ☐ 3 - Structure Fire ☐ 4 - Civilian Fire Cas. ☐ 5 - Fire Service Cas. ☐ 6 - EMS ☐ 7 - HazMat ☐ 8 - Wildland Fire ☐ 9 - Apparatus ☐ 10 - Personnel ☐ 11 - Arson	H1 Casualties ☒ None Deaths Injuries Fire Service 0 0 Civilian 0 0	H3 Hazardous Materials Release ☐ 1 - Natural Gas ☐ 2 - Propane Gas ☐ 3 - Gasoline ☐ 4 - Kerosene ☐ 5 - Diesel Fuel / Fuel Oil ☐ 6 - Household Solvents ☐ 7 - Motor Oil ☐ 8 - Paint ☐ 0 - Other ☒ None	I Mixed Use Property ☐ Not Mixed ☐ 10 - Assembly Use ☐ 20 - Education Use ☐ 33 - Medical Use ☐ 40 - Residential Use ☐ 51 - Row Of Stores ☐ 53 - Enclosed Mall ☐ 58 - Business and Residential ☐ 59 - Office Use ☐ 60 - Industrial Use ☐ 63 - Military Use ☐ 65 - Farm Use ☐ 00 - Other Mixed Use
	H2 Detector Required for Confined Fires ☐ 1 - Detector Alerted Occupants ☐ 2 - Detector Did Not Alert Them ☐ 3 - Unknown		

J Property Use ☐ None Structures ☐ 131 - Church, Place of Worship ☐ 161 - Restaurant or Cafeteria ☐ 162 - Bar/Tavern or Nightclub ☐ 213 - Elementary School, Kindergarten ☐ 215 - High School, Junior High ☐ 241 - College, Adult Education ☐ 311 - Nursing Home ☐ 331 - Hospital	☐ 341 - Clinic, Clinic-Type Infirmary ☐ 342 - Doctor/Dentist Office ☐ 361 - Prison or Jail, Not Juvenile ☐ 419 - 1- or 2-Family Dwelling ☐ 429 - MultiFamily Dwelling ☐ 439 - Rooming/Boarding House ☐ 449 - Commerical Hotel or Motel ☐ 459 - Residential, Board and Care ☐ 464 - Dormitory/Barracks ☐ 519 - Food and Beverage Sales	☐ 539 - Household Goods, Sales, Repairs ☐ 571 - Gas or Service Station ☐ 579 - Motor Vehicle/Boat Sales/Repairs ☐ 599 - Business Office ☐ 615 - Electric-Generating Plant ☐ 629 - Laboratory/Science Laboratory ☐ 700 - Manufacturing Plant ☐ 819 - Livestock/Poultry Storage (Barn) ☐ 882 - Non-Residential Parking Garage ☐ 891 - Warehouse
---	--	--

Outside ☐ 124 - Playground or Park ☐ 655 - Crops or Orchard ☐ 669 - Forest (Timberland) ☐ 807 - Outdoor Storage Area ☐ 919 - Dump or Sanitary Landfill ☐ 931 - Open Land or Field ☐ 936 - Vacant Lot	☐ 938 - Graded/Cared for Plot of Land ☐ 946 - Lake, River, Stream ☐ 951 - Railroad Right-of-Way ☐ 960 - Other Street ☐ 961 - Highway/Divided Highway ☐ 962 - Residential Street/Driveway ☐ 981 - Construction Site ☐ 984 - Industrial Plant Yard	Property Use: 881 -Parking garage, (detached residential garage) Description Look up and enter a Property Use code and description only if you have NOT checked a Property Use box.
---	---	---

K2

Owner			
Local Option	Person/Entity Type	Business Name (if applicable)	Phone Number

Mr., Ms., Mrs.	First Name	MI	Last Name	Suffix

Number	Prefix	Street or Highway	Street Type	Suffix

Post Office Box	Apt./Suite/Room	City

State	Zip Code

L Remarks:

Detached garage fire. Initial command Squad 2. On arrival they had smoke and flames showing. Engine 14 performed fire attack. Engine 20 had the back up hose line. District Chief 1 arrived and assumed command. Ladder 23 assisted with fire operations. Engine 23 initially staged by the hydrant and then returned to service.

The fire was quickly extinguished, heavy content load. Overhaul was performed and some contents removed. Board up and Xcel electric called and responded.

M Authorization

1516	Rodriguez, Arthur	DC	C1	05/18/2022
Officer In Charge ID	Signature	Position or Rank	Assignment	Date
1516	Rodriguez, Arthur	DC	C1	05/18/2022
Member Making Report ID	Signature	Position or Rank	Assignment	Date

NFIRS-2 Fire

A							
62210	MN	05	17	2022	Station #18 (18)	SPFD220517020882	0
FDID	State	Month	Day	Year	Station	Number	Exposure

B Property Details B1 ☒ Not Residential Estimated number of residential living units in the building of origin whether or not all units became involved B2 ☐ Buildings Not Involved Number of buildings involved B3 ☒ None ☐ Less than 1 acre Acres burned (outside fires)	C On-Site Materials Or Products 511-Gasoline, diesel fuel On-site material (1) 610-Machinery, tools, other On-site material (1) On-Site Materials Storage Use ☐ 1 - Bulk Storage or warehousing ☐ 2 - Processing or manufacturing ☐ 3 - Packaged goods for sale ☐ 4 - Repair or service ☐ U - Undetermined ☐ 1 - Bulk Storage or warehousing ☐ 2 - Processing or manufacturing ☐ 3 - Packaged goods for sale ☐ 4 - Repair or service ☐ U - Undetermined
--	--

D Ignition D1 47-Vehicle storage area; garage, carport Area of Fire Origin D2 13-Electrical arcing Heat Source D3 81-Electrical wire, cable insulation Item First Ignited D4 Type of Material First Ignited	E1 Cause of Ignition ☐ 1 - Intentional ☒ 2 - Unintentional ☐ 3 - Failure of Equipment or Heat Source ☐ 4 - Act of Nature ☐ 5 - Cause Under Investigation ☐ U - Cause Undetermined After Investigation E2 Factors Contributing to Ignition Undetermined Factor Contributing to Ignition	E3 Human Factors Contributing to Ignition Check all applicable boxes ☒ None ☐ 1 - Asleep ☐ 2 - Possibly impaired by alcohol or drugs ☐ 3 - Unattended person ☐ 4 - Possibly Mentally Disabled ☐ 5 - Physically Disabled ☐ 6 - Multiple Persons Involved ☐ 7 - Age Was A Factor Estimated Age of Person Involved ☐ Male ☐ Female
---	--	---

F1 Equipment Involved In Ignition ☒ None Equipment Involved Brand Model Serial # Year	F2 Equipment Power Source Equipment Power Source F3 Equipment Portability ☐ 1 - Portable ☐ 2 - Stationary Portable equipment normally can be moved by one or two persons.	G Fire Suppression Factors
--	--	---

H1 Mobile Property Involved ☐ 1 - Not involved in ignition, but burned ☐ 2 - Involved in ignition, but did not burn ☐ 3 - Involved in ignition and burned ☒ None	H2 Mobile Property Type and Make Mobile Property Type Mobile Property Make Mobile Property Model Year State License Plate Number VIN	Local Use ☐ Pre-Fire Plan Available ☐ Arson Report Attached ☐ Police Report Attached ☐ Coroner Report Attached ☐ Other Reports Attached
--	---	---

NFIRS-3 Structure Fire

I1 Structure Type ☒ 1 - Enclosed Building ☐ 2 - Portable/Mobile Structure ☐ 3 - Open Structure ☐ 4 - Air-Supported Structure ☐ 5 - Tent ☐ 6 - Open Platform ☐ 7 - Underground Structure ☐ 8 - Connective Structure ☐ 0 - Other	I2 Building Status ☐ 1 - Under Construction ☒ 2 - In Normal Use ☐ 3 - Idle, Not Routinely Used ☐ 4 - Under Major Renovation ☐ 5 - Vacant and Secured ☐ 6 - Vacant and Unsecured ☐ 7 - Being Demolished ☐ 0 - Other ☐ U - Undetermined	I3 Building Height 1 Number of Stories At/Above Grade 1 Number of Stories Below Grade	I4 Main Floor Size Total Square Feet OR 24 BY 24 Length (ft) X Width (ft)
J1 Fire Origin 1 ☐ Below Grade Story of Fire Origin	J3 Number of Stories Damaged By Flame Number of Stories w/Minor Damage (1-24%) Number of Stories w/Significant Damage (25-49%) Number of Stories w/Heavy Damage (50-74%) Number of Stories w/Extreme Damage (75-100%) *Count the roof as part of the highest story	K Type of Material Contributing Most to Flame Spread K1 Item Contributing Most to Flame Spread K2 Type of Material Contributing Most To Flame Spread	
J2 Fire Spread ☐ Confined to Object of Origin ☐ 2 - Confined to Room of Origin ☐ 3 - Confined to Floor of Origin ☒ 4 - Confined to Building of Origin ☐ 5 - Beyond Building of Origin	L1 Presence of Detectors ☒ N - None Present ☐ 1 - Present ☐ U - Undetermined	L3 Detector Power Supply ☐ 1 - Battery Only ☐ 2 - Hardwire Only ☐ 3 - Plug-In ☐ 4 - Hardwire With Battery ☐ 5 - Plug-In With Battery ☐ 6 - Mechanical ☐ 7 - Multiple Detectors & Power Supplies ☐ 0 - Other ☐ U - Undetermined	
L2 Detector Type ☐ 1 - Smoke ☐ 2 - Heat ☐ 3 - Combination of Smoke and Heat ☐ 4 - Sprinkler, Water Flow Detection ☐ 5 - More Than One Type Present ☐ 0 - Other ☐ U - Undetermined	L4 Detector Operation ☐ 1 - Fire Too Small To Activate ☐ 2 - Operated ☐ 3 - Failed To Operate ☐ U - Undetermined	L5 Detector Effectiveness ☐ 1 - Alerted Occupants, Occupants Responded ☐ 2 - Alerted Occupants, Occupants Failed to Respond ☐ 3 - There Were No Occupants ☐ 4 - Failed to Alert Occupants ☐ U - Undetermined	
M1 Presence of Automatic Extinguishing System ☒ N - None Present ☐ 1 - Present ☐ 2 - Partial System Present ☐ U - Undetermined	M3 Operation of Automatic Extinguishing System ☐ 1 - Operated/Effective ☐ 2 - Operated/Not Effective ☐ 3 - Fire Too Small To Activate ☐ 4 - Failed To Operate ☐ 0 - Other ☐ U - Undetermined Required if fire was within designed range	M5 Reason for Automatic Extinguishing System Failure ☐ 1 - System Shut Off ☐ 2 - Not Enough Agent Discharged ☐ 3 - Agent Discharged But Did Not Reach Fire ☐ 4 - Wrong Type of System ☐ 5 - Fire Not In Area Protected ☐ 6 - System Components Damaged ☐ 7 - Lack of Maintenance ☐ 8 - Manual Intervention ☐ 0 - Other ☐ U - Undetermined Required if system failed or not effective	
M2 Type of Automatic Extinguishing System ☐ 1 - Wet-Pipe Sprinkler ☐ 2 - Dry-Pipe Sprinkler ☐ 3 - Other Sprinkler System ☐ 4 - Dry Chemical System ☐ 5 - Foam System ☐ 6 - Halogen-Type System ☐ 7 - Carbon Dioxide System ☐ 0 - Other ☐ U - Undetermined Required if fire was within designed range of AES	M4 Number of Sprinkler Heads Operating Required if system operated		