Received



CITY OF SAINT PAUL

APR 182022

Business Licensing 375 Jackson Street, Suite 220 Saint Paul, Minnesota 55101-1806 
 Telephone:
 651-266-8989

 Facsimile:
 651-266-9124

 Web:
 www.stpaul.gov/dsi

City of Saint Paul - DSI

# Sound Level Variance Application

Legislative Code Chapter 293. - Noise Regulations

Application and \$175 fee should be submitted a minimum of sixty (60) days prior to the event date to allow ample time for required public notification period and scheduling of a Council public hearing. Applications submitted within sixty (60) days of the event date may not satisfy the processing timeline requirements.

-1 $a$ $b$ $a$ $b$ $b$ $b$ $b$ $b$
1. Organization/person seeking variance: The Lab, LLC
2. Event Name: HMONG COLODVATION
3. Address and physical description of noise source location (Event, Worksite): The Shea at
The Lab 767 N. Enstis Street St. Pawl, MN 55714
4. Responsible person: Lawen berrand Title: General Manager
5. Telephone: 65 313 6889 E-Mail: 1 bertvande the abmn com
6. Date(s) variance requested: Saturday June 18, 2020
7. Noise source - Time(s) of operation: $13p - 7p$
- Time(s) of pre-event sound check:
8. Sound level requested (dBA/Decibels): Den buss
9. Mailing address w/zip code: 167 N EUSTIS Street St. Paul, MN 58714
10. Briefly describe the noise source and equipment involved: Amplifical Sound System
for dance recital, tower speakers
11. Describe the steps that will be taken to minimize the noise levels: Speakers analed Towards
event to minimize echo, proper amplification techniques and decibel
<b>12.</b> State reason for seeking variance (example - music, announcements, construction, etc.):
Music Por dance recital
13. Maximum number of attendees: (10) Max, 1856 CAPENTER
14. Describe steps that will be taken to prevent COVID-19 virus spread: +W EVENT IS OUTADOUS
and hing - your own chair/seating and online ticketing oneck-in
<b>15.</b> A site diagram & map must be attached showing location of noise source(s), streets, stages, tents, etc. (If
there will be amplified sound, indicate location and direction that all speakers will be facing). Multiple
locations may require more than one application.
<b>16.</b> Submit completed application, site diagram/map, and <b>\$175.00</b> fee to:
CITY OF SAINT PAUL
DEPARTMENT OF SAFETY AND INSPECTIONS
375 JACKSON STREET, SUITE 220 SAINT PAUL, MN 55101-1806
SAINT FACL, IVIN SSIDI-1000
l understand that any social gathering associated with this variance must be managed in full compliance
with all applicable Governor Walz COVID-19 orders relating to distancing, masks and attendance limits.
Signature of responsible person: AUM Det MU Date: 4/18/2020
Signature of responsible person: $\gamma_{V/VVV} = \kappa_{V/VVV}$ Date: $V_{V} = VVV$

AA-ADA-EEO Employer



767 N Eustis Street, Suite 115 St. Paul, MN 55114 • 651-313-6888 • info@thelabmn.com



## **DSI RECEIPT**

#### CITY OF SAINT PAUL Department of Safety and Inspections 375 Jackson Street Suite 220 Saint Paul, Minnesota 55101-1806 Phone: (651) 266-8989 Fax: (651) 266-9124 www.stpaul.gov/dsi

Date: 04/22/2022

Received From:	THE LAB LLC		
	767 EUSTIS ST STE 115 ST PAUL MN 55114		

#### Description:

Invoice Details	Invoice Amount	Amount Paid
1125167 Noise Variance	\$534.00	\$534.00

### TOTAL AMOUNT PAID:

\$534.00

Paid By:

Payment Type	Check #	Received Date	Amount
Credit Card	MC3267	04/22/2022	\$534.00