



APR 13 2022

City of Saint Paul - DSI

375 Jackson Street, Suite 220
Saint Paul, MN 55101-1806
Tel: 651-266-8989 | Fax: 651-266-9124

Sound Level Variance Application

Legislative Code Chapter 293. - Noise Regulations Application and \$178 fee should be submitted a minimum of sixty (60) days prior to the event date to allow ample time for required public notification period and scheduling of a Council public hearing. Applications submitted within sixty (60) days of the event date may not satisfy the processing timeline requirements.

1. Organization/person seeking variance: Bridget Berigan
2. Event Name: Lucy Berigan's High School Graduation Celebration
3. Address and physical description of noise source location (Event, Worksite): 1424 Berkeley Ave; St. Paul, 55105; Resident Backyard
4. Responsible person: Bridget Berigan Title: Owner of home
5. Telephone: (612) 710-2675 E-Mail: bkberigan@live.com
6. Date(s) variance requested: June 4, 2022
7. Noise source - Time(s) of operation: 2:00pm - 5:00pm
- Time(s) of pre-event sound check: 12:00pm - 2:00pm
8. Sound level requested (dBA/Decibels): ? 70 dBA ??
9. Mailing address w/zip code: 1424 Berkeley Ave; St. Paul, MN 55105
10. Briefly describe the noise source and equipment involved: 3-4 person band involving small PA with guitar bass and drums
11. Describe the steps that will be taken to minimize the noise levels: Small band playing under deck, close to house in backyard
12. State reason for seeking variance (example - music, announcements, construction, etc.): music
13. Maximum number of attendees: 50 ? open house
14. A site diagram & map must be attached showing location of noise source(s), streets, stages, tents, etc. (If there will be amplified sound, indicate location and direction that all speakers will be facing. Multiple locations may require more than one application.)
15. Submit completed application, site diagram/map, and \$178 fee to:
**CITY OF SAINT PAUL, DEPARTMENT OF SAFETY AND INSPECTIONS
375 JACKSON STREET, SUITE 220
SAINT PAUL, MN 55101-1806**

I understand any social gathering associated with this variance must be managed in compliance with any applicable Mayor Carter executive order regarding vaccinations, distancing, masks and attendance limits.

Signature of responsible person: Bridget Berigan Date: 4/9/22

Berkeley

1424
(HOUSE)

BAND
under
deck

Sound
↓
↓
↓

Speakers
25 x 25
foot
yard


Sound
↓

Parking
pad

Garage

Alley

Alley



🏠 ArtScraps



SAINT CLAIR AVE



PASCAL STS

ALBERT STS

BERKELEY AVE

*1424 Berkeley

Home

25x25 foot
backyard



BAND

Alley

Parked Car

STANFORD AVE

WELLESLEY AV

☁ 57°

AQI 41



PASC

31



DSI RECEIPT

CITY OF SAINT PAUL
Department of Safety and Inspections
375 Jackson Street Suite 220
Saint Paul, Minnesota 55101-1806
Phone: (651) 266-8989 Fax: (651) 266-9124
www.stpaul.gov/dsi

Date: 04/18/2022

Received From: BRIDGET BERIGAN dba: LUCY BERUGAN'S HIGH SCHOOL GRAD CELEBRAT
1424 BERKELEY AVE ST PAUL MN 55105

Description:

Invoice Details

1125074

Noise Variance

Invoice Amount

\$178.00

Amount Paid

\$178.00

TOTAL AMOUNT PAID:

\$178.00

Paid By:

Payment Type	Check #	Received Date	Amount
Check	1267	04/18/2022	\$178.00