



Saint Paul Fire Department
645 Randolph Avenue
Saint Paul, MN 55102
(651) 224-7811

NFIRS-1 Basic

A

62210	MN	04	06	2022	Station #18 (18)	SPFD220406014461	0
FDID	State	Month	Day	Year	Station	Number	Exposure

B Location Type

Census tract:
0325.00

- ☒ Street Address
☐ Intersection
☐ In Front Of
☐ Rear Of
☐ Adjacent To
☐ Directions
☐ US National Grid

733		THOMAS	AVE-Avenue	N-North
Number	Prefix	Street or Highway	Street Type	Suffix

	Saint Paul	MN	55104
Apt./Suite/Room	City	State	Zip Code

Cross Street

C

Incident Type

111-Building Fire

D

Aid Given Or Received

- ☐ 1 Mutual Aid Received
☐ 2 Auto. Aid Received
☐ 3 Mutual Aid Given
☐ 4 Auto. Aid Given
☐ 5 Other Aid Given
☒ None

Their FDID Their State

Their Incident Number

E1 Dates and Times

Alarm 04 06 2022 22:26

Arrival 04 06 2022 22:30

Controlled

Last Unit Cleared 04 07 2022 00:49

E2 Shifts and Alarms

C 1 D1

Shift or Alarms District
Platoon

E3 Special Studies

9244 4 - Unknown

ID# Value

F Actions Taken 11-Extinguishment by fire service personnel Primary Action Taken 12-Salvage & overhaul Additional Action Taken 21-Search Additional Action Taken 51-Ventilate Additional Action Taken 52-Forcible entry Additional Action Taken 78-Control traffic Additional Action Taken 84-Refer to proper authority Additional Action Taken	G1 Resources ☒ Apparatus or Personnel Module is used. <table style="width: 100%; border-collapse: collapse;"> <tr> <td></td> <td style="text-align: center; border-bottom: 1px solid black;">Apparatus</td> <td style="text-align: center; border-bottom: 1px solid black;">Personnel</td> </tr> <tr> <td style="text-align: right;">Suppression</td> <td style="border: 1px solid black; text-align: center;">11</td> <td style="border: 1px solid black; text-align: center;">0</td> </tr> <tr> <td style="text-align: right;">EMS</td> <td style="border: 1px solid black; text-align: center;">2</td> <td style="border: 1px solid black; text-align: center;">0</td> </tr> <tr> <td style="text-align: right;">Other</td> <td style="border: 1px solid black; text-align: center;">1</td> <td style="border: 1px solid black; text-align: center;">0</td> </tr> </table> ☐ Resource counts include aid received resources.		Apparatus	Personnel	Suppression	11	0	EMS	2	0	Other	1	0	G2 Estimated Dollar Losses and Values Losses: Required for all fires if known. Optional for all non-fires. None Property: \$ 25,000.00 ☐ Contents: \$ 175,000.00 ☐ Pre-Incident Values: Optional None Property: \$ 175,000.00 ☐ Contents: \$ ☒
	Apparatus	Personnel												
Suppression	11	0												
EMS	2	0												
Other	1	0												

Completed Modules ☐ 2 - Fire ☐ 3 - Structure Fire ☐ 4 - Civilian Fire Cas. ☐ 5 - Fire Service Cas. ☐ 6 - EMS ☐ 7 - HazMat ☐ 8 - Wildland Fire ☐ 9 - Apparatus ☐ 10 - Personnel ☐ 11 - Arson	H1 Casualties ☒ None <table style="width: 100%; border-collapse: collapse;"> <tr> <td></td> <td style="text-align: center; border-bottom: 1px solid black;">Deaths</td> <td style="text-align: center; border-bottom: 1px solid black;">Injuries</td> </tr> <tr> <td style="text-align: right;">Fire Service</td> <td style="border: 1px solid black; text-align: center;">0</td> <td style="border: 1px solid black; text-align: center;">0</td> </tr> <tr> <td style="text-align: right;">Civilian</td> <td style="border: 1px solid black; text-align: center;">0</td> <td style="border: 1px solid black; text-align: center;">0</td> </tr> </table>		Deaths	Injuries	Fire Service	0	0	Civilian	0	0	H3 Hazardous Materials Release ☐ 1 - Natural Gas ☐ 2 - Propane Gas ☐ 3 - Gasoline ☐ 4 - Kerosene ☐ 5 - Diesel Fuel / Fuel Oil ☐ 6 - Household Solvents ☐ 7 - Motor Oil ☐ 8 - Paint ☐ 0 - Other ☒ None	I Mixed Use Property ☐ Not Mixed ☐ 10 - Assembly Use ☐ 20 - Education Use ☐ 33 - Medical Use ☐ 40 - Residential Use ☐ 51 - Row Of Stores ☐ 53 - Enclosed Mall ☐ 58 - Business and Residential ☐ 59 - Office Use ☐ 60 - Industrial Use ☐ 63 - Military Use ☐ 65 - Farm Use ☐ 00 - Other Mixed Use
	Deaths	Injuries										
Fire Service	0	0										
Civilian	0	0										
H2 Detector Required for Confined Fires ☐ 1 - Detector Alerted Occupants ☐ 2 - Detector Did Not Alert Them ☐ 3 - Unknown												

J Property Use ☐ None Structures 131 ☐ Church, Place of Worship 161 ☐ Restaurant or Cafeteria 162 ☐ Bar/Tavern or Nightclub 213 ☐ Elementary School, Kindergarten 215 ☐ High School, Junior High 241 ☐ College, Adult Education 311 ☐ Nursing Home 331 ☐ Hospital	341 ☐ Clinic, Clinic-Type Infirmary 342 ☐ Doctor/Dentist Office 361 ☐ Prison or Jail, Not Juvenile 419 ☒ 1- or 2-Family Dwelling 429 ☐ MultiFamily Dwelling 439 ☐ Rooming/Boarding House 449 ☐ Commerical Hotel or Motel 459 ☐ Residential, Board and Care 464 ☐ Dormitory/Barracks 519 ☐ Food and Beverage Sales	539 ☐ Household Goods, Sales, Repairs 571 ☐ Gas or Service Station 579 ☐ Motor Vehicle/Boat Sales/Repairs 599 ☐ Business Office 615 ☐ Electric-Generating Plant 629 ☐ Laboratory/Science Laboratory 700 ☐ Manufacturing Plant 819 ☐ Livestock/Poultry Storage (Barn) 882 ☐ Non-Residential Parking Garage 891 ☐ Warehouse
Outside 124 ☐ Playground or Park 655 ☐ Crops or Orchard 669 ☐ Forest (Timberland) 807 ☐ Outdoor Storage Area 919 ☐ Dump or Sanitary Landfill 931 ☐ Open Land or Field 936 ☐ Vacant Lot	938 ☐ Graded/Cared for Plot of Land 946 ☐ Lake, River, Stream 951 ☐ Railroad Right-of-Way 960 ☐ Other Street 961 ☐ Highway/Divided Highway 962 ☐ Residential Street/Driveway 981 ☐ Construction Site 984 ☐ Industrial Plant Yard	Property Use: Description Look up and enter a Property Use code and description only if you have NOT checked a Property Use box.

K2				
Owner Local Option	Person/Entity Type	Business Name (if applicable)	Phone Number	
Mr., Ms., Mrs.	First Name	MI	Last Name	Suffix
Number	Prefix	Street or Highway	Street Type	Suffix
Post Office Box	Apt./Suite/Room		City	
State	Zip Code			

L Remarks:

Ladder 18 was dispatched to Thomas Avenue and Grotto Street North for an illegal burn, code yellow. Ladder 18 arrived to find smoke showing from a 2.5 story duplex and upgraded the incident to a fire assignment. Ladder 18 pulled a preconnected hose line for fire attack and provided a size up as District Chief 1 was arriving on scene.

District Chief 1 assumed Thomas Command and Ladder 18 reported a fire on the second floor with nothing noted on the 360-walk around. Engine 18 pulled a backup hose line to the second floor and established a water supply for themselves and Ladder 18. Engine 5 arrived and conducted a primary search of the first floor and basement and Engine 8 provided a water supply to Engine 5 if needed. Squad 2 conducted a primary search of the second floor and checked for fire extension in the attic.

A balance of the alarm was requested for additional fire companies and for Saint Paul police to provide traffic control. District Chief 2 was assigned Safety Officer duties and smoke conditions were improving. Engine 8 conducted a secondary search of the structure and the electricity was shut down at the main panel in the basement. Ladder 22 was assigned IRIT and secured the gas at the meter. Ground ladders were placed on the alpha side and Ladder 18 raised their ladder to the attic window. An all clear was recorded on the structure and Squad 1's captain performed fire investigation duties. Car 50-EMS Coordinator performed FIT duties and Medic 14 checked on the...

Full primary narrative can be found in NFIRS 1S - Supplemental

M Authorization

6364	Vorlicek, Andrew	DC	C1	04/07/2022
Officer In Charge ID	Signature	Position or Rank	Assignment	Date
6364	Vorlicek, Andrew	DC	C1	04/07/2022
Member Making Report ID	Signature	Position or Rank	Assignment	Date

NFIRS-2 Fire

A							
62210	MN	04	06	2022	Station #18 (18)	SPFD220406014461	0
FDID	State	Month	Day	Year	Station	Number	Exposure

B Property Details B1 2 ☐ Not Residential Estimated number of residential living units in the building of origin whether or not all units became involved B2 1 ☐ Buildings Not Involved Number of buildings involved B3 ☒ None ☐ Less than 1 acre Acres burned (outside fires)	C On-Site Materials Or Products On-Site Materials Storage Use
---	---

D Ignition D1 24-Cooking area, kitchen Area of Fire Origin D2 13-Electrical arcing Heat Source D3 99-Multiple items first ignited Item First Ignited D4 Type of Material First Ignited	E1 Cause of Ignition ☐ 1 - Intentional ☒ 2 - Unintentional ☐ 3 - Failure of Equipment or Heat Source ☐ 4 - Act of Nature ☐ 5 - Cause Under Investigation ☐ U - Cause Undetermined After Investigation E2 Factors Contributing to Ignition Undetermined Factor Contributing to Ignition	E3 Human Factors Contributing to Ignition Check all applicable boxes ☒ None ☐ 1 - Asleep ☐ 2 - Possibly impaired by alcohol or drugs ☐ 3 - Unattended person ☐ 4 - Possibly Mentally Disabled ☐ 5 - Physically Disabled ☐ 6 - Multiple Persons Involved ☐ 7 - Age Was A Factor Estimated Age of Person Involved ☐ Male ☐ Female
---	--	---

F1 Equipment Involved In Ignition ☒ None Equipment Involved Brand Model Serial # Year	F2 Equipment Power Source Equipment Power Source F3 Equipment Portability ☐ 1 - Portable ☐ 2 - Stationary Portable equipment normally can be moved by one or two persons.	G Fire Suppression Factors
---	--	---

H1 Mobile Property Involved ☐ 1 - Not involved in ignition, but burned ☐ 2 - Involved in ignition, but did not burn ☐ 3 - Involved in ignition and burned ☒ None	H2 Mobile Property Type and Make Mobile Property Type Mobile Property Make	Local Use ☐ Pre-Fire Plan Available ☐ Arson Report Attached ☐ Police Report Attached ☐ Coroner Report Attached ☐ Other Reports Attached
 Mobile Property Model State License Plate Number	 Year VIN	

NFIRS-3 Structure Fire

I1 Structure Type ☒ 1 - Enclosed Building ☐ 2 - Portable/Mobile Structure ☐ 3 - Open Structure ☐ 4 - Air-Supported Structure ☐ 5 - Tent ☐ 6 - Open Platform ☐ 7 - Underground Structure ☐ 8 - Connective Structure ☐ 0 - Other	I2 Building Status ☐ 1 - Under Construction ☒ 2 - In Normal Use ☐ 3 - Idle, Not Routinely Used ☐ 4 - Under Major Renovation ☐ 5 - Vacant and Secured ☐ 6 - Vacant and Unsecured ☐ 7 - Being Demolished ☐ 0 - Other ☐ U - Undetermined	I3 Building Height 2 Number of Stories At/Above Grade 1 Number of Stories Below Grade	I4 Main Floor Size 2184 Total Square Feet OR BY Length (ft) X Width (ft)
J1 Fire Origin 2 ☐ Below Grade Story of Fire Origin J2 Fire Spread ☐ Confined to Object of Origin ☒ 2 - Confined to Room of Origin ☐ 3 - Confined to Floor of Origin ☐ 4 - Confined to Building of Origin ☐ 5 - Beyond Building of Origin	J3 Number of Stories Damaged By Flame Number of Stories w/Minor Damage (1-24%) Number of Stories w/Significant Damage (25-49%) Number of Stories w/Heavy Damage (50-74%) Number of Stories w/Extreme Damage (75-100%) *Count the roof as part of the highest story	K Type of Material Contributing Most to Flame Spread K1 Item Contributing Most to Flame Spread K2 Type of Material Contributing Most To Flame Spread	
L1 Presence of Detectors ☐ N - None Present ☐ 1 - Present ☒ U - Undetermined L2 Detector Type ☐ 1 - Smoke ☐ 2 - Heat ☐ 3 - Combination of Smoke and Heat ☐ 4 - Sprinkler, Water Flow Detection ☐ 5 - More Than One Type Present ☐ 0 - Other ☐ U - Undetermined	L3 Detector Power Supply ☐ 1 - Battery Only ☐ 2 - Hardwire Only ☐ 3 - Plug-In ☐ 4 - Hardwire With Battery ☐ 5 - Plug-In With Battery ☐ 6 - Mechanical ☐ 7 - Multiple Detectors & Power Supplies ☐ 0 - Other ☐ U - Undetermined L4 Detector Operation ☐ 1 - Fire Too Small To Activate ☐ 2 - Operated ☐ 3 - Failed To Operate ☐ U - Undetermined	L5 Detector Effectiveness ☐ 1 - Alerted Occupants, Occupants Responded ☐ 2 - Alerted Occupants, Occupants Failed to Respond ☐ 3 - There Were No Occupants ☐ 4 - Failed to Alert Occupants ☐ U - Undetermined L6 Detector Failure Reason ☐ 1 - Power Failure, Shutoff, or Disconnect ☐ 2 - Improper Installation or Placement ☐ 3 - Defective ☐ 4 - Lack of Maintenance, Dirty ☐ 5 - Battery Missing or Disconnected ☐ 6 - Battery Discharged or Dead ☐ 0 - Other ☐ U - Undetermined	
M1 Presence of Automatic Extinguishing System ☒ N - None Present ☐ 1 - Present ☐ 2 - Partial System Present ☐ U - Undetermined M2 Type of Automatic Extinguishing System ☐ 1 - Wet-Pipe Sprinkler ☐ 2 - Dry-Pipe Sprinkler ☐ 3 - Other Sprinkler System ☐ 4 - Dry Chemical System ☐ 5 - Foam System ☐ 6 - Halogen-Type System ☐ 7 - Carbon Dioxide System ☐ 0 - Other ☐ U - Undetermined Required if fire was within designed range of AES	M3 Operation of Automatic Extinguishing System ☐ 1 - Operated/Effective ☐ 2 - Operated/Not Effective ☐ 3 - Fire Too Small To Activate ☐ 4 - Failed To Operate ☐ 0 - Other ☐ U - Undetermined Required if fire was within designed range M4 Number of Sprinkler Heads Operating Required if system operated	M5 Reason for Automatic Extinguishing System Failure ☐ 1 - System Shut Off ☐ 2 - Not Enough Agent Discharged ☐ 3 - Agent Discharged But Did Not Reach Fire ☐ 4 - Wrong Type of System ☐ 5 - Fire Not In Area Protected ☐ 6 - System Components Damaged ☐ 7 - Lack of Maintenance ☐ 8 - Manual Intervention ☐ 0 - Other ☐ U - Undetermined Required if system failed or not effective	

NFIRS-1S Supplemental

A

62210	MN	04	06	2022	Station #18 (18)	SPFD220406014461	0
FDID	State	Month	Day	Year	Station	Number	Exposure

Primary Narrative:

Ladder 18 was dispatched to Thomas Avenue and Grotto Street North for an illegal burn, code yellow. Ladder 18 arrived to find smoke showing from a 2.5 story duplex and upgraded the incident to a fire assignment. Ladder 18 pulled a preconnected hose line for fire attack and provided a size up as District Chief 1 was arriving on scene.

District Chief 1 assumed Thomas Command and Ladder 18 reported a fire on the second floor with nothing noted on the 360-walk around. Engine 18 pulled a backup hose line to the second floor and established a water supply for themselves and Ladder 18. Engine 5 arrived and conducted a primary search of the first floor and basement and Engine 8 provided a water supply to Engine 5 if needed. Squad 2 conducted a primary search of the second floor and checked for fire extension in the attic.

A balance of the alarm was requested for additional fire companies and for Saint Paul police to provide traffic control. District Chief 2 was assigned Safety Officer duties and smoke conditions were improving. Engine 8 conducted a secondary search of the structure and the electricity was shut down at the main panel in the basement. Ladder 22 was assigned IRIT and secured the gas at the meter. Ground ladders were placed on the alpha side and Ladder 18 raised their ladder to the attic window. An all clear was recorded on the structure and Squad 1's captain performed fire investigation duties. Car 50-EMS Coordinator performed FIT duties and Medic 14 checked on the needs of the tenants.

Red Cross was requested for one adult male and board up responded to secure the property. The fire floor tenants were not on scene and were unable to be reached. Xcel Gas and Electric secured the utilities and a Form 4 was completed and submitted to DSI for the rental property.

The property owner was reached via phone and made aware of the fire. A representative was on scene to work with board up and a salvage and overhaul duties were completed by fire crews. Command was terminated and all companies were placed back in service.