

STAMP - Activities

[New Search](#)

[Help using this report](#)

Run Date: 01/04/24 08:32 AM

Sort by Most Recent Date

Starting Date:

House#: 1485

Folder Type: All Folder Types

Ending Date:

Street Name: st paul

Folder Count: 600

Include Same PIN Addresses: Yes

Click on address links below to access mapping services and Ramsey County info.

Click on ID# link below to view detail

Address	In Date	ID #	Status	Type	Description
<u>1264 Davern St Apt 1</u>	10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1264 Davern St Apt 10</u>	10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1264 Davern St Apt 11</u>	10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1264 Davern St Apt 2</u>	10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1264 Davern St Apt 3</u>	10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1264 Davern St Apt 4</u>	10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1264 Davern St Apt 5</u>	10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1264 Davern St Apt 6</u>	10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1264 Davern St Apt 7</u>	10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1264 Davern St Apt 8</u>	10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1264 Davern St</u>	01/31/2023	<u>23 010568</u>	Pending	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management
	04/02/2019	<u>19 027346</u>	Resolved	CS - CSO Complaint - Garbage Rubbish - Complaint	furniture by dumpster
	02/05/2019	<u>19 008709</u>	Resolved	CS - CSO Complaint - Garbage Rubbish - Complaint	mattresses by the dumpster
	10/23/2018	<u>18 116219</u>	Closed	RF - Referral - Citizen Complaint	Owner Davern Park Realty Co/C/O Mid Continent Mgmt - Front door handle has been broken for 2 weeks; people cannot get out
	10/23/2018	<u>18 116218</u>	In Compliance	CS - CSO Complaint - Certificate of Occupancy - Complaint	Front door handle has been broken for 2 weeks; people cannot get out
	11/30/2017	<u>17 218143</u>	Finald	RW - PW Right of Way Permit - Excavation - Utility	Contractor BEN UELAND CC: Doug Heider Comcast Of Minnesota, Inc. - MAINTENANCE - HAND DIG TO REPAIR/ SPLICENEW AERIAL CABLE CROSS STREET = ST PAUL AVE 3'X4' HOLE IN BLVD COMCAST PROJECT # 22798 REQUESTED BY JOHN WEIS
	10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
	10/30/2015	<u>15 175071</u>	Certified	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management

06/19/2009	09 091301	History	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management
06/16/2009	09 088393	Approved	CN - C of O Condition	windows approved under 1507 ST. Paul Ave. CI
05/24/2007	07 084319	Finald	PG - Plumbing/Gasfitting/Inside Water Piping - Plumbing/Inside Water (All) - Residential Replace	Contractor Richard Kramer Kramer Mechanical - #6
05/10/2007	07 076567	Finald	E - Electrical Permit - Service & Circuits - Commercial Repair/Alter	Contractor Brian Lyons Electric, Fire & Security - #6
04/26/2007	07 068216	Finald	B - Building Permit - Residential (Multi-Fam) - Repair	Contractor Alli Engebretson Icc Restoration & Cleaning Services - DAVERN PARK, APT 6 Waiting for fire report. gave contractor inspectors name and number. permit in the hold folder. (AHA 4-26-07)
03/15/2007	07 045511	Closed	CS - CSO Complaint - Vacant Building Addtl Info - Complaint	Miscellaneous VB
03/14/2007	07 044672	Closed	RF - Referral - Form 4	Owner Davern Park Realty Co/C/O Mid Continent Mgmt - APT 6 - 12 unit apartment complex with fire inside of apartment #6 on Stove Top. Occupant had been cooking Chicken and thought she had turned on stove when she went to living room and was watching tv when she heard pop and found stove and pan of oil on fire. She Tried to get to salt to extinguish but flames too high. she then got kids and left apartment and had neighbor call 911. Fire caused by unattended cooking. Occupant said smoke detector never went off. Smoke detector may be on same breaker as fan over stove which shorted out by fire. Board up and red cross called.
07/17/2006	06 110516	Closed	CS - CSO Complaint - Graffiti - Complaint	: Police filed for graffiti on clothes line enclosure
07/17/2006	06 110511	Closed	CS - CSO Complaint - Graffiti - Complaint	: Police filed for graffiti on building (1461)
03/09/2006	06 052436	Closed	RF - Referral - C of O	Owner Davern Park Realty Co/C/O Mid Continent Mgmt - Follow up on C of O folder approved with corrections.
03/09/2006	06 052435	History	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management
04/12/2004	04 070242	History	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management
10/07/2003	03 370345	Finald	B - Building Permit - Commercial - Express Repair	Contractor Grussing Roofing Inc - 16-Nov-2005: Folder closed by system due to no activity in one year . Closed without final approval
03/11/2002	02 104036	History	CO - Certificate of Occupancy - Residential	Responsible Party Mid-Continent Management
03/11/2002	02 104037	Closed	RF - Referral - C of O	Owner Davern Park Realty CO - Follow up on C of O folder approved with corrections.
09/07/2001	01 222512	Closed	RF - Referral - Citizen Complaint	Owner Davern Park Realty CO - APT. # 8 - ELECTRICAL PROBLEMS IN UNIT. POWER GOES ON AND OFF. CALL COMPLAINANT.
03/13/2001	01 024218	History	CO - Certificate of Occupancy - Residential	Responsible Party Mid-Continent Management
11/30/1965	65 002793	History	CO - Certificate of Occupancy - Residential	Responsible Party Davern Park Realty CO
11/30/1965	65 012792	History	CO - Certificate of Occupancy - Residential	Responsible Party Davern Park Realty CO
<u>1445 St Paul Ave Apt 1</u>				
10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1445 St Paul Ave Apt 10</u>				

	10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1445 St Paul Ave Apt 11</u>					
	10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1445 St Paul Ave Apt 2</u>					
	10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1445 St Paul Ave Apt 3</u>					
	10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1445 St Paul Ave Apt 4</u>					
	10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1445 St Paul Ave Apt 5</u>					
	10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1445 St Paul Ave Apt 6</u>					
	10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1445 St Paul Ave Apt 7</u>					
	10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1445 St Paul Ave Apt 8</u>					
	10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1445 St Paul Ave Apt 9</u>					
	10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1445 St Paul Ave</u>					
	05/31/2023	<u>23 044601</u>	Finald	WA - SPRWS Plumbing Permit - Existing Building - Inside - Add / Repair /Relocate/ Replace	Contractor Jayhawk Mechanical Inc - RPZ INSTALL - REPLACE SERIAL #07272
	07/28/2021	<u>21 287992</u>	Pending	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management
	02/07/2020	<u>20 011403</u>	Closed	RF - Referral - Citizen Complaint	Owner Davern Park Realty Co/C/O Mid Continent Mgmt - Mice infestation can hear them crawling around in the ceiling and wall Bathroom floor tiles are coming up leaking water from the upstairs bathroom-visible mold on bathroom ceiling Windows get frozen shut and when it starts to melt the walls get really wet
	02/07/2020	<u>20 011402</u>	In Compliance	CS - CSO Complaint - Certificate of Occupancy - Complaint	Mice infestation can hear them crawling around in the ceiling and wall Bathroom floor tiles are coming up leaking water from the upstairs bathroom-visible mold on bathroom ceiling Windows get frozen shut and when it starts to melt the walls get really wet
	10/17/2018	<u>18 114621</u>	Closed	RF - Referral - Citizen Complaint	Owner Davern Park Realty Co/C/O Mid Continent Mgmt - Bathroom ceiling has black mold, windows have a draft, in winter the condensation freezes the windows shut, Hallway smoke detectors have been removed
	10/17/2018	<u>18 114620</u>	In Compliance	CS - CSO Complaint - Certificate of Occupancy - Complaint	Bathroom ceiling has black mold, windows have a draft, in winter the condensation freezes the windows shut, Hallway smoke detectors have been removed
	10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
	05/02/2016	<u>16 031793</u>	Finald	WA - SPRWS Plumbing Permit - Existing Building - Inside - Add / Repair /Relocate/ Replace	Contractor Jayhawk Mechanical Inc - REPLACE RPZ
	11/16/2015	<u>15 179352</u>	Certified	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management

07/14/2009	09 199843	History	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management
06/17/2009	09 089098	Approved	CN - C of O Condition	See 1507 ST. Paul Ave synopsis for info. CI
03/09/2006	06 052437	Certified	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management
04/12/2004	04 070226	History	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management
03/11/2002	02 104038	History	CO - Certificate of Occupancy - Residential	Responsible Party Mid-Continent Management
03/11/2002	02 104039	Closed	RF - Referral - C of O	Owner Davern Park Realty CO - Follow up on C of O folder approved with corrections.
03/13/2001	01 023774	History	CO - Certificate of Occupancy - Residential	Responsible Party Mid-Continent Management
11/30/1965	65 005514	History	CO - Certificate of Occupancy - Residential	Responsible Party Davern Park Realty CO
11/30/1965	65 015513	History	CO - Certificate of Occupancy - Residential	Responsible Party Davern Park Realty CO
<u>1457 St Paul Ave Apt 1</u>				
10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1457 St Paul Ave Apt 10</u>				
10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1457 St Paul Ave Apt 11</u>				
10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1457 St Paul Ave Apt 12</u>				
10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1457 St Paul Ave Apt 2</u>				
10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1457 St Paul Ave Apt 3</u>				
10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1457 St Paul Ave Apt 5</u>				
10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1457 St Paul Ave Apt 6</u>				
10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1457 St Paul Ave Apt 7</u>				
10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1457 St Paul Ave Apt 8</u>				
10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1457 St Paul Ave Apt 9</u>				
10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1457 St Paul Ave</u>				
03/21/2022	22 038006	Pending	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management
11/10/2021	21 319003	Assessed	CW - Contract Work Order - Police Work Order	Contractor Restoration Professionals
10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
05/12/2015	15 034863	Certified	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management
05/27/2014	14 290839	Canceled	XC - ECLIPS License - Car/Taxi - Pedicab Driver	Licensee Marcus Kenney Marcus Edward Kurtt Kenney - ECLIPS License# 20140001402
06/17/2009	09 089105	Approved	CN - C of O Condition	See synopsis letter of 1507 ST. Paul Ave for info. CI
06/05/2009	09 083574	History	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management

03/09/2006	06 052438	History	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management
04/12/2004	04 070230	History	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management
03/11/2002	02 104040	History	CO - Certificate of Occupancy - Residential	Responsible Party Mid-Continent Management
03/11/2002	02 104041	Closed	RF - Referral - C of O	Owner Davern Park Realty CO - Follow up on C of O folder approved with corrections.
03/13/2001	01 023941	History	CO - Certificate of Occupancy - Residential	Responsible Party Mid-Continent Management
12/01/1965	65 005540	History	CO - Certificate of Occupancy - Residential	Responsible Party Mid-Continent/Odette Zacharis
12/01/1965	65 015539	History	CO - Certificate of Occupancy - Residential	Responsible Party Mid-Continent/Odette Zacharis
<u>1461 St Paul Ave Apt 1</u>				
10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
03/25/2011	11 112848	Canceled	XC - ECLIPS License - Car/Taxi - Taxicab Driver *	Licensee Ephrem Regassa Ephrem Mengistu Regassa - ECLIPS License# 20110000893
<u>1461 St Paul Ave Apt 10</u>				
10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1461 St Paul Ave Apt 11</u>				
10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1461 St Paul Ave Apt 12</u>				
10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1461 St Paul Ave Apt 5</u>				
10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1461 St Paul Ave Apt 6</u>				
10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1461 St Paul Ave Apt 7</u>				
10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1461 St Paul Ave Apt 8</u>				
10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1461 St Paul Ave Apt 9</u>				
10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1461 St Paul Ave</u>				
09/13/2023	23 081375	Closed	RF - Referral - Citizen Complaint	Owner Davern Park Realty Co - Door Fire Code Hazard
09/13/2023	23 081374	In Compliance	CS - CSO Complaint - Certificate of Occupancy - Complaint	Door Fire Code Hazard - DoorDasher reported resident was trapped inside and door would not open from inside
04/17/2023	23 030517	Closed	RF - Referral - Citizen Complaint	Owner Davern Park Realty Co - Unsecured/ damaged door and call box
04/17/2023	23 030516	Resolved	CS - CSO Complaint - Certificate of Occupancy - Complaint	Unsecured/ damaged door and call box
01/20/2023	23 007185	Pending	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management
02/22/2019	19 013248	Closed	RF - Referral - Form 4	Owner Davern Park Realty Co/C/O Mid Continent Mgmt - Form 4: Low batteries Smoke detector *See Documents and Comments
02/22/2019	19 013247	In Compliance	CS - CSO Complaint - Certificate of Occupancy - Complaint	Form 4: Low batteries Smoke detector *See Documents and Comments
10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
06/07/2016	16 044336	Withdrawn	E - Electrical Permit - Saver Switch Only - Residential	Contractor Aaron Gunderson / Bob Grill Hunt Electric Corporation -

Repair/Alter **You may also schedule an inspection for this type of work during the hours of 7:30AM - 4:30 PM by contacting our Call Center at 651-266-8989.** **You may also schedule an inspection for this type of work during the hours of 7:30AM - 4:30 PM by contacting our Call Center at 651-266-8989.**

09/21/2015	15 161618	Resolved	CS - CSO Complaint - Dumping - Complaint	Someone dumped 10 or more large tires on the north side of St. Paul Ave, just east of Davern St., at the edge of McDonough Park. Across from 1461 St. Paul Ave.
08/18/2015	15 151479	Certified	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management
07/30/2015	15 145163	Finald	M - Mechanical Permit - Gas - Commercial Replace	Contractor Jayhawk Mechanical Inc
07/30/2015	15 145162	Finald	M - Mechanical Permit - Steam or Hot Water - Commercial Replace	Contractor Jayhawk Mechanical Inc
05/27/2015	15 123423	Resolved	CS - CSO Complaint - Parking - FYI - No Response Required	Car parked on same place on street for more than one week. Black Chevrolet coupe, license #710 CKK
06/10/2014	14 296398	Resolved	CS - CSO Complaint - Parking - FYI - No Response Required	Two vehicles have been parked in the same spots in front of building, without moving, at least since June 5. One is a dark red Ford van, license # 495 JDL; the other is a black Ford SUV, license # 201 BYP. I do not know if they have been abandoned.
06/25/2009	09 094358	History	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management
06/17/2009	09 089112	Approved	CN - C of O Condition	See 1507 ST. Paul Ave synopsis for info. CI
04/09/2008	08 055796	Closed	RF - Referral - Form 4	Owner Davern Park Realty Co/C/O Mid Continent Mgmt - FOOD ON STOVE CAUSED SMOKE THROUGHOUT 2ND & 3RD FLOORS - SMOKE DETECTORS DIDN'T SOUND
04/12/2006	06 066065	History	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management
09/19/2005	05 158910	Withdrawn	E - Electrical Permit - Electrical - Residential Repair/Alter	Contractor Jason Morrison Goldstar Electric Inc
04/12/2004	04 070240	History	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management
02/25/2004	04 047410	Closed	RF - Referral - Citizen Complaint	Owner Davern Park Realty Co/C/O Mid Continent Mgmt - Unit #4 - excess combustibles and windows are blocked, couldn't use as an exit during a fire.
02/27/2003	03 261728	Canceled	XA - ECLIPS License - Animals - Dog Regular Renewal	Licensee Annette Wald - ECLIPS License# 20030000795
03/11/2002	02 104042	History	CO - Certificate of Occupancy - Residential	Responsible Party Mid-Continent Management
03/11/2002	02 104043	Closed	RF - Referral - C of O	Owner Davern Park Realty CO - Follow up on C of O folder approved with corrections.
03/13/2001	01 024039	History	CO - Certificate of Occupancy - Residential	Responsible Party Mid-Continent Management
11/30/1965	65 005554	History	CO - Certificate of Occupancy - Residential	Responsible Party Davern Park Realty CO
11/30/1965	65 015553	History	CO - Certificate of Occupancy - Residential	Responsible Party Davern Park Realty CO

1471 St Paul Ave Apt 1

10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
------------	---------------------------	------	------------------------------	--

1471 St Paul Ave Apt 11

10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
------------	---------------------------	------	------------------------------	--

1471 St Paul Ave Apt 12

10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1471 St Paul Ave Apt 2</u>				
10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1471 St Paul Ave Apt 4</u>				
10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1471 St Paul Ave Apt 5</u>				
10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1471 St Paul Ave Apt 6</u>				
10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1471 St Paul Ave Apt 7</u>				
10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1471 St Paul Ave Apt 8</u>				
10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1471 St Paul Ave Apt 9</u>				
10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1471 St Paul Ave</u>				
05/31/2022	22 057266	Finald	WA - SPRWS Plumbing Permit - Existing Building - Inside - Add / Repair /Relocate/ Replace	Contractor Jayhawk Mechanical Inc - RPZ PERMIT
03/21/2022	22 038008	Pending	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management
04/02/2019	19 027348	Resolved	CS - CSO Complaint - Garbage Rubbish - Complaint	furniture by dumpster
10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
05/03/2016	16 032590	Finald	WA - SPRWS Plumbing Permit - Existing Building - Inside - Add / Repair /Relocate/ Replace	Contractor Jayhawk Mechanical Inc - REPLACE RPZ
05/02/2016	16 031796	Canceled	WA - SPRWS Plumbing Permit - Existing Building - Inside - Add / Repair /Relocate/ Replace	Contractor Jayhawk Mechanical Inc - CANCELED PER - JHC REPLACE RPZ
05/12/2015	15 034864	Certified	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management
06/17/2009	09 089114	Approved	CN - C of O Condition	See 1507 ST. Paul Ave synopsis for info. CI
06/02/2009	09 081455	History	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management
01/15/2009	09 010222	Finald	WA - SPRWS Plumbing Permit - Existing Building - Inside - Add / Repair /Relocate/ Replace	Contractor Jayhawk Mechanical Inc - RPZ
04/12/2006	06 066066	History	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management
04/12/2004	04 070232	History	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management
03/11/2002	02 104044	History	CO - Certificate of Occupancy - Residential	Responsible Party Mid-Continent Management
03/11/2002	02 104045	Closed	RF - Referral - C of O	Owner Davern Park Realty CO - Follow up on C of O folder approved with corrections.
03/13/2001	01 024170	History	CO - Certificate of Occupancy - Residential	Responsible Party Mid-Continent Management
12/01/1965	65 005576	History	CO - Certificate of Occupancy - Residential	Responsible Party Davern Park Realty CO
12/01/1965	65 015575	History	CO - Certificate of Occupancy - Residential	Responsible Party Davern Park Realty CO
<u>1477 St Paul Ave Apt 1</u>				
10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1477 St Paul Ave Apt 10</u>				
10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt

1477 St Paul Ave Apt 12

10/02/2017 17 185656 Open RE - Real Estate Assessments Owner Davern Park Realty Co/Mid Continent Mgmt

1477 St Paul Ave Apt 2

10/02/2017 17 185656 Open RE - Real Estate Assessments Owner Davern Park Realty Co/Mid Continent Mgmt

1477 St Paul Ave Apt 5

10/02/2017 17 185656 Open RE - Real Estate Assessments Owner Davern Park Realty Co/Mid Continent Mgmt

03/22/2013 13 166199 Canceled XC - ECLIPS License - Car/Taxi - Taxicab Driver * Licensee Abdulkarim Butta Abdulkarim Wako Butta - ECLIPS License# 20130001328

1477 St Paul Ave Apt 6

10/02/2017 17 185656 Open RE - Real Estate Assessments Owner Davern Park Realty Co/Mid Continent Mgmt

1477 St Paul Ave Apt 7

12/09/2019 19 106608 Finaled E - Electrical Permit - Electrical - Commercial Repair/Alter Contractor Oaks Electric Company - unit 7 had fire, complete gut, will re-use feeder, rest is to be new

10/02/2017 17 185656 Open RE - Real Estate Assessments Owner Davern Park Realty Co/Mid Continent Mgmt

1477 St Paul Ave Apt 8

10/02/2017 17 185656 Open RE - Real Estate Assessments Owner Davern Park Realty Co/Mid Continent Mgmt

1477 St Paul Ave Apt 9

10/02/2017 17 185656 Open RE - Real Estate Assessments Owner Davern Park Realty Co/Mid Continent Mgmt

1477 St Paul Ave

11/19/2021 21 321609 Pending CO - Certificate of Occupancy - Residential 3+ Units Responsible Party Mid-Continent Management

05/10/2021 21 260921 Finaled WA - SPRWS Plumbing Permit - Existing Building - Inside - Add / Repair /Relocate/ Replace Contractor Jayhawk Mechanical Inc - REPLACE RPZ W/ SN W437945

01/10/2020 20 002651 Inspected B - Building Permit - Residential (Multi-Fam) - Repair Contractor Alli Engebretson Icc Restoration & Cleaning Services - FIRE RESTORATION in Unit #7.

12/20/2019 19 110162 Finaled W - Warm Air, Ventilation & General Sheet - Ventilation Only - Commercial Replace Contractor Jayhawk Mechanical Inc - INSTALL NEW EXHAUST FAN IN BATHROOM - UNIT 7

12/20/2019 19 110160 Finaled M - Mechanical Permit - Steam or Hot Water - Commercial Replace Contractor Jayhawk Mechanical Inc - REPLACE 30' OF BASEBOARD HEAT - UNIT 7

12/19/2019 19 109715 Finaled PG - Plumbing/Gasfitting/Inside Water Piping - Plumbing/Inside Water (All) - Residential Replace Contractor Jayhawk Mechanical Inc - UNIT 7 - REPLACEMENT OF ALL PLUMBING FIXTURES DUE TO FIRE REHAB OF UNIT

10/16/2019 19 093133 Closed RF - Referral - Form 4 Owner Davern Park Realty Co/C/O Mid Continent Mgmt - Fire Report: Unit 7- Stove fire extending to cabinets *See Documents

10/16/2019 19 093132 In Compliance CS - CSO Complaint - Certificate of Occupancy - Complaint Fire Report: Unit 7- Stove fire extending to cabinets *See Documents

10/09/2017 17 203143 Closed RF - Referral - Citizen Complaint Owner Davern Park Realty Co/Mid Continent Mgmt - - bathroom ceiling leaking-happens every year, paint falling into tub from leaking-no plug to keep things from getting into drain; - wall needs to be sealed and painted - bugs coming through the screen because the screen isn't sealed

10/09/2017 17 203142 Resolved CS - CSO Complaint - Certificate of Occupancy - Complaint - bathroom ceiling leaking-happens every year, paint falling into tub from leaking-no plug to keep things from getting into drain; - wall needs to be sealed and painted - bugs coming through the screen because the screen isn't sealed

10/04/2017 17 201745 Closed RF - Referral - Citizen Complaint Owner Davern Park Realty Co/Mid Continent Mgmt - Ceiling leaking-

10/04/2017	17 201744	Resolved	CS - CSO Complaint - Certificate of Occupancy - Complaint	happens every year, paint falling into tub from leaking-no plug to keep things from getting into drain Ceiling leaking-happens every year, paint falling into tub from leaking-no plug to keep things from getting into drain
10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
05/30/2017	17 044450	Closed	RF - Referral - Citizen Complaint	Owner Davern Park Realty Co/Mid Continent Mgmt - kitchen outlet not working (toaster outlet) and the garbage disposal is also not working
05/30/2017	17 044449	In Compliance	CS - CSO Complaint - Certificate of Occupancy - Complaint	kitchen outlet not working (toaster outlet) and the garbage disposal is also not working
03/15/2017	17 019837	Closed	RF - Referral - Citizen Complaint	Owner Davern Park Realty Co/Mid Continent Mgmt - Water pouring from ceiling into the bathtub currently
03/15/2017	17 019835	Closed	RF - Referral - Citizen Complaint	Owner Davern Park Realty Co/Mid Continent Mgmt - Water pouring from ceiling into the bathtub currently
03/15/2017	17 019834	Resolved	CS - CSO Complaint - Certificate of Occupancy - Complaint	Water pouring from ceiling into the bathtub currently
03/15/2017	17 019836	In Compliance	CS - CSO Complaint - Certificate of Occupancy - Complaint	Water pouring from ceiling into the bathtub currently
03/09/2017	17 018233	Resolved	CS - CSO Complaint - Certificate of Occupancy - Complaint	Bldg maintenance removed the trap to check for leaks. Left it open and now there's dirt and junk in the tub. Impossible to bathe. There is a leak and it needs to be repaired by a plumber.
03/09/2017	17 018234	Closed	RF - Referral - Citizen Complaint	Owner Davern Park Realty Co/Mid Continent Mgmt - Bldg maintenance removed the trap to check for leaks. Left it open and now there's dirt and junk in the tub. Impossible to bathe. There is a leak and it needs to be repaired by a plumber.
08/02/2016	16 064896	Closed	RF - Referral - Citizen Complaint	Owner Davern Park Realty Co/Mid Continent Mgmt - leaking ceiling in bathroom, when it rains in the kitchen 08.16.16 no work has been done to better the living situation.
08/02/2016	16 064895	In Compliance	CS - CSO Complaint - Certificate of Occupancy - Complaint	leaking ceiling in bathroom, when it rains in the kitchen 08.16.16 no work has been done to better the living situation.
06/29/2016	16 052678	Expired	PG - Plumbing/Gasfitting/Inside Water Piping - Gasfitting Only - Commercial Replace	Contractor Justin Moe All Ways Drains Ltd - APT BLDG - CHANGE OUT WATER HEATER IN BASEMENT - 180,000 - 80 GALLON.
10/26/2015	15 173068	Resolved	CS - CSO Complaint - Certificate of Occupancy - FYI - No Response Required	Landlord does not tell tenants when water is being shut off for repairs. People cannot take meds. Occupant wanted the City to be aware of this. Caller said we send notice to the owner but owner doesn't pass any info on to tenants. Caller will report this to the City Council and case worker.
09/23/2015	15 162800	Finald	RW - PW Right of Way Permit - Excavation - Utility	Contractor Tyron Vidal Saint Paul Regional Water Services - SYN # 1505061 GOPHER # 152663011 EMERGENCY REPAIR OF WATER SERVICE LINE (1) 8'x6' STREET EXCAVATION CROSS STREET-DAVERN ST
08/13/2015	15 149977	Closed	RF - Referral - Citizen Complaint	Owner Davern Park Realty Co/Mid Continent Mgmt - Repaired leaky plumbing. Left a hole in the wall and

08/13/2015	15 149976	Resolved	CS - CSO Complaint - Certificate of Occupancy - Complaint	it still smells of mold and has been to the Doctor and they gave information on mold. Repaired leaky plumbing. Left a hole in the wall and it still smells of mold and has been to the Doctor and they gave information on mold.
03/06/2015	15 015936	Closed	RF - Referral - C of O	Owner Davern Park Realty Co/Mid Continent Mgmt - Follow up on C of O folder approved with corrections.
03/06/2015	15 015935	Certified	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management
04/09/2012	12 042774	Closed	CS - CSO Complaint - Taxi - Complaint	Caller states that the dispatcher for Yello Cab (Steve) was uncivil and would like to make a complaint. The cab took him to 313 Dale St N and when he call to go back home the dispatcher was rude.
03/12/2012	12 031985	Open	FA - Fire Alarm Malfunction	Responsible Party Mid-Continent Management
09/19/2011	11 277102	Open	FA - Fire Alarm Malfunction	Responsible Party Mid-Continent Management
08/31/2009	09 262803	Finald	B - Building Permit - Residential (Multi-Fam) - Express Repair	Contractor George Hulinsky Befort Roofing Inc
06/17/2009	09 089117	Approved	CN - C of O Condition	See 1507 ST. Paul Ave synopsis for info. CI
04/28/2009	09 062810	Closed	RF - Referral - Citizen Complaint	Owner Davern Park Realty Co/C/O Mid Continent Mgmt - Leaking Light!
04/28/2009	09 062809	Resolved	CS - CSO Complaint - Certificate of Occupancy - Complaint	Leaking Light!
03/16/2009	09 041853	History	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management
10/02/2007	07 157433	Canceled	XC - ECLIPS License - Car/Taxi - Taxicab Driver	Licensee Wondu Seifu - ECLIPS License# 20070000324
08/20/2007	07 133999	Closed	RF - Referral - Citizen Complaint	Owner Davern Park Realty Co/C/O Mid Continent Mgmt - Xcel Energy Reports Gas and/or Electric Service Off #4
08/20/2007	07 133998	Resolved	CS - CSO Complaint - Shut Off - Complaint	Xcel Energy Reports Gas and/or Electric Service Off #4
04/17/2007	07 018099	Canceled	XC - ECLIPS License - Car/Taxi - Taxicab Driver (Provisional)	Licensee Wondu Seifu - ECLIPS License# 20070000324
03/09/2006	06 052448	History	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management
03/09/2006	06 052449	Closed	RF - Referral - C of O	Owner Davern Park Realty Co/C/O Mid Continent Mgmt - Follow up on C of O folder approved with corrections.
04/12/2004	04 070229	History	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management
09/17/2003	03 353317	Closed	RF - Referral - Citizen Complaint	Owner Davern Park Realty Co/C/O Mid Continent Mgmt - Unit #9 - Power shut off, runs an extension cord under door into common hallway outlet.
03/11/2002	02 104047	Closed	RF - Referral - C of O	Owner Davern Park Realty CO - Follow up on C of O folder approved with corrections.
03/11/2002	02 104046	History	CO - Certificate of Occupancy - Residential	Responsible Party Mid-Continent Management
08/14/2001	01 219046	Closed	RF - Referral - Citizen Complaint	Owner Davern Park Realty CO - Carpet is extremely old and very dirty. Walls really need painting too. Has lived there over 4 years and never has been done. Please call for appt.
03/13/2001	01 024287	History	CO - Certificate of Occupancy - Residential	Responsible Party Mid-Continent Management
11/30/1965	65 005596	History	CO - Certificate of Occupancy - Residential	Responsible Party Davern Park Realty CO

	11/30/1965	<u>65 015595</u>	History	CO - Certificate of Occupancy - Residential	Responsible Party Davern Park Realty CO
<u>1485 St Paul Ave Apt 1</u>					
	10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1485 St Paul Ave Apt 10</u>					
	10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
	02/28/2011	<u>11 103965</u>	Canceled	XC - ECLIPS License - Car/Taxi - Taxicab Driver *	Licensee Mohamed Mursal Mohamed Jama Mursal - ECLIPS License# 20050002978
	05/13/2009	<u>09 070634</u>	Canceled	XC - ECLIPS License - Car/Taxi - Taxicab Driver *	Licensee Mohamed Mursal Mohamed Jama Mursal - ECLIPS License# 20050002978
	09/21/2006	<u>06 223565</u>	Canceled	XC - ECLIPS License - Car/Taxi - Taxicab Driver *	Licensee Mohamed Mursal Mohamed Jama Mursal - ECLIPS License# 20050002978
	08/12/2005	<u>05 145185</u>	Canceled	XC - ECLIPS License - Car/Taxi - Taxicab Driver (Provisional)	Licensee Mohamed Mursal Mohamed Jama Mursal - ECLIPS License# 20050002978
<u>1485 St Paul Ave Apt 11</u>					
	10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1485 St Paul Ave Apt 12</u>					
	10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1485 St Paul Ave Apt 3</u>					
	10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1485 St Paul Ave Apt 5</u>					
	10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
	07/13/2010	<u>10 514551</u>	Canceled	XC - ECLIPS License - Car/Taxi - Taxicab Driver *	Licensee Solomon Mekonnen Solomon Kebede Mekonnen - ECLIPS License# 20100002663
	06/22/2010	<u>10 510827</u>	Withdrawn	XC - ECLIPS License - Car/Taxi - Taxicab Driver (Provisional)	Licensee Solomon Mekonnen Solomon Kebede Mekonnen - ECLIPS License# 20100002663
<u>1485 St Paul Ave Apt 6</u>					
	10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1485 St Paul Ave Apt 7</u>					
	10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1485 St Paul Ave Apt 8</u>					
	10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1485 St Paul Ave Apt 9</u>					
	10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1485 St Paul Ave</u>					
	05/15/2023	<u>23 039439</u>	Active/Issued	B - Building Permit - Residential (Multi-Fam) - Express Repair	Contractor Pinnacle Roofing Systems - Commercial flat re-roof. Tear off existing EPDM membrane, inspect insulation and replace if wet. Re-use ballast. Exception for R-30 Code C402.2.1.2
	05/15/2023	<u>23 039408</u>	Active/Issued	W - Warm Air, Ventilation & General Sheet - General Sheet Metal - Commercial Replace	Contractor Pinnacle Roofing Systems - Install new pre-finished cant fascia metal at roof perimeter in conjunction with commercial flat re-roof.
	02/10/2023	<u>23 013905</u>	Pending	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management - 212823110002
	12/01/2022	<u>22 120490</u>	Resolved	CS - CSO Complaint - Snow Walk - Complaint	12/01/2022 Snow Walk Complaint Received. Front and Back Sidewalks of all properties
	05/16/2022	<u>22 053471</u>	Closed	RF - Referral - Citizen Complaint	Owner Davern Park Realty Co - Hole in bathroom ceiling-leaking backflow in the bathtub carpet outside of

05/16/2022	22 053470	In Compliance	CS - CSO Complaint - Certificate of Occupancy - Complaint	bathroom is soaked and getting worn out Hole in bathroom ceiling backflow in the bathtub carpet outside of bathroom is soaked and getting worn out
04/29/2022	22 049095	Closed	RF - Referral - Citizen Complaint	Owner Davern Park Realty Co - fire door is not working and you can't get out through door-rear door in bldg, 1445 St Paul Ave
04/29/2022	22 049094	Resolved	CS - CSO Complaint - Certificate of Occupancy - Complaint	fire door is not working and you can't get out through door-rear door in bldg, 1445 St Paul Ave
01/07/2022	22 019390	Closed	RF - Referral - Citizen Complaint	Owner Davern Park Realty Co/C/O Mid Continent Mgmt - No heat
01/07/2022	22 019389	Resolved	CS - CSO Complaint - Certificate of Occupancy - Complaint	No heat
01/03/2022	22 018168	Closed	RF - Referral - Citizen Complaint	Owner Davern Park Realty Co/C/O Mid Continent Mgmt - low heat. Thermostat has to be at 90 to only heat up to 67. During the weekend it was about 50 degrees in his unit.
01/03/2022	22 018167	Resolved	CS - CSO Complaint - Certificate of Occupancy - Complaint	low heat. Thermostat has to be at 90 to only heat up to 67. During the weekend it was about 50 degrees in his unit.
09/02/2020	20 070989	Resolved	CS - CSO Complaint - Exterior - Complaint	HE behind the garages at this complex. When garage doors are left open they access and use electricity, when building doors are left open they are accessing the bathrooms
05/15/2018	18 062090	Finald	WA - SPRWS Plumbing Permit - Existing Building - Inside - Add / Repair /Relocate/ Replace	Contractor Jayhawk Mechanical Inc - RPZ
10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
09/11/2017	17 078281	Resolved	CS - CSO Complaint - Sidewalk - Complaint	Broken section in front of home holes are in the squares making it difficult for those walking
06/17/2016	16 048403	In Compliance	CS - CSO Complaint - Certificate of Occupancy - Complaint	No hot water in building since yesterday morning.
06/17/2016	16 048404	Closed	RF - Referral - Citizen Complaint	Owner Davern Park Realty Co/Mid Continent Mgmt - No hot water in building since yesterday morning.
09/16/2015	15 160452	Certified	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management - 212823110002
12/21/2010	10 936795	Finald	WA - SPRWS Plumbing Permit - Existing Building - Inside - Add / Repair /Relocate/ Replace	Contractor Jayhawk Mechanical Inc - RPZ (1)
06/24/2009	09 093708	History	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management - 212823110002
06/17/2009	09 089119	Approved	CN - C of O Condition	See 1507 ST. Paul Ave synopsis for info. CI
06/03/2008	06 076256	History	SW - Swimming Pool - Medium Risk - Routine Inspection	Establishment Daven Park Apartments - PREVIOUS ADDRESS WAS 1485 ST PAUL AVE
05/02/2006	06 075582	History	SW - Swimming Pool - Medium Risk - Routine Inspection	
05/01/2006	05 142053	History	SW - Swimming Pool - Medium Risk - Routine Inspection	
04/12/2006	06 066067	History	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management - 212823110002
08/04/2005	04 152687	History	SW - Swimming Pool - Medium Risk - Routine Inspection	Establishment Davern Park Apts
07/26/2004	03 389850	History	SW - Swimming Pool - Medium Risk - Routine Inspection	Establishment Davern Park Apts
04/12/2004	04 070238	History	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management - 212823110002

09/02/2003	02 217841	History	SW - Swimming Pool - Medium Risk - Routine Inspection	Establishment Davern Park Apts
08/27/2002	02 140665	History	SW - Swimming Pool - Medium Risk - Routine Inspection	Establishment Davern Park Apts
07/22/2002	99 005290	History	SW - Swimming Pool - Medium Risk - Routine Inspection	Establishment Davern Park Apts
03/11/2002	02 104049	Closed	RF - Referral - C of O	Owner Davern Park Realty CO - Follow up on C of O folder approved with corrections.
03/11/2002	02 104048	History	CO - Certificate of Occupancy - Residential	Responsible Party Mid-Continent Management - 212823110002
03/13/2001	01 024470	History	CO - Certificate of Occupancy - Residential	Responsible Party Mid-Continent Management - 212823110002
07/27/1999	99 014843	History	SW - Swimming Pool - Medium Risk - Routine Inspection	Establishment Davern Park Apts
05/28/1998	96 004109	History	SW - Swimming Pool - Medium Risk - Routine Inspection	Establishment Davern Park Apts
04/29/1997	97 018172	Canceled	XW - ECLIPS License - Water/Health - Swimming Pool - Public	Licensee Mid Continent Mgmt Corp Davern Park Apts - ECLIPS License# 0018172
09/15/1995	94 008651	History	SW - Swimming Pool - Medium Risk - Routine Inspection	Establishment Davern Park Apts
08/12/1993	99 019287	History	SW - Swimming Pool - No Risk - Routine Inspection	Establishment Davern Park Apts
07/14/1993	99 019201	History	SW - Swimming Pool - No Risk - Routine Inspection	Establishment Davern Park Apts
06/17/1991	99 019310	History	SW - Swimming Pool - No Risk - Routine Inspection	Establishment Davern Park Apts
10/01/1965	65 005616	History	CO - Certificate of Occupancy - Residential	Responsible Party Davern Park - 212823110002
10/01/1965	65 015615	History	CO - Certificate of Occupancy - Residential	Responsible Party Davern Park - 212823110002
<u>1491 St Paul Ave Apt 1</u>				
10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1491 St Paul Ave Apt 11</u>				
10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1491 St Paul Ave Apt 12</u>				
10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1491 St Paul Ave Apt 3</u>				
10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1491 St Paul Ave Apt 4</u>				
10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1491 St Paul Ave Apt 5</u>				
10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1491 St Paul Ave Apt 6</u>				
10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1491 St Paul Ave Apt 8</u>				
10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1491 St Paul Ave Apt 9</u>				
10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1491 St Paul Ave</u>				
02/10/2023	23 013906	Pending	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management
08/05/2022	22 082297	Finald	W - Warm Air, Ventilation & General Sheet - Commercial Replace Metal	Contractor Pinnacle Roofing Systems - FLASHING
08/04/2022	22 081755	Finald	B - Building Permit - Residential (Multi-Fam) - Express Repair	Contractor Pinnacle Roofing Systems - Commercial flat re-roof. Tear off to insulation & replace membrane with 60mil EPDM. Building is insulated

07/15/2019	19 063486	Closed	RF - Referral - Citizen Complaint	below roof decking. Fascia metal replacement to be submitted on separate permit. Owner Davern Park Realty Co/C/O Mid Continent Mgmt - Cockroach infestation in unit.
07/15/2019	19 063485	In Compliance	CS - CSO Complaint - Certificate of Occupancy - Complaint	Cockroach infestation in unit.
02/04/2019	19 008126	Closed	RF - Referral - Citizen Complaint	Owner Davern Park Realty Co/C/O Mid Continent Mgmt - Life safety issues
02/04/2019	19 008125	In Compliance	CS - CSO Complaint - Certificate of Occupancy - Complaint	Life safety issues
10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
10/30/2015	15 175073	Certified	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management
10/27/2015	15 173531	Finald	RW - PW Right of Way Permit - Excavation - Utility	Contractor Tyron Vidal Saint Paul Regional Water Services - SYN # 1505796 GOPHER # 152990599 EMERGENCY REPAIR OF WATER MAIN BREAK AT HYDRANT IFO ADDRESS (1) 8'x6' STREET EXCAVATION CROSS STREET- DAVERN ST
10/17/2012	12 117498	Resolved	CS - CSO Complaint - Exterior - Complaint	DUMPING OF TIRES: Across the street from Davern Park Apartments on 1517 St. Paul Avenue- someone has dumped tires in the wooded blvd. area. (across the street from our 1491 Bldg). Thank you for your attention and proper removal of these tires.
09/19/2011	11 277177	Closed	RF - Referral - Form 4	Owner Davern Park Realty Co/Mid Continent Mgmt - badly leaking hydrant caused erosion near sidewalk from fire in garages on 09/15/11
09/23/2010	10 901570	Closed	RF - Referral - Citizen Complaint	Owner Davern Park Realty Co/Mid Continent Mgmt - 9/23/10 - Xcel Shut Off List - Electric Unit: 11
09/23/2010	10 901569	In Compliance	CS - CSO Complaint - Shut Off - Complaint	9/23/10 - Xcel Shut Off List - Electric Unit: 11
06/25/2009	09 093860	History	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management
06/16/2009	09 088324	Approved	CN - C of O Condition	Windows Approved
04/20/2009	09 058268	Closed	RF - Referral - Citizen Complaint	Owner Davern Park Realty Co/C/O Mid Continent Mgmt - Egress windows
04/12/2006	06 066068	History	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management
04/12/2004	04 070234	History	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management
03/11/2002	02 104050	History	CO - Certificate of Occupancy - Residential	Responsible Party Mid-Continent Management
03/11/2002	02 104051	Closed	RF - Referral - C of O	Owner Davern Park Realty CO - Follow up on C of O folder approved with corrections.
01/29/2002	02 000424	Canceled	XC - ECLIPS License - Car/Taxi - Taxicab Driver (Provisional)	Licensee Daniel Tekle Daniel T Tekle - ECLIPS License# 20020000424
03/13/2001	01 024568	History	CO - Certificate of Occupancy - Residential	Responsible Party Mid-Continent Management
10/01/1965	65 005629	History	CO - Certificate of Occupancy - Residential	Responsible Party Davern Park Realty CO
10/01/1965	65 015628	History	CO - Certificate of Occupancy - Residential	Responsible Party Davern Park Realty CO
<u>1501 St Paul Ave Apt 1</u>				
10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt

1501 St Paul Ave Apt 10

	10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1501 St Paul Ave Apt 11</u>					
	10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1501 St Paul Ave Apt 12</u>					
	10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1501 St Paul Ave Apt 2</u>					
	10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1501 St Paul Ave Apt 3</u>					
	10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1501 St Paul Ave Apt 5</u>					
	10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1501 St Paul Ave Apt 6</u>					
	10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1501 St Paul Ave Apt 7</u>					
	10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1501 St Paul Ave Apt 8</u>					
	10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
	05/21/2009	<u>09 075684</u>	Closed	BW - Building Warning - Behavior Complaint List	Owner Davern Park Realty Co/C/O Mid Continent Mgmt - POLICE ARREST MADE APT. 8, 5-20-09.SUSPECT, ROOMMATE, ARRIVED HOME INTOXICATED FROM BAR, STRUCK VICTIM IN HEAD WITH AN IRON POT CN 09099269
<u>1501 St Paul Ave</u>					
	05/15/2023	<u>23 039446</u>	Active/Issued	B - Building Permit - Residential (Multi-Fam) - Express Repair	Contractor Pinnacle Roofing Systems - Commercial flat re-roof. Tear off existing EPDM membrane, inspect insulation and replace if wet. Re-use ballast. Exception for R-30 Code C402.2.1.2
	05/15/2023	<u>23 039410</u>	Active/Issued	W - Warm Air, Ventilation & General Sheet - General Sheet Metal - Commercial Replace	Contractor Pinnacle Roofing Systems - Install new pre-finished cant fascia metal at roof perimeter in conjunction with commercial flat re-roof.
	12/05/2022	<u>22 121519</u>	Closed	RF - Referral - Citizen Complaint	Owner Davern Park Realty Co - water leaking from ceiling, wet carpet roaches
	12/05/2022	<u>22 121518</u>	In Compliance	CS - CSO Complaint - Certificate of Occupancy - Complaint	water leaking from ceiling, wet carpet roaches
	07/13/2022	<u>22 073912</u>	Pending	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management
	07/01/2021	<u>21 279839</u>	Closed	RF - Referral - Citizen Complaint	Owner Davern Park Realty Co/C/O Mid Continent Mgmt - report of water not running in apartment and bad odor coming from bathroom
	07/01/2021	<u>21 279838</u>	In Compliance	CS - CSO Complaint - Certificate of Occupancy - Complaint	report of water not running in apartment and bad odor coming from bathroom
	04/22/2019	<u>19 033017</u>	Finald	WA - SPRWS Plumbing Permit - Existing Building - Inside - Add / Repair /Relocate/ Replace	Contractor Jayhawk Mechanical Inc - REPLACE RPZ
	10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
	07/21/2016	<u>16 060261</u>	Closed	RF - Referral - Form 4	Owner Davern Park Realty Co/Mid Continent Mgmt - Detached Garage Fire
	07/21/2016	<u>16 060260</u>	In Compliance	CS - CSO Complaint - Certificate of Occupancy - Complaint	Detached Garage Fire

07/30/2015	15 145130	Finald	M - Mechanical Permit - Steam or Hot Water - Commercial Replace	Contractor Jayhawk Mechanical Inc
07/30/2015	15 145128	Finald	M - Mechanical Permit - Gas - Commercial Replace	Contractor Jayhawk Mechanical Inc
04/22/2015	15 029025	Certified	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management
08/01/2013	13 216730	Resolved	CS - CSO Complaint - Exterior Complaint	Trash cans are near window of resident which is triggering her seizures and asthma. She can't open her windows or turn her a/c on because the waste odor enters her unit.
06/05/2009	09 083572	History	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management
05/21/2009	09 075678	Closed	RF - Referral - Citizen Complaint	Owner Davern Park Realty Co/C/O Mid Continent Mgmt - POLICE ISSUES
03/07/2006	06 051374	Closed	RF - Referral - C of O	Owner Davern Park Realty Co/C/O Mid Continent Mgmt - Follow up on C of O folder approved with corrections.
03/07/2006	06 051373	History	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management
05/14/2004	04 086902	History	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management
03/12/2002	02 104246	History	CO - Certificate of Occupancy - Residential	Responsible Party Mid-Continent Management
03/12/2002	02 104247	Closed	RF - Referral - C of O	Owner Davern Park Realty CO - Follow up on C of O folder approved with corrections.
03/13/2001	01 018102	History	CO - Certificate of Occupancy - Residential	Responsible Party Mid-Continent Management
01/05/1966	66 000012	History	CO - Certificate of Occupancy - Residential	Responsible Party Davern Park Realty CO
01/05/1966	66 010011	History	CO - Certificate of Occupancy - Residential	Responsible Party Davern Park Realty CO

1507 St Paul Ave Apt 10

10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
------------	---------------------------	------	------------------------------	--

1507 St Paul Ave Apt 11

10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
------------	---------------------------	------	------------------------------	--

1507 St Paul Ave Apt 12

10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
03/31/2011	11 115243	Canceled	XC - ECLIPS License - Car/Taxi - Taxicab Driver *	Licensee Yonas Belay Yonas Getenet Belay - ECLIPS License# 20110000894
03/25/2011	11 112849	Withdrawn	XC - ECLIPS License - Car/Taxi - Taxicab Driver (Provisional)	Licensee Yonas Belay Yonas Getenet Belay - ECLIPS License# 20110000894

1507 St Paul Ave Apt 3

10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
------------	---------------------------	------	------------------------------	--

1507 St Paul Ave Apt 4

10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
------------	---------------------------	------	------------------------------	--

1507 St Paul Ave Apt 5

10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
------------	---------------------------	------	------------------------------	--

1507 St Paul Ave Apt 6

10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
------------	---------------------------	------	------------------------------	--

1507 St Paul Ave Apt 7

10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
------------	---------------------------	------	------------------------------	--

1507 St Paul Ave Apt 8

10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
------------	---------------------------	------	------------------------------	--

1507 St Paul Ave Apt 9

1507 St Paul Ave

10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
09/11/2023	<u>23 080424</u>	Closed	RF - Referral - Citizen Complaint	Owner Davern Park Realty Co - Gross and Unsanitary See Comments
09/11/2023	<u>23 080423</u>	In Compliance	CS - CSO Complaint - Certificate of Occupancy - Complaint	Gross and Unsanitary See Comments
05/15/2023	<u>23 039449</u>	Active/Issued	B - Building Permit - Residential (Multi-Fam) - Express Repair	Contractor Pinnacle Roofing Systems - Commercial flat re-roof. Tear off existing EPDM membrane, inspect insulation and replace if wet. Re-use ballast. Exception for R-30 Code C402.2.1,2
05/15/2023	<u>23 039420</u>	Active/Issued	W - Warm Air, Ventilation & General Sheet - General Sheet Metal - Commercial Replace	Contractor Pinnacle Roofing Systems - Install new pre-finished cant fascia metal at roof perimeter in conjunction with commercial flat re-roof.
02/10/2023	<u>23 013912</u>	Pending	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management
10/13/2020	<u>20 083095</u>	Finald	RW - PW Right of Way Permit - Obstruction - Storage	Contractor Misc Customer ---Misc. Permits and Location---- See Comments Misc. Permits--Right of Way (Chris) - Storage Container 10/17/2020---10/19/2020 2 No Parking Signs
10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
08/18/2015	<u>15 151482</u>	Certified	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management
05/12/2015	<u>15 034874</u>	Closed	RF - Referral - Citizen Complaint	Owner Davern Park Realty Co/Mid Continent Mgmt - Large accumulation of water on sidewalk between Apartments 1507 and 1501.
04/04/2011	<u>11 115728</u>	Open	FA - Fire Alarm Malfunction	Responsible Party Mid-Continent Management
06/23/2009	<u>09 092794</u>	History	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management
06/16/2009	<u>09 088325</u>	Approved	CN - C of O Condition	Windows Approved
04/20/2009	<u>09 058262</u>	Closed	RF - Referral - Citizen Complaint	Owner Davern Park Realty Co/C/O Mid Continent Mgmt - Egress windows
01/30/2009	<u>09 019059</u>	Finald	E - Electrical Permit - Service & Circuits - Commercial Repair/Alter	Contractor Brian Lyons Electric, Fire & Security
12/10/2008	<u>08 219159</u>	Closed	RF - Referral - Form 4	Owner Davern Park Realty Co/C/O Mid Continent Mgmt - Dispatched to a couch fire. Fire companies were working upon my arrival. Ms. Fischer was standing outside on sidewalk. Ms. Fischer stated she fell asleep smoking cigarettes. Origin of fire was on couch. Cause of fire was accidental. Ms. Fischer was transported to Regions for treatment. misc. VB
09/14/2006	<u>06 137082</u>	Closed	CS - CSO Complaint - Vacant Building Addtl Info - Complaint	
08/03/2006	<u>06 119124</u>	Closed	RF - Referral - Citizen Complaint	Owner Davern Park Realty Co/C/O Mid Continent Mgmt - Unit #3 - Police issues/nuisance activity.
06/05/2006	<u>06 092468</u>	Closed	RF - Referral - Form 4	Owner Davern Park Realty Co/C/O Mid Continent Mgmt - FIRE IN COMMON HALLWAY NEAR UNIT #12.
03/07/2006	<u>06 051375</u>	History	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management
03/07/2006	<u>06 051376</u>	Closed	RF - Referral - C of O	Owner Davern Park Realty Co/C/O Mid Continent Mgmt - Follow up on C of O folder approved with corrections.
05/14/2004	<u>04 086905</u>	History	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management

	03/12/2002	<u>02 104249</u>	Closed	RF - Referral - C of O	Owner Davern Park Realty CO - Follow up on C of O folder approved with corrections.
	03/12/2002	<u>02 104248</u>	History	CO - Certificate of Occupancy - Residential	Responsible Party Mid-Continent Management
	03/13/2001	<u>01 018439</u>	History	CO - Certificate of Occupancy - Residential	Responsible Party Mid-Continent Management
	10/01/1965	<u>65 000034</u>	History	CO - Certificate of Occupancy - Residential	Responsible Party Davern Park Realty CO
	10/01/1965	<u>65 010033</u>	History	CO - Certificate of Occupancy - Residential	Responsible Party Davern Park Realty CO
<u>1511 St Paul Ave Apt 1</u>					
	10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1511 St Paul Ave Apt 10</u>					
	10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1511 St Paul Ave Apt 12</u>					
	10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1511 St Paul Ave Apt 2</u>					
	10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1511 St Paul Ave Apt 3</u>					
	10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1511 St Paul Ave Apt 5</u>					
	10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1511 St Paul Ave Apt 7</u>					
	10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1511 St Paul Ave Apt 8</u>					
	01/04/2019	<u>19 001446</u>	Canceled	XC - ECLIPS License - Car/Taxi - Taxicab Driver *	Licensee Ronald Brake Ronald R Brake - ECLIPS License# 20190000025
	10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1511 St Paul Ave Apt 9</u>					
	10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1511 St Paul Ave</u>					
	10/24/2023	<u>23 093673</u>	Closed	RF - Referral - Citizen Complaint	Owner Davern Park Realty Co - The bldgs. entrance doors don't close all the way, if they do close then they will not open. Resident keys do not get you in. Random strangers wander the halls due to the doors not being secured
	10/24/2023	<u>23 093672</u>	Resolved	CS - CSO Complaint - Certificate of Occupancy - Complaint	The bldgs. entrance doors don't close all the way, if they do close then they will not open. Resident keys do not get you in. Random strangers wander the halls due to the doors not being secured
	02/10/2023	<u>23 013907</u>	Pending	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management
	08/22/2022	<u>22 087557</u>	Closed	RF - Referral - Citizen Complaint	Owner Davern Park Realty Co - leaking pipes-hear leaking through walls while water is being used in a different unit hole in living room ceiling pest infestation-ants and roaches front and back security doors consistently being sabotaged preventing exiting in a timely manner inconsistent hot/cold water pipes in walls snap loudly in winter
	08/22/2022	<u>22 087556</u>	Resolved	CS - CSO Complaint - Certificate of Occupancy - Complaint	leaking pipes-hear leaking through walls while water is being used in a different unit hole in living room ceiling pest infestation-ants and

roaches front and back security doors consistently being sabotaged preventing exiting in a timely manner inconsistent hot/cold water pipes in walls snap loudly in winter furniture by dumpster

04/02/2019	19 027349	Resolved	CS - CSO Complaint - Garbage Rubbish - Complaint	
02/14/2019	19 011472	Finald	WA - SPRWS Plumbing Permit - Existing Building - Inside - Add / Repair /Relocate/ Replace	Contractor Jayhawk Mechanical Inc - REPLACE RPZ
10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
05/02/2016	16 031792	Finald	WA - SPRWS Plumbing Permit - Existing Building - Inside - Add / Repair /Relocate/ Replace	Contractor Jayhawk Mechanical Inc - NEW RPZ
12/16/2015	15 186443	Finald	W - Warm Air, Ventilation & General Sheet - General Sheet Metal - Commercial Replace	Contractor Ms. Benjamin Lang Sela Roofing And Remodeling
12/16/2015	15 186439	Finald	B - Building Permit - Commercial - Express Repair	Contractor Ms. Benjamin Lang Sela Roofing And Remodeling
09/16/2015	15 160453	Certified	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management
06/19/2009	09 091300	History	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management
06/17/2009	09 089124	Approved	CN - C of O Condition	See 1507 ST. Paul Ave synopsis for further info. CI
03/07/2006	06 051378	Closed	RF - Referral - C of O	Owner Davern Park Realty Co/C/O Mid Continent Mgmt - Follow up on C of O folder approved with corrections.
03/07/2006	06 051377	History	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management
05/14/2004	04 086907	History	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management
03/12/2002	02 104251	Closed	RF - Referral - C of O	Owner Davern Park Realty CO - Follow up on C of O folder approved with corrections.
03/12/2002	02 104250	History	CO - Certificate of Occupancy - Residential	Responsible Party Mid-Continent Management
03/13/2001	01 018481	History	CO - Certificate of Occupancy - Residential	Responsible Party Mid-Continent Management
11/30/1965	65 000041	History	CO - Certificate of Occupancy - Residential	Responsible Party Davern Park Realty CO
11/30/1965	65 010040	History	CO - Certificate of Occupancy - Residential	Responsible Party Davern Park Realty CO

1517 St Paul Ave Apt 1

10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
------------	---------------------------	------	------------------------------	--

1517 St Paul Ave Apt 10

10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
------------	---------------------------	------	------------------------------	--

1517 St Paul Ave Apt 11

10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
03/28/2014	14 190626	Canceled	XA - ECLIPS License - Animals - Dog Regular - (Altered)	Licensee Caroline Bior - ECLIPS License# 20140000863

1517 St Paul Ave Apt 2

10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
12/19/2008	08 237298	Canceled	XC - ECLIPS License - Car/Taxi - Taxicab Driver *	Licensee Suleeban Mahamoud Suleeban Abdi Mahamoud - ECLIPS License# 20040001605
12/19/2008	08 236762	Withdrawn	XC - ECLIPS License - Car/Taxi - Taxicab Driver (Provisional)	Licensee Suleeban Mahamoud Suleeban Abdi Mahamoud - ECLIPS License# 20040001605
04/28/2004	04 078415	Revoked	XC - ECLIPS License - Car/Taxi - Taxicab Driver (Provisional)	Licensee Suleeban Mahamoud Suleeban Abdi Mahamoud - ECLIPS License# 20040001605

1517 St Paul Ave Apt 3

10/02/2017	17 185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
------------	---------------------------	------	------------------------------	--

1517 St Paul Ave Apt 4

10/02/2017 17 185656 Open RE - Real Estate Assessments Owner Davern Park Realty Co/Mid Continent Mgmt

1517 St Paul Ave Apt 5

10/02/2017 17 185656 Open RE - Real Estate Assessments Owner Davern Park Realty Co/Mid Continent Mgmt

1517 St Paul Ave Apt 7

10/02/2017 17 185656 Open RE - Real Estate Assessments Owner Davern Park Realty Co/Mid Continent Mgmt

1517 St Paul Ave Apt 8

10/02/2017 17 185656 Open RE - Real Estate Assessments Owner Davern Park Realty Co/Mid Continent Mgmt

1517 St Paul Ave

10/03/2022 22 101951 Finaled B - Building Permit - Residential (Multi-Fam) - Express Repair Contractor Alli Engebretson Icc Restoration & Cleaning Services - RESIDING (W/ SOFFIT-FASCIA)

08/10/2022 22 083739 Pending CO - Certificate of Occupancy - Residential 3+ Units Responsible Party Mid-Continent Management

08/05/2022 22 082310 Finaled W - Warm Air, Ventilation & General Sheet - General Sheet Metal - Commercial Replace Contractor Pinnacle Roofing Systems - Remove and replace perimeter metal flashing in conjunction with flat re-roof.

08/04/2022 22 081774 Finaled B - Building Permit - Residential (Multi-Fam) - Express Repair Contractor Pinnacle Roofing Systems - Flat commercial re-roof. Tear off to insulation replace membrane with 60mil EPDM. Building insulated below deck.

07/05/2022 22 068065 Canceled B - Building Permit - Residential (Multi-Fam) - Express Repair Contractor Pinnacle Roofing Systems - 8/2/2022 - CANCELED PER CONTRACTOR - NEEDS TO BE PULLED ON 3 SEPARATE PERMIT ADDRESSES. 100% REFUND. em WORK TO BE PERFORMED: Re-roof 3 buildings with 60-mil Ballasted EPDM. Tear off to insulation, inspect and replace damaged insulation. Building insulated below decking. Inspect the structural roof deck in areas where insulation has been removed. Repair or replace any damaged areas.

06/30/2022 22 066845 Closed RF - Referral - Citizen Complaint Owner Davern Park Realty Co - Fire alarm system keeps going off

06/30/2022 22 066844 Resolved CS - CSO Complaint - Certificate of Occupancy - Complaint Fire alarm system keeps going off

04/27/2022 22 048359 Resolved CS - CSO Complaint - Zoning - Complaint no adequate handicap parking spaces. 77 spots with one handicap spot

10/19/2020 20 084638 Resolved CS - CSO Complaint - Exterior - Complaint HE behind garage #46 at this address, campfire, trash

10/07/2020 20 081490 In Compliance CS - CSO Complaint - Exterior - Complaint encampment at this location behind garages. Tenants are being threatened by occupants of the encampment and the buildings are also being broken into.

07/13/2020 20 050963 Closed RF - Referral - Form 4 Owner Davern Park Realty Co/C/O Mid Continent Mgmt - Form 4: No keys in keybox that open alarm panel

07/13/2020 20 050962 In Compliance CS - CSO Complaint - Certificate of Occupancy - Complaint Form 4: No keys in keybox that open alarm panel

10/02/2017 17 185656 Open RE - Real Estate Assessments Owner Davern Park Realty Co/Mid Continent Mgmt

04/20/2017 17 030988 Closed RF - Referral - Citizen Complaint Owner Davern Park Realty Co/Mid Continent Mgmt - Possible gross and unsanitary (see comments)

04/20/2017 17 030987 In Compliance CS - CSO Complaint - Certificate of Occupancy - Complaint Possible gross and unsanitary (see comments)

03/28/2017 17 023559 Closed RF - Referral - Citizen Complaint Owner Davern Park Realty Co/Mid Continent Mgmt - possible gross and

03/28/2017	17 023558	Resolved	CS - CSO Complaint - Certificate of Occupancy - Complaint	unsanitary See comments possible gross and unsanitary See comments
01/17/2017	17 003878	Closed	RF - Referral - Citizen Complaint	Owner Davern Park Realty Co/Mid Continent Mgmt - Anonymous letter stated the following * see document - each unit's windows frozen shut with frost; unable to open windows in event of fire - no light bulb in between garage #16, entering from Davern Street's rear parking entrance (dark!) - front and rear door locks are stuck the majority of the time
01/17/2017	17 003877	Resolved	CS - CSO Complaint - Certificate of Occupancy - Complaint	Anonymous letter stated the following * see document - each unit's windows frozen shut with frost; unable to open windows in event of fire - no light bulb in between garage #16, entering from Davern Street's rear parking entrance (dark!) - front and rear door locks are stuck the majority of the time
08/09/2016	16 066987	Resolved	CS - CSO Complaint - Park/Playground - Complaint	Blvd grass behind Davern Park Apts by the railroad tracks
04/22/2015	15 029021	Certified	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management
07/02/2013	13 205311	Scheduled	SW - Swimming Pool - High Risk - Routine Inspection	Establishment Daven Park Apartments
04/30/2013	13 179582	Finald	RW - PW Right of Way Permit - Excavation - Utility	Contractor Tyron Vidal Saint Paul Regional Water Services - SYN# 1301952 GOPHER# 131180311 EMERGENCY RP WTR MN 8X6 STREETHOLE
03/06/2013	13 160469	Callback Pending	CS - CSO Complaint - Exterior - Complaint	Caller states that a TV was dumped at property and they have the Lic Plate # of the Vehicle. Gave caller the Police Non-emergency #.
08/29/2012	12 099228	History	SW - Swimming Pool - High Risk - Routine Inspection	Establishment Daven Park Apartments
08/28/2012	12 073646	History	SW - Swimming Pool - High Risk - Routine Inspection	Establishment Daven Park Apartments
06/22/2012	11 252290	History	SW - Swimming Pool - Medium Risk - Routine Inspection	Establishment Daven Park Apartments
04/05/2012	12 040893	Resolved	CS - CSO Complaint - Pothole - Complaint	A few months ago there was a water main break right outside of 1517 Saint Paul Avenue building and there is a very large break area on the road that could damage vehicles - they did a temporary patch that is now becoming a very large sink hole. In addition the sidewalk was damaged and needs repair - someone could trip. This is located right in front of our Leasing Office and looks horrible - this is also a high traffic area for our residents and prospects that come into our office and someone could get seriously injured.
04/05/2012	12 040892	Resolved	CS - CSO Complaint - Sidewalk - Complaint	A few months ago there was a water main break right outside of 1517 Saint Paul Avenue building and there is a very large break area on the road that could damage vehicles - they did a temporary patch that is now becoming a very large sink hole. In addition the sidewalk was damaged and needs repair - someone could trip. This is located right in front of our Leasing Office and looks horrible - this is also a high traffic area for our residents and prospects that come

04/05/2012	12_040857	Resolved	CS - CSO Complaint - Street Maintenance - Complaint	into our office and someone could get seriously injured. A few months ago there was a water main break right outside of 1517 Saint Paul Avenue building and there is a very large break area on the road that could damage vehicles - they did a temporary patch that is now becoming a very large sink hole. In addition the sidewalk was damaged and needs repair - someone could trip. This is located right in front of our Leasing Office and looks horrible - this is also a high traffic area for our residents and prospects that come into our office and someone could get seriously injured.
02/03/2012	12_018300	Finald	RW - PW Right of Way Permit - Excavation - Utility	Contractor Tyron Vidal Saint Paul Regional Water Services - SYN# 1200632 GOPHER# 120330480 EMERGENCY RP BRKN WTR MN 8X6 STREETHOLE
12/08/2011	11_307659	Finald	E - Electrical Permit - Service & Circuits - Commercial Repair/Alter	Contractor Brian Lyons Electric, Fire & Security
11/02/2011	11_295737	Finald	B - Building Permit - Residential (Multi-Fam) - Repair	Contractor Homestyle Builders & Developers
07/18/2011	10_514394	History	SW - Swimming Pool - Medium Risk - Routine Inspection	Establishment Daven Park Apartments
06/28/2010	10_499891	History	SW - Swimming Pool - Medium Risk - Routine Inspection	Establishment Daven Park Apartments
05/27/2010	09_264089	History	SW - Swimming Pool - Medium Risk - Routine Inspection	Establishment Daven Park Apartments
08/31/2009	08_087532	History	SW - Swimming Pool - Medium Risk - Routine Inspection	Establishment Daven Park Apartments
06/17/2009	09_089141	Approved	CN - C of O Condition	See 1507 ST. Paul Ave synopsis for further info. CI
06/01/2009	09_080663	History	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management
11/27/2007	07_205854	Finald	RW - PW Right of Way Permit - Excavation - Utility	Contractor Tyron Vidal Saint Paul Regional Water Services - SYN# 0707367 GOPHER# 70707489 EMERGENCY RP BRKN WTR MN
03/07/2006	06_051379	History	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management
03/07/2006	06_051380	Closed	RF - Referral - C of O	Owner Davern Park Realty Co/C/O Mid Continent Mgmt - Follow up on C of O folder approved with corrections.
05/14/2004	04_086913	History	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management
05/14/2004	04_086914	Closed	RF - Referral - C of O	Owner Davern Park Realty Co/C/O Mid Continent Mgmt - Follow up on C of O folder approved with corrections.
03/12/2002	02_104252	History	CO - Certificate of Occupancy - Residential	Responsible Party Mid-Continent Management
03/12/2002	02_104253	Closed	RF - Referral - C of O	Owner Davern Park Realty CO - Follow up on C of O folder approved with corrections.
03/13/2001	01_019013	History	CO - Certificate of Occupancy - Residential	Responsible Party Mid-Continent Management
12/01/1965	65_000067	History	CO - Certificate of Occupancy - Residential	Responsible Party Davern Park Realty CO
12/01/1965	65_010066	History	CO - Certificate of Occupancy - Residential	Responsible Party Davern Park Realty CO

1527 St Paul Ave Apt 1

10/02/2017	17_185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
------------	---------------------------	------	------------------------------	--

1527 St Paul Ave Apt 10

10/02/2017	17_185656	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
------------	---------------------------	------	------------------------------	--

1527 St Paul Ave Apt 11

	10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1527 St Paul Ave Apt 12</u>					
	10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1527 St Paul Ave Apt 2</u>					
	10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1527 St Paul Ave Apt 3</u>					
	10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1527 St Paul Ave Apt 4</u>					
	10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1527 St Paul Ave Apt 5</u>					
	10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1527 St Paul Ave Apt 6</u>					
	10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1527 St Paul Ave Apt 7</u>					
	10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1527 St Paul Ave Apt 9</u>					
	10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1527 St Paul Ave</u>					
	02/10/2023	<u>23 013914</u>	Pending	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management
	05/31/2022	<u>22 057289</u>	Finald	WA - SPRWS Plumbing Permit - Existing Building - Inside - Add / Repair /Relocate/ Replace	Contractor Jayhawk Mechanical Inc - RPZ PERMIT
	10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
	10/30/2015	<u>15 175074</u>	Certified	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management
	06/29/2015	<u>15 134845</u>	Resolved	CS - CSO Complaint - Parking - FYI - No Response Required	Dodge late model with collector plates and a boat trailer (with boat) attached plate number: 791745 two-toned green fade on top and beige fade on the bottom; rear bumper reads "Little Rock Dodge" and a Dodge ram head
	11/21/2011	<u>11 302103</u>	Closed	RF - Referral - Form 4	Owner Davern Park Realty Co/Mid Continent Mgmt - Update keys in box. Sq2 C shift had a significant CO incident in this bldg (run 31161) and found most of the smoke and CO detectors in the units disconnected
	08/12/2010	<u>10 705814</u>	Finald	PG - Plumbing/Gasfitting/Inside Water Piping - Plumbing/Inside Water (All) - Residential Replace	Contractor Richard Kramer Kramer Mechanical
	07/09/2010	<u>10 603746</u>	Finald	E - Electrical Permit - Service & Circuits - Commercial Repair/Alter	Contractor Brian Lyons Electric, Fire & Security
	06/29/2010	<u>10 514316</u>	Finald	B - Building Permit - Residential (Multi-Fam) - Repair	Contractor Alli Engebretson Icc Restoration & Cleaning Services - APT 11, DAVERN PARK APTS
	06/25/2009	<u>09 094361</u>	History	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management
	06/16/2009	<u>09 088328</u>	Approved	CN - C of O Condition	Window approved
	04/20/2009	<u>09 058266</u>	Closed	RF - Referral - Citizen Complaint	Owner Davern Park Realty Co/C/O Mid Continent Mgmt - Egress windows
	04/12/2006	<u>06 066070</u>	History	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management
	05/14/2004	<u>04 086915</u>	History	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management

03/12/2002	<u>02 104254</u>	History	CO - Certificate of Occupancy - Residential	Responsible Party Mid-Continent Management
03/12/2002	<u>02 104255</u>	Closed	RF - Referral - C of O	Owner Davern Park Realty CO - Follow up on C of O folder approved with corrections.
03/13/2001	<u>01 019770</u>	History	CO - Certificate of Occupancy - Residential	Responsible Party Mid-Continent Management
11/30/1975	<u>75 000110</u>	History	CO - Certificate of Occupancy - Residential	Responsible Party Davern Park Realty CO
11/30/1975	<u>75 010109</u>	History	CO - Certificate of Occupancy - Residential	Responsible Party Davern Park Realty CO
<u>1533 St Paul Ave Apt 10</u>				
10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1533 St Paul Ave Apt 12</u>				
10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1533 St Paul Ave Apt 2</u>				
10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1533 St Paul Ave Apt 3</u>				
10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1533 St Paul Ave Apt 5</u>				
10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1533 St Paul Ave Apt 7</u>				
10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1533 St Paul Ave Apt 8</u>				
10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1533 St Paul Ave Apt 9</u>				
10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1533 St Paul Ave</u>				
12/19/2022	<u>22 125401</u>	Pending	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management
10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
05/24/2017	<u>17 042687</u>	Finald	WA - SPRWS Plumbing Permit - Existing Building - Inside - Add / Repair /Relocate/ Replace	Contractor Jayhawk Mechanical Inc - REPLACE RPZ
03/27/2017	<u>17 023167</u>	Closed	RF - Referral - Citizen Complaint	Owner Davern Park Realty Co/Mid Continent Mgmt - Continuous infestation of bed bugs
03/27/2017	<u>17 023166</u>	In Compliance	CS - CSO Complaint - Certificate of Occupancy - Complaint	Continuous infestation of bed bugs
10/28/2016	<u>16 093979</u>	Denied	XC - ECLIPS License - Car/Taxi - Taxicab Driver *	Licensee Kalayu Amdemariam Kalayu Atsebha Amdemariam - ECLIPS License# 20160003682
11/16/2015	<u>15 179356</u>	Certified	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management
08/10/2009	<u>09 252735</u>	History	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management
06/17/2009	<u>09 089120</u>	Approved	CN - C of O Condition	See 1507 ST. Paul Ave synopsis for info. CI
03/07/2006	<u>06 051381</u>	History	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management
03/07/2006	<u>06 051382</u>	Closed	RF - Referral - C of O	Owner Davern Park Realty Co/C/O Mid Continent Mgmt - Follow up on C of O folder approved with corrections.
05/14/2004	<u>04 086917</u>	History	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management
01/22/2004	<u>04 033718</u>	Closed	RF - Referral - Citizen Complaint	Owner Davern Park Realty Co/C/O Mid Continent Mgmt - Unit #11 - Gross unsanitary.
03/12/2002	<u>02 104256</u>	History	CO - Certificate of Occupancy - Residential	Responsible Party Mid-Continent Management

03/12/2002	<u>02 104257</u>	Closed	RF - Referral - C of O	Owner Davern Park Realty CO - Follow up on C of O folder approved with corrections.
03/13/2001	<u>01 019992</u>	History	CO - Certificate of Occupancy - Residential	Responsible Party Mid-Continent Management - 30 day sent 4/12/02
12/07/1965	<u>65 000134</u>	History	CO - Certificate of Occupancy - Residential	Responsible Party Davern Park Realty CO
12/07/1965	<u>65 010133</u>	History	CO - Certificate of Occupancy - Residential	Responsible Party Davern Park Realty CO
<u>1539 St Paul Ave Apt 1</u>				
10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1539 St Paul Ave Apt 10</u>				
10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1539 St Paul Ave Apt 2</u>				
10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1539 St Paul Ave Apt 3</u>				
10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1539 St Paul Ave Apt 4</u>				
10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1539 St Paul Ave Apt 5</u>				
10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1539 St Paul Ave Apt 6</u>				
10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1539 St Paul Ave Apt 7</u>				
10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1539 St Paul Ave Apt 8</u>				
10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1539 St Paul Ave Apt 9</u>				
10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1539 St Paul Ave</u>				
05/15/2023	<u>23 039430</u>	Active/Issued	B - Building Permit - Residential (Multi-Fam) - Express Repair	Contractor Pinnacle Roofing Systems - Commercial flat re-roof. Tear off existing EPDM membrane, inspect insulation and replace if wet. Re-use ballast. Exception for R-30 Code C402.2.1.2
05/15/2023	<u>23 039388</u>	Active/Issued	W - Warm Air, Ventilation & General Sheet - General Sheet Metal - Commercial Replace	Contractor Pinnacle Roofing Systems - Install new pre-finished cant fascia metal at roof perimeter in conjunction with commercial flat re-roof.
01/25/2022	<u>22 023825</u>	Pending	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Davern Park Realty Co
10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
04/13/2015	<u>15 026093</u>	Certified	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Davern Park Realty Co
06/17/2009	<u>09 089131</u>	Approved	CN - C of O Condition	See 1507 ST. Paul Ave synopsis for further info. CI
04/08/2009	<u>09 053435</u>	Finald	WA - SPRWS Plumbing Permit - Existing Building - Inside - Add / Repair /Relocate/ Replace	Contractor Jayhawk Mechanical Inc - RPZ
03/27/2009	<u>09 047687</u>	History	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Davern Park Realty Co
02/08/2008	<u>08 024516</u>	Closed	RF - Referral - Citizen Complaint	Owner Davern Park Realty Co/C/O Mid Continent Mgmt - UNIT 3 - SEWAGE FLOODING - CAME FROM TOILET AND BASEMENT DRAIN.
04/12/2006	<u>06 066071</u>	History	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management

05/14/2004	<u>04 086919</u>	History	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management
03/12/2002	<u>02 104258</u>	History	CO - Certificate of Occupancy - Residential	Responsible Party Mid-Continent Management
03/12/2002	<u>02 104259</u>	Closed	RF - Referral - C of O	Owner Davern Park Realty CO - Follow up on C of O folder approved with corrections.
03/13/2001	<u>01 020298</u>	History	CO - Certificate of Occupancy - Residential	Responsible Party Mid-Continent Management
12/01/1965	<u>65 000153</u>	History	CO - Certificate of Occupancy - Residential	Responsible Party Davern Park Realty CO
12/01/1965	<u>65 010152</u>	History	CO - Certificate of Occupancy - Residential	Responsible Party Davern Park Realty CO
<u>1545 St Paul Ave Apt 1</u>				
10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1545 St Paul Ave Apt 10</u>				
10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1545 St Paul Ave Apt 12</u>				
10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
12/01/2014	<u>14 350041</u>	Finald	RW - PW Right of Way Permit - Excavation - Utility	Contractor BREANNA ARENZ CC: Kallie Ulm (612-216-8116) Xcel Energy Gas - INSTALL EMERGENCY GAS VALVE- EXCAVATING XCEL PROJECT- 11713937 GSOC TKT- 143290928 CROSS STREET- 7TH ST W 6x8 HOLE IN SW/BLVD ; 120' OF PARKING LANE FOR EQUIPMENT REQUESTED BY- JEFF SCHMIDT 651-229-2381 FAX- 651-229-2396
<u>1545 St Paul Ave Apt 2</u>				
10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1545 St Paul Ave Apt 3</u>				
10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1545 St Paul Ave Apt 4</u>				
10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1545 St Paul Ave Apt 7</u>				
10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1545 St Paul Ave Apt 9</u>				
10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
<u>1545 St Paul Ave</u>				
09/18/2023	<u>23 082550</u>	Closed	RF - Referral - Citizen Complaint	Owner Davern Park Realty Co - roach and mice infestation
09/18/2023	<u>23 082549</u>	In Compliance	CS - CSO Complaint - Certificate of Occupancy - Complaint	roach and mice infestation
02/15/2023	<u>23 015012</u>	Pending	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid Continent Management
08/05/2022	<u>22 082331</u>	Finald	W - Warm Air, Ventilation & General Sheet - General Sheet Metal - Commercial Replace	Contractor Pinnacle Roofing Systems - Remove and replace perimeter metal flashing in conjunction with flat re-roof.
08/04/2022	<u>22 081780</u>	Finald	B - Building Permit - Residential (Multi-Fam) - Express Repair	Contractor Pinnacle Roofing Systems - Flat commercial re-roof. Tear off to insulation replace membrane with 60mil EPDM. Building insulated below deck.
10/23/2020	<u>20 086148</u>	Finald	M - Mechanical Permit - Steam or Hot Water - Commercial Replace	Contractor Kevin Vail Team Vail - DAVERN PARK APARTMENTS REPLACE LEAKING 30,000 BTU CAST IRON SECTIONAL BOILER WITH NEW SLANT FIN BOILER SLANT FIN, GG300EPN, 300,000 BTU (1)

10/23/2020	<u>20 086143</u>	Finald	M - Mechanical Permit - Gas - Commercial Replace	Contractor Kevin Vail Team VAIL - DAVERN PARK APARTMENTS REPLACE LEAKING 300,000 BTU CAST IRON SECTIONAL BOILER WITH NEW SLANT FIN BOILER SLANT FIN, GG300EPN, 300,000 BTU (1)
04/02/2019	<u>19 027350</u>	Resolved	CS - CSO Complaint - Garbage Rubbish - Complaint	box Spring by dumpster
02/14/2019	<u>19 011470</u>	Finald	WA - SPRWS Plumbing Permit - Existing Building - Inside - Add / Repair /Relocate/ Replace	Contractor Jayhawk Mechanical Inc - REPLACE RPZ
02/05/2019	<u>19 008710</u>	Resolved	CS - CSO Complaint - Garbage Rubbish - Complaint	mattress and other debris by the dumpster.
05/02/2018	<u>18 058248</u>	Resolved	CS - CSO Complaint - Garbage Rubbish - Complaint	Line of trash behind building
10/02/2017	<u>17 185656</u>	Open	RE - Real Estate Assessments	Owner Davern Park Realty Co/Mid Continent Mgmt
05/02/2016	<u>16 031794</u>	Finald	WA - SPRWS Plumbing Permit - Existing Building - Inside - Add / Repair /Relocate/ Replace	Contractor Jayhawk Mechanical Inc - REPLACE RPZ
05/12/2015	<u>15 034866</u>	Certified	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid Continent Management
01/08/2015	<u>15 001630</u>	Finald	RW - PW Right of Way Permit - Excavation - Utility	Contractor Tyron Vidal Saint Paul Regional Water Services - SYN # 1500109 GOPHER # 150070630 EMERGENCY REPAIR OF WATER MAIN (1) 8'x6' STREET EXCAVATION CROSS STREET- 7TH ST W
06/03/2014	<u>14 293684</u>	Closed	RF - Referral - Citizen Complaint	Owner Davern Park Realty Co/Mid Continent Mgmt - Windows cannot be locked (on ground level), main entrance door is not easy to open & close. Strong smoke smell which is causing poor air quality with kids in home.
06/03/2014	<u>14 293683</u>	In Compliance	CS - CSO Complaint - Certificate of Occupancy - Complaint	Windows cannot be locked (on ground level), main entrance door is not easy to open & close. Strong smoke smell which is causing poor air quality with kids in home.
01/03/2013	<u>13 139469</u>	Closed	RF - Referral - Citizen Complaint	Owner Davern Park Realty Co/Mid Continent Mgmt - 01/02/2013 Xcel Shut Off List - Electric - Unit 3
01/03/2013	<u>13 139468</u>	In Compliance	CS - CSO Complaint - Shut Off - Complaint	01/02/2013 Xcel Shut Off List - Electric - Unit 3
06/19/2009	<u>09 091291</u>	History	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid Continent Management
06/17/2009	<u>09 089134</u>	Approved	CN - C of O Condition	See 1507 ST. Paul Ave synopsis for further info. CI
04/12/2006	<u>06 066072</u>	History	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid Continent Management
05/14/2004	<u>04 086920</u>	History	CO - Certificate of Occupancy - Residential 3+ Units	Responsible Party Mid-Continent Management
03/12/2002	<u>02 104260</u>	History	CO - Certificate of Occupancy - Residential	Responsible Party Mid-Continent Management
03/12/2002	<u>02 104261</u>	Closed	RF - Referral - C of O	Owner Davern Park Realty CO - Follow up on C of O folder approved with corrections.
03/13/2001	<u>01 020681</u>	History	CO - Certificate of Occupancy - Residential	Responsible Party Mid-Continent Management
11/30/1965	<u>65 000182</u>	History	CO - Certificate of Occupancy - Residential	Responsible Party Davern Park Realty CO
11/30/1965	<u>65 010181</u>	History	CO - Certificate of Occupancy - Residential	Responsible Party Davern Park Realty CO