Exhibit A

Ordinance Permit 20220010211

Exhibit H

Form of Public Infrastructure Conveyance

PUBLIC INFRASTRUCTURE CONVEYANCE

ORDINANCE PERMIT # #20220010211

This Public Infrastructure Conveyance Agreement ("<u>Agreement</u>") is made and entered into effective _February 3, 2022, by and between PROJECT PAUL, LLC, a Delaware limited liability company ("<u>Developer</u>"), and CITY OF SAINT PAUL, MINNESOTA, a municipal corporation existing under the laws of the State of Minnesota ("<u>City</u>").

NOW, THEREFORE, in consideration of the mutual obligations of the parties hereto, each of them does hereby covenant and agree as follows:

- 1. <u>Notification</u>. The Developer has delivered to the City a duly executed Certificate of Completion and, thereafter, the City has determined that the applicable components of the Public Infrastructure as described in <u>Exhibit A</u> hereto (the "<u>Infrastructure</u>") appear to have been constructed in accordance with the approved plans and specifications and the preliminary and final plat and has so notified the Developer in writing. As a result, via this Agreement, the Developer is conveying the Property to the City in accordance with the Site Improvement Performance Agreement, dated December 19, 2019. The acceptance of the Infrastructure does not take effect until the Saint Paul City Council accepts the Infrastructure via Resolution.
- 2. <u>Representations</u>. The Developer hereby represents, certifies, and promises to the City the following:
 - (a) With respect to the Property, Developer has complied with the provision of the Redevelopment Agreement, dated December 19, 2019, including that the Property conveyed to the City in this Agreement is completely constructed, constructed in compliance with all applicable Standards as described in the St. Paul Department of Public Works' Construction of Infrastructure by Private Developers Policy, is free of defects, and is free and clear of any encumbrances or liens.
 - (b) A final walk-through inspection with appropriate City staff has been completed and any required corrective work (written punch list) determined through said walk-through or as determined under the normal and ordinary course of on-site observations by City staff or those hired by the City to complete such observations, has been completed.
 - (c) The following documents respecting the Property are complete, accurate, and have been filed with the appropriate department(s) of the City of Saint Paul:
 - (i) Original, reproducible As-Built Plans acceptable to the Department of Public Works, City of Saint Paul are on file with said Department.
 - (ii) Certificate of Completion signed by Engineer of Record who is a licensed Professional Engineer with the State of Minnesota per Minnesota State Statute 326.

- (iii) For sewer systems, video records of televised inspections of sewer mains have been submitted by permittee and approved by Sewer Utility staff.
- (iv) For sewer systems, sewer connection permit information on file with Public Works.
- (v) Operation and Maintenance plans.
- (vi) All other permit requirements as set forth in the Ford site ordinance permit policy.
- (d) Developer has undertaken any and all necessary actions to assign warranties it owns or possesses on or with the Property to the City.
- (e) Developer will duly execute and deliver any other documents as may be reasonably and customarily required in connection with the transfer of the Property to the City.
- 3. <u>Conveyance</u>. The Developer hereby dedicates, conveys and assigns in good title to the City of Saint Paul, together with all hereditaments and appurtenances all rights, entitlements, benefits, permits, approvals, and licenses that pertain to, with, or in the Property in its entirety, without reservation or exception, together with all warrantees, free and clear of any mortgage, pledge, hypothecation, encumbrance, lease, license, lien or others security interest. If necessary, Developer shall execute a recordable Warranty Deed to be recorded with the Ramsey County Registrar's Office.

IN WITNESS WHEREOF, the City and Developer have caused this Agreement to be duly executed in their names and on their behalf, all on or as of the date first above written.

PROJECT PAUL, LLC, a Delaware limited liability company

By: Ryan Companies US, Inc., a Minnesota corporation, its Sole Member

Name: Maureen Michalski

Its Vice President of Development

STATE OF MINNESTA) ss. COUNTY OF HEMPEDIA)

The foregoing instrument was acknowledged before me this day of Wylly, 2023, by Miller Work of Ryan Companies US, Inc., a Minnesota corporation, the Sole Member of Project Paul, LLC, a Delaware limited liability company, on behalf of the limited

liability company.

Notary Public

Exhibit G

Form of Completion Certificate



CITY OF SAINT PAUL DEPARTMENT OF PUBLIC WORKS

Certificate of Compliance

I hereby certify that work completed under this Ordinance Permit and materials provided for installation conform to the appropriate specifications and provisions of and the Department of Public Works, City of Saint Paul, Minnesota, Standard Supplemental Specifications for Construction of Public Infrastructure by Private Developers Policy, as amended, and that I am a duly Licensed Professional Engineer under the laws of the State of Minnesota.

Sidewalks		
Project Description		
20220010211		
Permit Number		
Dan Cleubrun	44614	7/6/2023
(Signature and License No.)		Date
Kimley-Horn and Associates Inc.		
Organization (Print)		

1/2012

SAINT PAUL The Most Livable City in America

CITY OF ST PAUL

Department of Public Works 25 West 4th Street 1500 City Hall Annex Saint Paul, MN 55102

ORDINANCE PERMIT

OFFICE USE ONLY	
Application No	
Application Date	
SPR File #	
Permit No.	

City in America					_
Type of Permit (select one only):					
☐Base Roadway		□Roadway Sidewa	alks	☐Sanitary Sewer Collection System	
\square Bridge		□Roadway Traffic		☐Storm Sewer Collection System	
□Retaining Wall		☐ Sanitary Drop Sh	naft	☐Storm Sewer Treatment System	
Phase:	Location (Street	On From/To and	Adjacent Lots/Blocks):		
r nase.	Location (Street	On, From/10, and E	rajaceni Lois/Biocks).		
Description of Work: [Include the incorporated by reference.]	e description provid	led in the permit ap	plication and all subsequent ar	mendments or revisions, which are herel	рy
incorporatea by rejerence.]					
Applicant Contact Person:	Contact Person	Γitle:	Contact Person Telephone:	Contact Person Email:	
Bond Co.:			Bond Amount:	Bond No.:	
			T		
Insurance Co.:			Insurance Certificate No.:		
Permit Conditions:					
This permit is issued with the stip	oulation that the 1	work of the permit	tee and related agents omn	oloyees and contractors shall confort	m in
p c. more to toother more the buf		oj me permu	a retured agents, emp	10, 222 and continuerors should conjure	

This permit is issued with the stipulation that the work of the permittee and related agents, employees and contractors shall conform in all respects to the Redevelopment Agreement (including all Legal Requirements as defined by Article 1), the City of Saint Paul Department of Public Works Ordinance Permit Process Document, and the Department of Public Works List of Applicable Standards & Specifications. The permit shall be available for display at the site referred to herein and shown to any Police Officer or Inspector upon demand and does not authorize or allow for interference with the work of any Contract made or to be made with the City of Saint Paul.

THIS PERMIT MAY BE REVOKED AT ANY TIME BY THE DIRECTOR OF PUBLIC WORKS


A PERMIT FOR THE ABOVE DESC	RIBED CONSTRUCTION IS AU	THORIZED BY:	
David Kuebler Signature	Title	Date	
Printed Name			

PERMIT NUMBER

ITEMS TO BE COMPLETED PRIOR TO ACCEPTANCE OF INFRASTRUCTURE AND RELEASE OF PERMIT


Prior to acceptance the satisfaction of t	e of any infrastructure and release of City perm he City:	its, the following items must be completed to
☒ Corrective (punc	ch list) work completed;	
Submittal of final co	cible CAD and PDF as-built plans, signed by the Epies of Metropolitan Council Environmental ServinaC Determination, etc.);	
	with project Quality Management Plan or other do	cument(s) governing quality management and
limited to: City Publ	of compliance with all applicable City and non-City ic Works Right-of-Way Office, Minnesota Pollutional Pollution Discharge Elimination System permit r	on Control Agency, Capitol Region Watershed
∑ Documentation of the contraction of the	of roadway materials at compaction of grading and	base, plant mix design report, strength;
	tary sewer mains and laterals, storm sewer mains a ediment control structures, weir structures, etc.) instruction;	
	awings for paving connections or stubs installed to dition to Private Service Lateral Permit Drawings;	service vertical development provided to
	of Public Works notified for signal and lighting installed, poles and wiring installed, and head	
NA ☐ For infrastructur	e within parks: Documentation that Parks Departm	ent has been notified of completion status;
	peration and maintenance manuals provided to Pub	lic Works; and
▼ Certificate of Co	empliance signed and submitted to City by Enginee	r of Record.
RELEASE OF PERMIT:		
Permit No	Council Res. No	Permit Date
Release Authorized by	Titl	e

2022 Infrastructure Projection Exhibit Draft Updated on 1/11/2022




01/21/2020


ROADWAY CONSTRUCTION PHASING PLAN




INSET B - SECONDARY ROAD



INSET C - 4" CONCRETE SIDEWALK



TYPICAL GRADING DETAIL AT CURBS



WOODLAWN AVENUE

MOUNT CURVE BOULEVARD TO YORKSHIRE AVENUE

(STA. 80+00 - STA. 83+96)

MONTREAL AVENUE TO SAUNDERS AVENUE

(STA. 87+93 - STA. 91+50)

VILLAGE WAY TO BEECHWOOD AVENUE

(STA. 95+00 - STA. 98+93)

No.	Date	Revisions	App.	DRAWING NAME Ford Plan Typs.dwg	
				DESIGNED BY:	RJG
				DRAWN BY:	RJG
				CHECKED BY:	GSB
				DATE:	05/27/20
				PROJECT NO.	160640016



I HEREBY CERTIFY THAT THIS PLAN, SPECIFICATION OR REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND THAT I AM A DULY LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF MINNESOTA.

	Eld 10. 10	
	GREGORY S. BROWN, PE	_
ATE:	05/27/20 MN LIC. NO	22814





RYAN COMPANIES US, INC
FORD SITE REDEVELOPMENT
CITY OF ST PAUL, MINNESOTA
FINAL SITE PLAN

<u>LEGEND</u>

GRADE.

VILLAGE WAY.

GENERAL NOTES:

STREET.

1 BOULEVARD CROSS SLOPE MAY VARY FROM 0.5% TO 8%.

OR CONSTRUCTION DEBRIS

FINISHED GRADE.

ROADWAY MATERIALS).

(5) PRIVATE UTILITY CORRIDOR.

(6) 8' SIDEWALK NORTH OF VILLAGE

WAY. 6' SIDEWALK SOUTH OF

1. BOULEVARD TREES AND STREETLIGHT

2. TREE DETAILS INCLUDED FOR GENERAL INFORMATION AND

ON LANDSCAPE PLANS.

INCLUDED FOR GENERAL

TO ALTERNATE THE LENGTH OF THE

COMMENT. SPACING AND SPECIES OF BOULEVARD TREES TO BE INCLUDED

SPACING OF STREET LIGHTING TO BE

3. STREETLIGHT DETAIL AND LOCATION

INFORMATION AND COMMENT.

4. CITY STANDARD 12" OF TOPSOIL

AND SEED/SOD.

REJECTED

INCLUDED ON LIGHTING PLANS.

5. UNLESS OTHERWISE SPECIFIED, THE

OUTFALL CURB AND GUTTER CROSS SLOPES SHALL BE THE SAME AS THE ADJACENT FINISHED SURFACE.

6. TACK COAT TO BE APPLIED BETWEEN

BITUMINOUS PAVEMENT LIFTS.

7. SIDEWALKS SHALL HAVE A MINIMUM

CROSS SLOPE OF 1.5% AND A MAXIMUM CROSS SLOPE OF 2%.

OUT OF COMPLIANCE WILL BE

SIDEWALK THAT IS CONSTRUCTED

(4) LIGHT BASE DIMENSIONS OF 2'

(2) EXCAVATE AND DISPOSE OF SHALE

(3) CENTER TREES IN BOULEVARD OR

ENCOUNTERED WITHIN 3 FEET OF

MEDIAN. MINIMUM OF 300 CF OF

ZONE (TOPSOIL SHALL DISPLACE


DIAMETER AND 6' DEEP PER CITY STANDARD PLATE 8127E. TOP OF

FOUNDATION TO BE 3" ABOVE BLVD


TOPSOIL REQUIRED FOR TREE ROOT

TYPICAL SECTIONS


CUEET NO
SHEET NO.
8




INSET A - PRIMARY ROAD




INSET B - SECONDARY ROAD




INSET C - 4" CONCRETE SIDEWALK



TYPICAL GRADING DETAIL AT CURBS



WOODLAWN AVENUE BOHLAND AVENUE TO HILLCREST AVENUE (STA. 102+73 - STA. 106+18)



WOODLAWN AVENUE

YORKSHIRE AVENUE TO MONTREAL AVENUE

(STA. 83+96 - STA. 87+93)

SAUNDERS AVENUE TO VILLAGE WAY

(STA. 91+50 - STA. 95+00)

BEECHWOOD AVENUE TO BOHLAND AVENUE

(STA. 98+93 - STA. 102+73)

<u>LEGEND</u>


- 1 BOULEVARD CROSS SLOPE MAY VARY FROM 0.5% TO 8%.
- ② EXCAVATE AND DISPOSE OF SHALE OR CONSTRUCTION DEBRIS ENCOUNTERED WITHIN 3 FEET OF FINISHED GRADE.
- (TOPSOIL SHALL DISPLACE ROADWAY MATERIALS).
- 4 LIGHT BASE DIMENSIONS OF 2' DIAMETER AND 6' DEEP PER MNDOT STANDARD PLATE 8127E. TOP OF FOUNDATION TO BE 3" ABOVE BLVD GRADE.
- (5) PRIVATE UTILITY CORRIDOR.

GENERAL NOTES:

- 1. TREE DETAILS INCLUDED FOR GENERAL INFORMATION AND COMMENT. SPACING AND SPECIES OF BOULEVARD TREES TO BE INCLUDED ON LANDSCAPE PLANS.
- 2. STREETLIGHT DETAIL AND LOCATION INCLUDED FOR GENERAL INFORMATION AND COMMENT. SPACING OF STREET LIGHTING TO BE INCLUDED ON LIGHTING PLANS.
- 3. CITY STANDARD 12" OF TOPSOIL AND SEED/SOD.
- 4. UNLESS OTHERWISE SPECIFIED, THE OUTFALL CURB AND GUTTER CROSS SLOPES SHALL BE THE SAME AS THE ADJACENT FINISHED SURFACE.
- 5. TACK COAT TO BE APPLIED BETWEEN BITUMINOUS PAVEMENT LIFTS.
- 6. SIDEWALKS SHALL HAVE A MINIMUM CROSS SLOPE OF 1.5% AND A MAXIMUM CROSS SLOPE OF 2%. SIDEWALK THAT IS CONSTRUCTED OUT OF COMPLIANCE WILL BE REJECTED

No.	Date	Revisions	App.	DRAWING NAME	
				Ford Plan Typs.dwg	
				DESIGNED BY:	RJG
				DRAWN BY:	RJG
				CHECKED BY:	GSB
				DATE:	05/27/20
				PROJECT NO.	160640016






	Dry S. Brown	
	GREGORY S. BROWN, PE	l
::	05/27/20 MN LIC. NO. 22814	







RYAN COMPANIES US, INC
FORD SITE REDEVELOPMENT
CITY OF ST PAUL, MINNESOTA
FINAL SITE PLAN

TYPICAL SECTIONS







<u>INSET A - PRIMARY ROAD</u>




INSET C - 4" CONCRETE SIDEWALK



<u>INSET D — BITUMINOUS TRAIL</u>



TYPICAL GRADING DETAIL AT CURBS




MOUNT CURVE BOULEVARD

MONTREAL AVENUE TO BOHLAND AVENUE

(STA. 56+52 - STA. 57+90)(STA. 59+89 - STA. 60+29)

(STA. 67+14 - STA. 67+55)



MOUNT CURVE BOULEVARD

MONTREAL AVENUE TO BOHLAND AVENUE

(STA. 57+90 - STA. 59+89)(STA. 60+29 - STA. 67+15)


(STA. 67+55 - STA. 68+80)

DIRECT SUPERVISION AND THAT I AM A DULY

DATE: 05/27/20 MN LIC. NO. 22814

I HEREBY CERTIFY THAT THIS PLAN, SPECIFICATION OR REPORT WAS PREPARED BY ME OR UNDER MY

LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF MINNESOTA. GREGORY S. BROWN, PE



RYAN COMPANIES US, INC. FORD SITE REDEVELOPMENT CITY OF ST PAUL, MINNESOTA FINAL SITE PLAN

<u>LEGEND</u>

1) BOULEVARD CROSS SLOPE MAY VARY FROM 0.5% TO

(3) CENTER TREES IN BOULEVARD. MINIMUM OF 300 CF OF TOPSOIL REQUIRED FOR TREE ROOT ZONE

4 LIGHT BASE DIMENSIONS OF 2' DIAMETER AND 6'

FOUNDATION TO BE 3" ABOVE BLVD GRADE.

BOULEVARD TREES AND STREETLIGHT TO

2. TREE DETAILS INCLUDED FOR GENERAL

ALTERNATE THE LENGTH OF THE STREET.

INFORMATION AND COMMENT. SPACING AND

SPECIES OF BOULEVARD TREES TO BE INCLUDED

3. STREETLIGHT DETAIL AND LOCATION INCLUDED FOR

STREET LIGHTING TO BE INCLUDED ON LIGHTING

4. CITY STANDARD 12" OF TOPSOIL AND SEED/SOD.

AS THE ADJACENT FINISHED SURFACE.

5. UNLESS OTHERWISE SPECIFIED, THE OUTFALL CURB

6. TACK COAT TO BE APPLIED BETWEEN BITUMINOUS

7. SIDEWALKS SHALL HAVE A MINIMUM CROSS SLOPE

OF 1.5% AND A MAXIMUM CROSS SLOPE OF 2%.

SIDEWALK THAT IS CONSTRUCTED OUT OF

COMPLIANCE WILL BE REJECTED

AND GUTTER CROSS SLOPES SHALL BE THE SAME

GENERAL INFORMATION AND COMMENT. SPACING OF

(TOPSOIL SHALL DISPLACE ROADWAY MATERIALS).

DEEP PER MNDOT STANDARD PLATE 8127E. TOP OF

CONSTRUCTION DEBRIS ENCOUNTERED WITHIN 3 FEET

(2) EXCAVATE AND DISPOSE OF SHALE OR

OF FINISHED GRADE.

(5) PRIVATE UTILITY CORRIDOR.

GENERAL NOTES:

ON LANDSCAPE PLANS.

PLANS.

PAVEMENT LIFTS.

SHEET NO.

522

No. | Date | Revisions App. DRAWING NAME Ford Plan Typs.dwg DESIGNED BY: RJG DRAWN BY: CHECKED BY: GSB DATE: 05/27/20


PROJECT NO.

160640016


Kimley» Horn 767 EUSTIS STREET, SUITE 100, ST, PAUL, MN 55114 PHONE: 651-645-4197

WWW.KIMLEY-HORN.COM


RYAN




<u>INSET A - PRIMARY ROAD</u>




INSET C - 4" CONCRETE SIDEWALK



<u>INSET E - SHARED PATH</u>




TYPICAL GRADING DETAIL AT CURBS



VILLAGE WAY

BLOCK 14 & 19 ALLEY TO LOT 15 & 21 ALLEY (STA. 196+74 - STA. 201+46)BLOCK 16 & 22 ALLEY TO FINN STREET (STA. 206+36 - STA. 214+20)




VILLAGE WAY

MISSISSIPPI RIVER BOULEVARD TO BLOCK 14 & 19 ALLEY (STA. 195+40 - STA. 196+73)BLOCK 15 & 21 ALLEY TO FALLS PASSAGE WEST (STA. 201+46 - STA. 202+24)FALLS PASSAGE EAST TO BLOCK 16 & 22 ALLEY (STA. 205+02 - STA. 206+35)

No. | Date | Revisions App. DRAWING NAME Ford Plan Typs.dwg DESIGNED BY: RJG DRAWN BY: CHECKED BY: GSB DATE: 05/27/20 PROJECT NO. 160640016




WWW.KIMLEY-HORN.COM



	Drug D. Brown	
	GREGORY S. BROWN, PE	_
ATE:	05/27/20 MN LIC. NO	22814





RYAN COMPANIES US, INC
FORD SITE REDEVELOPMENT
CITY OF ST PAUL, MINNESOTA
FINAL SITE PLAN

<u>LEGEND</u>

1 BOULEVARD CROSS SLOPE MAY VARY FROM 0.5%

CONSTRUCTION DEBRIS ENCOUNTERED WITHIN 3

(3) CENTER TREES IN BOULEVARD OR BACK SLOPE OF

(4) LIGHT BASE DIMENSIONS OF 2' DIAMETER AND 6'

FOUNDATION TO BE 3" ABOVE BLVD GRADE.

1. BOULEVARD TREES AND STREETLIGHT TO

TREE DETAILS INCLUDED FOR GENERAL

ALTERNATE THE LENGTH OF THE STREET.

INFORMATION AND COMMENT. SPACING AND

SPECIES OF BOULEVARD TREES TO BE INCLUDED

3. STREETLIGHT DETAIL AND LOCATION INCLUDED FOR GENERAL INFORMATION AND COMMENT. SPACING OF

STREET LIGHTING TO BE INCLUDED ON LIGHTING

4. CITY STANDARD 12" OF TOPSOIL AND SEED/SOD.

AS THE ADJACENT FINISHED SURFACE.

5. UNLESS OTHERWISE SPECIFIED, THE OUTFALL CURB

6. TACK COAT TO BE APPLIED BETWEEN BITUMINOUS

7. SIDEWALKS SHALL HAVE A MINIMUM CROSS SLOPE

SIDEWALK THAT IS CONSTRUCTED OUT OF

COMPLIANCE WILL BE REJECTED

OF 1.5% AND A MAXIMUM CROSS SLOPE OF 2%.

AND GUTTER CROSS SLOPES SHALL BE THE SAME

SWALE. MINIMUM OF 300 CF OF TOPSOIL REQUIRED

DEEP PER MNDOT STANDARD PLATE 8127E. TOP OF

FOR TREE ROOT ZONE (TOPSOIL SHALL DISPLACE

LOWER THAN EDGE OF PAVEMENT GRADE.

(2) EXCAVATE AND DISPOSE OF SHALE OR

FEET OF FINISHED GRADE.

ROADWAY MATERIALS).

(5) PRIVATE UTILITY CORRIDOR.

GENERAL NOTES:

ON LANDSCAPE PLANS.

PLANS.

PAVEMENT LIFTS.

TO 33%. PROPOSED SWALE BOTTOM TO BE 1 FOOT

TYPICAL SECTIONS

C.	SHEET NO.
A	16

