

STAMP - Activities

[New Search](#)
[Help using this report](#)
Run Date: 03/24/21 11:27 AM

Sort by Most Recent Date
Starting Date:
House#:
Folder Type: All Folder Types ▼
Ending Date:
Street Name:
Folder Count: 155

Include Same PIN Addresses: Yes

Click on address links below to access mapping services and Ramsey County info.

Click on ID# link below to view detail

PIN:332922420146

Address	In Date	ID #	Status	Type	Description
1067 Hudson Road - Mounds Park Lounge					
	02/11/2021	21 237259	Active/Issued	CT - Certificate of Insurance - Awning/Sign - Insurance	Business Owner Cheers Pub - COI FOR AWNING ON SOUTH FACADE THAT PROJECTS 2 FEET OVER RIGHT OF WAY. SEE SIGN PERMIT 21-225351.
	01/25/2021	21 225351	Active/Issued	BS - Billboard / Sign - Signs - Commercial New	Contractor Greg Mantel Acme Awning CO - COPY TO READ: "CHEERS PUB PULL TABS FOOD COCKTAILS MUSIC" RE-COVER AWNING ON SOUTH FACADE
	01/13/2021	21 215448	Pending	XE - ECLIPS License - Entertainment - Gambling Location	Licensee Cheers Pub - ECLIPS License# 2021000067
	01/13/2021	21 215450	Pending	XE - ECLIPS License - Entertainment - Entertainment (B)	Licensee Cheers Pub - ECLIPS License# 2021000067
	01/13/2021	21 215435	Pending	XL - ECLIPS License - Liquor - Liquor On Sale - Sunday	Licensee Cheers Pub - ECLIPS License# 2021000067
	01/13/2021	21 215442	Pending	XL - ECLIPS License - Liquor - Liquor On Sale - 100 seats or less	Licensee Cheers Pub - ECLIPS License# 2021000067
	01/13/2021	21 232969	Active	PF - Police Alarm Permit - Alarm Permit (New) - Commercial	Applicant Cheers Pub LLC - Cheers Pub - Eclips Data conversion
	10/01/2020	20 079500	Closed	RF - Referral - Citizen Complaint	Owner Jennifer Leuer - Security is locking the main entrance of the bar while patrons are inside during business hours.
	08/05/2020	20 062578	Resolved	CS - CSO Complaint - License - Complaint	Mounds Bar-Loitering after bar closing, violence and shootings from patrons, trash and litter, reportedly supposed to close at midnight but staying open until 2pm.
	07/27/2020	20 059098	Open	CS - CSO Complaint - Crime - Complaint	The crime and amount of gun shots, trash, bottles, beer cups, violence, people loitering in front of neighbors from mounds park lounge is getting out of hand. My 3 children are traumatized. What can we do to limit bar patrons from coming on our property, and shooting up our neighborhood. The bar needs to come up. With an action plan to minimize crime its inviting into our neighborhood.
	05/06/2020	20 031940	Finald	RW - PW Right of Way Permit - Obstruction - Joint Sewer Permit	Contractor Paul Gavic Cc: Amy Pearson Paul Bunyan Plumging & Drain (Noah Acquisitions Lc) - Joint Sewer Obstruction Permit
	05/06/2020	20 031939	Inspected	SS - PW Sewer Permit - Sanitary - Repair	Contractor Paul Gavic Noah Acquisitions LLC - CIPP
	02/25/2020	20 015423	Pending	CO - Certificate of Occupancy - Assembly	Responsible Party William J Spiess
	05/22/2019	19 043011	Pending	CL - Compliance Checks - Liquor Compliance Check	Licensee William Spiess Mounds Park Sports Bar - ECLIPS License# 20130005374

05/20/2019	19 006186	Active/Issued	XL - ECLIPS License - Liquor - Liquor On Sale - 2 AM Closing	Licensee William Spiess Mounds Park Sports Bar - ECLIPS License# 20130005374
12/05/2018	18 128557	Finald	M - Mechanical Permit - Refrigeration - Commercial Repair/Alter	Contractor Robert Vaassen Premier Htg & A/C Inc - RELOCATE (2) 4 TON AC CONDENSERS A FEW FEET ON PAD FOR MORE SPACE.
11/13/2018	18 122390	Withdrawn	M - Mechanical Permit - Refrigeration - Commercial Repair/Alter	Contractor Charles Albers Albers Mechanical Contractors Inc - 11.15.2018 COMPANY HAS NO REFRIGERATION MASTER. LV RELOCATE (2) 4 TON AC CONDENSER A FEW FEET ON PAD FOR MAU SPACE.
10/12/2018	18 112915	Finald	PG - Plumbing/Gasfitting/Inside Water Piping - Plumbing/Inside Water (All) - Commercial Alter	Contractor Scott Spiess Spiess Plbg - ADDITION TO PERMIT #18-053426. OTHER GAS DEVICES = 2 PIZZA OVENS, 1 BROILER, 1 FRYER = 102,000 BTU
10/11/2018	18 112396	Finald	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor Aaron Clarksean Miller Clark Electric LLC - move existing air conditioners
09/06/2018	18 101544	Finald	EG - Fire Engineering - Special Extinguishing System - Existing Building - Alter Systems	Contractor Nardini Fire Equipment Co Inc - 6 GALLON ANSUL SYSEM; 1 12 FOOT HOOD; 1 8 FOOT HOOD
04/18/2018	18 053875	Finald	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor Aaron Clarksean Miller Clark Electric LLC - kitchen remodel
04/18/2018	18 053426	Finald	PG - Plumbing/Gasfitting/Inside Water Piping - Plumbing/Inside Water (All) - Commercial Repair	Contractor Scott Spiess Spiess Plbg - add 3 compartment sink and hand sink
04/03/2018	18 049085	Finald	B - Building Permit - Commercial - Remodel	Contractor William J Spiess - COMMERCIAL KITCHEN REMODEL. REPLACE WOOD STUDS WITH METAL AND INSTALL CEMENT BACKER BOARD. NO CHANGE IN LAYOUT, NO STRUCTURAL WORK.
03/16/2018	18 038067	Finald	W - Warm Air, Ventilation & General Sheet - Warm Air & Ventilation - Commercial Replace	Contractor Charles Albers Albers Mechanical Contractors Inc - MOUNDS SPORT BAR - FURNISH & INSTALL NEW MUA UNIT, TWIN EXHAUST FAN, (2) NSF HOODS & DUCTWORK AS PER PLAN
03/16/2018	18 038064	Finald	M - Mechanical Permit - Gas - Commercial Replace	Contractor Charles Albers Albers Mechanical Contractors Inc - MOUNDS SPORTS BAR - RE-ROUTE EXISTING GAS LINE 6FT TO NEW MUA UNIT
02/26/2018	18 031595	Withdrawn	B - Building Permit - Commercial - Remodel	Contractor William J Spiess - METAL STUDS & FIRE PROTECTION SHEETROCK IN KITCHEN. Withdrawn- Duplicate permit
02/23/2018	18 031166	Abandoned	M - Mechanical Permit - Gas - Commercial New	Contractor Charles Albers Albers Mechanical Contractors Inc - ∅ MUA galvanized ductwork to tie into above factory MUA supply plenum and diffuser as per plan ∅ labor and materials needed to hook up new gas lines to equipment listed below. Note: From existing Main Gas Meter Location. ∅ (1) MUA 305.5 MBH includes Factory Start Up as per plan NOTE: Gas piping for Owner Supply equipment listed below (2) Pizza Ovens 70,000 BTU (1) Deeper fryer #40 102 BTU (1) Deep fryer #75 170 BTU (1) Broiler 70,000 BTU (1) Stove 5- burner 125,000 BTU
02/23/2018	18 031165	Abandoned	M - Mechanical Permit - Gas - Commercial New	Contractor Charles Albers Albers Mechanical Contractors Inc - ∅ (1) NSF Canopy Kitchen Hood 130∅ Lx54∅ Wx24∅ H 2,700 CFM ∅

				(1) NSF Canopy Kitchen Hood 70" Lx48" Wx24" H 1,200 CFM 20 ga. 304 #4 Stainless steel single wall panels for above Hood Area as require 20 ga. 304 #4 Stainless steel single shroud from top hood to new drop ceiling Approximate 24H for above Hood Area as require (1) 3900 CFM @ 2" SP - Utility Exhaust Fan with 5HP Motor 208/230/3/60 power (1) MUA Direct Natural Gas 3,120 CFM @ 3/4" SP with 3 HP Motor 208/230/3/60 power Grease Ductwork from above exhaust fan to above Hoods as per plan 3- Fire wrap duct covering fore above grease duct work as per plan MUA galvanized ductwork and diffusers as per plan
02/23/2018	18 031164	Abandoned	M - Mechanical Permit - Gas - Commercial New	Contractor Charles Albers Albers Mechanical Contractors Inc - (1) NSF Canopy Kitchen Hood 130" Lx54" Wx24" H 2,700 CFM (1) NSF Canopy Kitchen Hood 70" Lx48" Wx24" H 1,200 CFM 20 ga. 304 #4 Stainless steel single wall panels for above Hood Area as require 20 ga. 304 #4 Stainless steel single shroud from top hood to new drop ceiling Approximate 24H for above Hood Area as require (1) 3900 CFM @ 2" SP - Utility Exhaust Fan with 5HP Motor 208/230/3/60 power (1) MUA Direct Natural Gas 3,120 CFM @ 3/4" SP with 3 HP Motor 208/230/3/60 power Grease Ductwork from above exhaust fan to above Hoods as per plan 3- Fire wrap duct covering fore above grease duct work as per plan MUA galvanized ductwork and diffusers as per plan
10/02/2017	17 196847	Open	RE - Real Estate Assessments	Owner William J Spiess
08/25/2017	17 073731	Certified	CO - Certificate of Occupancy - Assembly	Responsible Party William J Spiess
10/28/2016	16 093802	Canceled	EG - Fire Engineering - Hazardous Materials - Tank - Aboveground Outside	Contractor William J Spiess - 2 20 LBS TANKS FOR BACKYARD BOOYA - MOUNDS PARK SPORTS BAR This application should not have been accepted at DSI. The total quantity of LP gas (40 lbs) is well below the 100 lbs or more that requires a permit. Submitted this for reimbursement but evidently that did not happen yet. Will have supervisor Angie Wiese re-submit for reimbursement. 1-12-17. D.B.
03/21/2016	16 019905	History	CO - Certificate of Occupancy - Assembly	Responsible Party William J Spiess
08/20/2015	15 152258	Resolved	CS - CSO Complaint - License - Complaint	Bar is having Bache ball Tournaments played outdoors here along with outside drinking.
05/19/2015	15 037369	Resolved	CS - CSO Complaint - License - Complaint	police are there 2-3 nights a week. on 5.18.2015, man laying on sidewalk, bleeding from his ear/EMS called; no security; fights constantly; people drinking on the sidewalk
03/27/2015	15 021510	Finalled	B - Building Permit - Commercial - Repair	Contractor William J Spiess - N/A.
02/13/2015	15 010636	Resolved	CS - CSO Complaint - License - Complaint	Complainant requested that we investigate bartenders distributing

					pull-tabs.
02/12/2015	15 010169	Finald	E - Electrical Permit - Service & Circuits - Commercial Repair/Alter	Contractor Mr Doug Ruiz Triumph Electrical Services Inc	
02/10/2015	15 009481	Closed	BW - Building Warning - Need Added Permits	Owner William J Spiess - Basement remodel without permits. Double fee all trade permits as well. Remove double fee based on email from Steve Ubl. 2-12-15	
01/29/2015	15 006658	Under Review	CS - CSO Complaint - Permit - Complaint	complainant said they are sheet rocking walls in basement; adding new walls into the basement; adding new flooring -- NO PERMITS ON FILE 02.13.2015 - complainant stated the owners are also installing a kitchen on the main level without permits; and around the corner of the basement is where they're storing the kitchen supplies; redoing the staircase in the back as well without permits.	
09/08/2014	14 326446	Open	FA - Fire Alarm Malfunction	Responsible Party William J Spiess	
09/02/2014	14 324792	Closed	LC - DSI Env Health Complaint - Health-Safety-Environment	FOOD TRUCK running entire time bar is in operation to sell food to bar patrons; disrupting neighborhood with the loud noise from the truck.	
09/02/2014	14 324791	In Compliance	CS - CSO Complaint - Noise - Complaint	FOOD TRUCK running entire time bar is in operation to sell food to bar patrons; disrupting neighborhood with the loud noise from the truck.	
09/01/2014	14 324570	Pending	CL - Compliance Checks - Liquor Compliance Check	Licensee William Spiess Mounds Park Sports Bar - ECLIPS License# 20130005374	
09/01/2014	14 324569	Pending	CL - Compliance Checks - Liquor Compliance Check	Licensee William Spiess Mounds Park Sports Bar - ECLIPS License# 20130005374	
08/29/2014	14 324372	Finald	E - Electrical Permit - Service & Circuits - Commercial Repair/Alter	Contractor Mr Doug Ruiz Triumph Electrical Services Inc	
08/21/2014	13 255180	Active/Issued	XL - ECLIPS License - Liquor - Liquor On Sale - Sunday	Licensee William Spiess Mounds Park Sports Bar - ECLIPS License# 20130005374	
08/21/2014	13 255181	Active/Issued	XL - ECLIPS License - Liquor - Liquor On Sale - 100 seats or less	Licensee William Spiess Mounds Park Sports Bar - ECLIPS License# 20130005374	
08/21/2014	13 255186	Active/Issued	XE - ECLIPS License - Entertainment - Gambling Location	Licensee William Spiess Mounds Park Sports Bar - ECLIPS License# 20130005374	
08/21/2014	13 255187	Active/Issued	XE - ECLIPS License - Entertainment - Entertainment (B)	Licensee William Spiess Mounds Park Sports Bar - ECLIPS License# 20130005374	
07/10/2014	14 307357	Finald	M - Mechanical Permit - Refrigeration - Commercial Replace	Contractor John McQuillan Mcquillan Bros Plumbing Heating & Ac LLC - 2 FURNACES & 2AC'S, VB2	
07/10/2014	14 307356	Finald	M - Mechanical Permit - Gas - Commercial Replace	Contractor John McQuillan Mcquillan Bros Plumbing Heating & Ac LLC - 2 FURNACES & 2AC'S, VB2	
06/19/2014	14 300062	Finald	W - Warm Air, Ventilation & General Sheet - Warm Air & Ventilation - Commercial Replace	Contractor John McQuillan Mcquillan Bros Plumbing Heating & Ac LLC - 06/19/2014 PLANS SENT VIA INTER OFFICE MAIL. AMW	
05/21/2014	14 289231	Expired	CT - Certificate of Insurance - Awning/Sign - Insurance	MOUNDS SPORTS BAR AWNING W/ SIGNAGE	
04/25/2014	14 198236	Finald	E - Electrical Permit - Service & Circuits - Residential Repair/Alter	Contractor Mr Doug Ruiz Triumph Electrical Services Inc	
04/25/2014	14 198122	Finald	PG - Plumbing/Gasfitting/Inside Water Piping - Plumbing/Inside Water (All) - Commercial Replace	Contractor Scott Spiess Spiess Plbg	
04/22/2014	14 197019	Closed	BS - Billboard / Sign - Signs - Commercial Replace	Contractor Craig Simensen Advanced Design Inc - REMOVE COVER ON AN	

Date	Case Number	Status	Activity	Description
				EXISTING AWNING WITH SIGNAGE AND INSTALL NEW COVER WITH SIGNAGE TO READ: MOUNDS PARK SPORTS BAR
03/27/2014	14 190251	Finalized	RW - PW Right of Way Permit - Obstruction - Dumpster	Contractor Chuck Twin City Refuse - EXTENDED 03/27/2014 - 04/02/2014
03/19/2014	14 188101	Finalized	B - Building Permit - Commercial - Repair	Contractor William J Spiess - N/A.
03/18/2014	14 187713	Finalized	B - Building Permit - Commercial - Repair	Contractor William J Spiess - Construct Gable Roof Over Existing Flat Roof.
03/17/2014	14 187437	Finalized	RW - PW Right of Way Permit - Obstruction - Dumpster	Contractor Chuck Twin City Refuse - EXTENDED 3/18 - 3/26/14
03/11/2014	14 186059	Finalized	RW - PW Right of Way Permit - Obstruction - Dumpster	Contractor Chuck Twin City Refuse - EXTENDED 3/11-3/17/14
03/03/2014	14 100018	Finalized	RW - PW Right of Way Permit - Obstruction - Dumpster	Contractor Chuck Twin City Refuse - EXTENDED 03/04/2014 - 03/10/2014.
02/24/2014	14 097907	Finalized	RW - PW Right of Way Permit - Obstruction - Dumpster	Contractor Chuck Twin City Refuse
01/21/2014	14 089000	Finalized	VB - Vacant Building - Category 1 - Commercial	
01/21/2014	14 089001	Closed	VF - Vacant Building Fee - Category 1 - Commercial	Owner William J Spiess - VB Fee
01/21/2014	14 088997	Resolved	CS - CSO Complaint - Vacant Building Monitoring - Complaint	
01/21/2014	14 088991	In Compliance	CS - CSO Complaint - Snow Walk - Complaint	01/21/2014 Snow Walk Complaint Received.
01/21/2014	14 089016	Assessed	CW - Contract Work Order - Fire Emergency	Contractor Restoration Professionals
12/05/2013	21 227216	Active	PF - Police Alarm Permit - Alarm Permit (New) - Commercial	Applicant Mounds Park Sports Bar LLC - Mounds Park Sports Bar - Eclipse Data conversion
05/10/2013	13 183779	History	CO - Certificate of Occupancy - Assembly	Responsible Party William J Spiess - 332922420146
03/26/2013	13 166893	Closed	PA - Parks Summary Abatement - Graffiti	Owner Greg Olson - Graffiti on west wall
03/26/2013	13 166892	Transferred - Closed	CS - CSO Complaint - Graffiti - Complaint	Graffiti on west wall
03/06/2013	13 160402	Closed	LC - DSI Env Health Complaint - Health-Safety-Environment - Env Health - Food	Mounds Park Lounge serves food on the weekends and last Sat 2/16 one of the patrons got food poisoning. There is no kitchen and the food is served using crockpots/warmers near/on their pool table. Last Sat there were hotdogs and sloppy joes available and unsanitary conditions are likely.
03/06/2013	13 160365	Scheduled	RS - Restaurant Inspection - Low Risk - Routine Inspection	Establishment Mounds Park Lounge
03/06/2013	13 160352	Closed	LC - DSI Env Health Complaint - Health-Safety-Environment - Env Health - Food	Mounds Park Lounge serves food on the weekends and last Sat 2/16 one of the patrons got food poisoning. There is no kitchen and the food is served using crockpots/warmers near/on their pool table. Last Sat there were hotdogs and sloppy joes available and unsanitary conditions are likely.
03/06/2013	13 160350	Closed	LC - DSI Env Health Complaint - Health-Safety-Environment - Env Health - Food	Mounds Park Lounge serves food on the weekends and last Sat 2/16 one of the patrons got food poisoning. There is no kitchen and the food is served using crockpots/warmers near/on their pool table. Last Sat there were hotdogs and sloppy joes available and unsanitary conditions are likely.
03/06/2013	13 160346	Closed	LC - DSI Env Health Complaint - Health-Safety-Environment - Env Health - Food	Mounds Park Lounge serves food on the weekends and last Sat 2/16 one of the patrons got food poisoning. There is no kitchen and the food is

				served using crockpots/warmers near/on their pool table. Last Sat there were hotdogs and sloppy joes available and unsanitary conditions are likely.
03/05/2013	11 004259	History	RS - Restaurant Inspection - Low Risk - Complaint Inspection	Establishment Mounds Park Lounge
02/25/2013	13 156887	Finald	E - Electrical Permit - Saver Switch Only - Commercial Repair/Alter	Contractor Aaron Gunderson / Bob Grill Hunt Electric Corporation
02/19/2013	13 155076	Closed	LC - DSI Env Health Complaint - Health-Safety-Environment - Env Health - Food	Mounds Park Lounge serves food on the weekends and last Sat 2/16 one of the patrons got food poisoning. There is no kitchen and the food is served using crockpots/warmers near/on their pool table. Last Sat there were hotdogs and sloppy joes available and unsanitary conditions are likely.
02/19/2013	13 155075	In Compliance	CS - CSO Complaint - License - Complaint	Mounds Park Lounge serves food on the weekends and last Sat 2/16 one of the patrons got food poisoning. There is no kitchen and the food is served using crockpots/warmers near/on their pool table. Last Sat there were hotdogs and sloppy joes available and unsanitary conditions are likely.
05/02/2012	12 052208	Finald	RW - PW Right of Way Permit - Excavation - Utility	Contractor Richelle Nicosia Saint Paul Regional Water Services - SYN# 1201484 GOPHER# 121171399 WTR SVC 8X6 STREETHOLE
04/30/2011	10 939040	Canceled	XL - ECLIPS License - Liquor - Liquor On Sale - Sunday	Licensee Gregory Olson Mounds Park Lounge - ECLIPS License# 20100005268
04/30/2011	10 939041	Canceled	XF - ECLIPS Food Related - Restaurant (4) - 51-150 Seats	Licensee Gregory Olson Mounds Park Lounge - ECLIPS License# 20100005268
04/30/2011	10 939042	Canceled	XE - ECLIPS License - Entertainment - Entertainment (B)	Licensee Gregory Olson Mounds Park Lounge - ECLIPS License# 20100005268
04/30/2011	10 939043	Canceled	XL - ECLIPS License - Liquor - Liquor On Sale - 100 seats or less	Licensee Gregory Olson Mounds Park Lounge - ECLIPS License# 20100005268
04/30/2011	10 939047	Canceled	XE - ECLIPS License - Entertainment - Gambling Location	Licensee Gregory Olson Mounds Park Lounge - ECLIPS License# 20100005268
04/27/2011	11 134154	Failed	CL - Compliance Checks - Liquor Compliance Check	Licensee Gregory Olson Mounds Park Lounge - ECLIPS License# 20100005268
04/27/2011	11 134139	Closed	CL - Compliance Checks - Liquor Compliance Check	Licensee Gregory Olson Mounds Park Lounge - ECLIPS License# 20100005268
02/14/2011	11 015561	Closed	RF - Referral - C of O	Owner Greg Olson - Follow up on C of O folder approved with corrections.
02/14/2011	11 015560	History	CO - Certificate of Occupancy - Assembly	Responsible Party Mounds Park Lounge - 332922420146
01/05/2011	09 514211	History	RS - Restaurant Inspection - Low Risk - Change of Ownership	Establishment Mounds Park Lounge
12/16/2009	09 331619	History	RS - Restaurant Inspection - Low Risk - Routine Inspection	Establishment Mounds Park Lounge
11/30/2009	09 308064	History	RS - Restaurant Inspection - Low Risk - Routine Inspection	Establishment Mounds Park Lounge
10/28/2009	08 024262	History	RS - Restaurant Inspection - Low Risk - Routine Inspection	Establishment Mounds Park Lounge
07/21/2008	08 118513	History	CO - Certificate of Occupancy - Assembly	Responsible Party Mounds Park Lounge - 332922420146
04/30/2008	08 029675	Canceled	XF - ECLIPS Food Related - Restaurant (4) - 51-150 Seats	Licensee Mounds Park Lounge - ECLIPS License# 0097997
03/03/2008	08 035368	Closed	CL - Compliance Checks -	Licensee Mounds Park Lounge -

02/07/2008	08 003343	History	Liquor Compliance Check RS - Restaurant Inspection - Low Risk - Routine Inspection	ECLIPS License# 0097997 Establishment Mounds Park Lounge
01/03/2008	07 150297	History	RS - Restaurant Inspection - Low Risk - Complaint Inspection	Establishment Mounds Park Lounge
09/20/2007	06 066515	History	RS - Restaurant Inspection - Low Risk - Complaint Inspection	Establishment Mounds Park Lounge
09/20/2007	07 149631	Closed	LC - DSI Env Health Complaint - Health-Safety-Environment - Env Health	9/20/07: Received complaint, smoking inside rear entry to building. [dw]
11/03/2006	06 262352	Closed	CL - Compliance Checks - Liquor Compliance Check	Licensee Mounds Park Lounge - ECLIPS License# 0097997
07/17/2006	06 110698	History	CO - Certificate of Occupancy - Assembly	Responsible Party Mounds Park Lounge - 332922420146
04/08/2006	06 051859	History	RS - Restaurant Inspection - Low Risk - Routine Inspection	Establishment Mounds Park Lounge
03/07/2006	04 077430	History	RS - Restaurant Inspection - Low Risk - Routine Inspection	Establishment Mounds Park Lounge
10/25/2005	05 184577	Closed	CS - CSO Complaint - Exterior - Complaint	Garbage/Rubbish.
07/19/2004	04 120831	History	CO - Certificate of Occupancy - Assembly	Responsible Party Mounds Park Lounge - 332922420146
04/26/2004	02 127088	History	RS - Restaurant Inspection - Low Risk - Routine Inspection	Establishment Mounds Park Lounge - 04/09/04 This folder has one restaurant "B" license associated with it. [roy]
04/30/2003	03 097997	Canceled	XF - ECLIPS Food Related - Restaurant (B) - more than 12 seats	Licensee Mounds Park Lounge - ECLIPS License# 0097997
09/27/2002	02 226304	History	CO - Certificate of Occupancy - Assembly	Responsible Party Mounds Park Lounge - 332922420146
05/24/2002	99 000047	History	RS - Restaurant Inspection - Low Risk - Routine Inspection	Establishment Mounds Park Lounge
02/27/2002	02 102154	Finald	E - Electrical Permit - Service & Circuits - Commercial Repair/Alter	Contractor Bavolak Electric Inc
02/25/2002	02 101413	Closed	BW - Building Warning - Double/Penalty Fee	Owner Mounds Park Lounge Inc
05/18/2001	01 204979	Active	PS - Pre-Fire Survey - Assembly	Owner Mounds Park Lounge Inc
03/13/2001	01 021784	History	CO - Certificate of Occupancy - Assembly	Responsible Party Mounds Park Lounge - 332922420146
11/16/2000	00 150283	Finald	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor Signart Company, Inc.
09/19/2000	00 143974	Finald	BS - Billboard / Sign - Signs - Commercial Replace	Contractor Signart Company Incorporated - Closed without final approval
05/04/1999	99 010842	History	RS - Restaurant Inspection - Low Risk - Routine Inspection	Establishment Mounds Park Lounge
04/08/1998	98 019433	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Mounds Park Lounge
03/28/1997	95 007277	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Mounds Park Lounge
02/24/1997	95 007025	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Mounds Park Lounge
01/31/1996	95 003403	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Mounds Park Lounge
05/17/1995	95 011793	Canceled	XS - ECLIPS License - Miscellaneous - Cigarette/Tobacco	Licensee Mounds Park Lounge - ECLIPS License# 0011793
05/01/1995	95 097997	Canceled	XF - ECLIPS Food Related - Restaurant (L) - Limited	Licensee Mounds Park Lounge - ECLIPS License# 0097997
05/01/1995	95 097997	Canceled	XE - ECLIPS License - Entertainment - Entertainment (B)	Licensee Mounds Park Lounge - ECLIPS License# 0097997
05/01/1995	95 097997	Canceled	XE - ECLIPS License - Entertainment - Gambling Location	Licensee Mounds Park Lounge - ECLIPS License# 0097997

05/01/1995	95 097997	Canceled	XL - ECLIPS License - Liquor - Liquor On Sale - 100 seats or less	Licensee Mounds Park Lounge - ECLIPS License# 0097997
05/01/1995	95 097997	Canceled	XL - ECLIPS License - Liquor - Liquor On Sale - Sunday	Licensee Mounds Park Lounge - ECLIPS License# 0097997
05/01/1995	95 097997	Canceled	XS - ECLIPS License - Miscellaneous - Cigarette/Tobacco	Licensee Mounds Park Lounge - ECLIPS License# 0097997
03/21/1995	94 025702	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Mounds Park Lounge
01/19/1994	94 017114	Canceled	XS - ECLIPS License - Miscellaneous - Cigarette/Tobacco	Licensee Mounds Park Lounge Inc Mounds Park Lounge - ECLIPS License# 0017114
12/14/1993	99 002659	History	RS - Restaurant Inspection - No Risk - Routine Inspection	Establishment Mounds Park Lounge
07/01/1993	93 051712	Canceled	XE - ECLIPS License - Entertainment - Gambling Manager	Licensee Melissa O'Connor Prosperity Heights Booster Club - ECLIPS License# 0051712
04/12/1993	99 002677	History	RS - Restaurant Inspection - No Risk - Routine Inspection	Establishment Mounds Park Lounge
04/21/1992	99 002620	History	RS - Restaurant Inspection - No Risk - Routine Inspection	Establishment Mounds Park Lounge
12/16/1991	99 002694	History	RS - Restaurant Inspection - No Risk - Routine Inspection	Establishment Mounds Park Lounge
09/01/1991	91 033034	Canceled	XE - ECLIPS License - Entertainment - Gambling Manager	Licensee Jacqueline Jansen Prosperity Booster Club/Mounds Park Loun - ECLIPS License# 0033034
06/24/1991	99 002656	History	RS - Restaurant Inspection - No Risk - Routine Inspection	Establishment Mounds Park Lounge
04/16/1991	99 005973	Closed	EC - Environmental Complaint History (DC)	CONVERTED FROM PARADOX SYSTEM. NO NARRATIVE.
06/08/1990	99 006009	Closed	EC - Environmental Complaint History (DC)	CONVERTED FROM PARADOX SYSTEM. NO NARRATIVE.
04/01/1990	90 011815	Canceled	XE - ECLIPS License - Entertainment - Gambling Manager	Licensee Hugh Price Minnesota Wildlife Heritage Foundation/M - ECLIPS License# 0011815
04/01/1989	89 018489	Canceled	XE - ECLIPS License - Entertainment - Gambling Location (Class C)	Licensee Matthew Pilla Mounds Park Lounge/Mn Wildlife Heritage - ECLIPS License# 0018489
04/01/1989	89 067449	Canceled	XE - ECLIPS License - Entertainment - Gambling Manager	Licensee Hugh Price Minnesota Wildlife Heritage Foundation I - ECLIPS License# 0067449
03/11/1989	89 076592	Canceled	XF - ECLIPS Food Related - Restaurant (B) - more than 12 seats	Licensee Mounds Park Lounge Inc Mounds Park Lounge - ECLIPS License# 0076592
03/11/1989	89 076592	Canceled	XE - ECLIPS License - Entertainment - Entertainment (B)	Licensee Mounds Park Lounge Inc Mounds Park Lounge - ECLIPS License# 0076592
03/11/1989	89 076592	Canceled	XE - ECLIPS License - Entertainment - Gambling Location (Class C)	Licensee Mounds Park Lounge Inc Mounds Park Lounge - ECLIPS License# 0076592
03/11/1989	89 076592	Canceled	XL - ECLIPS License - Liquor - Liquor On Sale - 100 seats or less	Licensee Mounds Park Lounge Inc Mounds Park Lounge - ECLIPS License# 0076592
03/11/1989	89 076592	Canceled	XL - ECLIPS License - Liquor - Liquor On Sale - Sunday	Licensee Mounds Park Lounge Inc Mounds Park Lounge - ECLIPS License# 0076592
12/14/1988	88 016276	Canceled	XE - ECLIPS License - Entertainment - Entertainment (B)	Licensee Mounds Park Lounge Inc Mounds Park Lounge - ECLIPS License# 0016276
12/14/1988	88 016276	Canceled	XL - ECLIPS License - Liquor - Liquor On Sale - 100 seats or less	Licensee Mounds Park Lounge Inc Mounds Park Lounge - ECLIPS License# 0016276
12/14/1988	88 016276	Canceled	XL - ECLIPS License - Liquor - Liquor On Sale - Sunday	Licensee Mounds Park Lounge Inc Mounds Park Lounge - ECLIPS License# 0016276
11/12/1973	73 000265	History	CO - Certificate of Occupancy - Assembly	Responsible Party Mounds Park Lounge - 332922420146
11/12/1973	73 010264	History	CO - Certificate of Occupancy - Assembly	Responsible Party Mounds Park Lounge - 332922420146