



E 7/3

Sound Level Variance Application

Legislative Code Chapter 293. - Noise Regulations Application and \$178 fee should be submitted a minimum of sixty (60) days prior to the event date to allow ample time for required public notification period and scheduling of a Council public hearing. Applications submitted within sixty (60) days of the event date may not satisfy the processing timeline requirements.

1. Organization/person seeking variance: American Foundation for Suicide Prevention
2. Event Name: Twin Cities Out of the Darkness Walk
3. Address and physical description of noise source location (Event, Worksite):
1199 Midway Parkway - Amplified speaking and music from small riser
4. Responsible person: Erik arveseth Title: Chapter Chair
5. Telephone: 612-568-6548 E-Mail: erik.arveseth@afspmn.org
6. Date(s) variance requested: Sunday September 15, 2024
7. Noise source - Time(s) of operation: 8:00 a.m. to 2:00 p.m.
- Time(s) of pre-event sound check: N/A
8. Sound level requested (dBA/Decibels): 100
9. Mailing address w/zip code: 4120 Minnehaha Ave, Minneapolis, MN 55406
10. Briefly describe the noise source and equipment involved: Spoken word, background music possible short musical performance
11. Describe the steps that will be taken to minimize the noise levels: volume will be background with the exception of some spoken word. Most levels so people can talk without shouting
12. State reason for seeking variance (example - music, announcements, construction, etc.): _____
13. Maximum number of attendees: 1800
14. A site diagram & map must be attached showing location of noise source(s), streets, stages, tents, etc. (If there will be amplified sound, indicate location and direction that all speakers will be facing. Multiple locations may require more than one application.)
15. Submit completed application, site diagram/map, and \$178 fee to:

CITY OF SAINT PAUL
DEPARTMENT OF SAFETY AND INSPECTIONS 375 JACKSON
STREET, SUITE 220
SAINT PAUL, MN 55101-1806

Signature of responsible person: Date: 07/03/24



Red rectangle is approximate location of small mobile stage. arrow points direction of speakers.

Small speaker array stage left and right with up to 6 speakers per side (up to 12 total, less if no musician).



DSI RECEIPT

CITY OF SAINT PAUL
Department of Safety and Inspections
375 Jackson Street Suite 220
Saint Paul, Minnesota 55101-1806
Phone: (651) 266-8989 Fax: (651) 266-9124
www.stpaul.gov/dsi

Date: 07/23/2024

Received From: AMERICAN FOUNDATION FOR SUICIDE PREVENT
4120 MINNEHAHA AVE MINNEAPOLIS MN 55406

Description:

Invoice Details

1163182

Noise Variance

Invoice Amount

Amount Paid

\$178.00

\$178.00

TOTAL AMOUNT PAID:

\$178.00

Paid By:

Payment Type	Check #	Received Date	Amount
Check	MC9677	07/23/2024	\$178.00