



CITY OF SAINT PAUL

*Business Licensing*  
375 Jackson Street, Suite 220  
Saint Paul, Minnesota 55101-1806

*Telephone: 651-266-8989*  
*Facsimile: 651-266-9124*  
*Web: www.stpaul.gov/dsi*

November 16, 2021

**NOTICE OF PUBLIC HEARING**  
Sound Level Variance

**Cathedral Heritage Foundation/Carolyn Will – Cathedral Festival of Lights**

Dear St. Paul Property Owner:

This is to inform you of a request for a variance from the sound level limitations as indicated in the St. Paul Noise Ordinance (Chapter 293 of the St. Paul Legislative Code). Property owned by you and located near the noise source, may be affected by this variance request. Rental property owners must provide a copy of this notice to all renters or post a copy in a common area of the building so it can be viewed by the occupants.

**Description of Variance:**

**Location:** Cathedral Hill Park – 215 Summit Avenue

**Noise Source:** Cathedral Heritage Foundation, Carolyn Will and Dale Kivimaki, Director, Freestyle Productions, has requested a sound level variance, for 100 dBA at no specified distance, to present amplified sound with use of a sound system for the Cathedral Festival of Lights at Cathedral Hill Park – 215 Summit Avenue on December 15 through December 19, 2021. The variance is requested for the hours of 5:30 p.m. to 10:30 p.m. on Wednesday, December 15 through Sunday, December 19, 2021 with a pre-event sound check at 5:00 p.m. December 15-17, 2021 and a pre-event sound check at 6:30 p.m. on Saturday, December 18 and Sunday, December 19, 2021. The Department of Safety and Inspections will be recommending the following conditions: 1) The Variance shall be for the hours of 5:30 p.m. to 10:00 p.m. on December 15, 16 and 19, 2021 and from 5:30 p.m. until 10:30 p.m. on Friday, December 17 and Saturday, December 18, 2021, with a pre-event sound check at 5:00 p.m. on December 15-17, 2021 and a pre-event sound check at 6:30 p.m. on Saturday, December 18 and Sunday, December 19, 2021 for the Cathedral Festival of Lights. 2) All electronically powered equipment used in conjunction with the event shall not exceed 92 dBA as measured at 50 feet from all sound sources on December 15 through December 19, 2021. 3) The applicant shall provide personnel and equipment to ensure compliance with the sound level variance conditions. 4) All electronically powered equipment, PA systems, loudspeakers or similar devices shall be turned off no later than 10:00 p.m. on December 15, 16 and 19, 2021 and no later than 10:30 p.m. on Friday, December 17 and Saturday, December 18, 2021.

Applicant has acknowledged that any social gathering associated with this variance must be managed in full compliance with all applicable Governor Walz and Mayor Carter COVID-19 Orders including but not limited to Orders relating to distancing, mask wearing and attendance limits

Public attendance at the City Council's regular meeting location is not feasible due to the COVID-19 health pandemic. Members of the public may view City Council meetings online at <https://stpaul.legistar.com/Calendar.aspx> or on local cable Channel 18.

**Submit comments for Public Hearing electronically.** The public may comment on public hearing items in writing or via voicemail. Any comments and materials submitted by 12:00 pm of the day before the meeting, Tuesday, November 30, 2021, and will be attached to the public record and available for review by the City Council. Comments may be submitted as follows: Written public comment on public hearing items can be submitted to [Contact-Council@ci.stpaul.mn.us](mailto:Contact-Council@ci.stpaul.mn.us), [CouncilHearing@ci.stpaul.mn.us](mailto:CouncilHearing@ci.stpaul.mn.us), or by voicemail at 651-266-6805.

**A public hearing before the City Council on this variance request will be held on:**

Date: Wednesday, December 1, 2021

Time: 3:30 p.m.

Location: Members of the City Council will participate in City Council meetings by telephone or other electronic means.

After the public hearing, the Council may grant, deny, or modify the variance request.

**If you have questions about the sound level variance, please contact: Barb McMonigal-St.Dennis, Environmental Health Specialist, 651-266-9137, [barb.mcmonigal-st.dennis@ci.stpaul.mn.us](mailto:barb.mcmonigal-st.dennis@ci.stpaul.mn.us)**