

Date: September 27, 2016  
File #: 10 - 939482  
Folder Name: 1007 OXFORD ST N  
PIN: 262923230082



Date: September 27, 2016  
File #: 10 - 939482  
Folder Name: 1007 OXFORD ST N  
PIN: 262923230082



Date: September 27, 2016  
File #: 10 - 939482  
Folder Name: 1007 OXFORD ST N  
PIN: 262923230082



Date: September 27, 2016  
File #: 10 - 939482  
Folder Name: 1007 OXFORD ST N  
PIN: 262923230082



Date: September 27, 2016  
File #: 10 - 939482  
Folder Name: 1007 OXFORD ST N  
PIN: 262923230082



Date: September 27, 2016  
File #: 10 - 939482  
Folder Name: 1007 OXFORD ST N  
PIN: 262923230082



Date: September 27, 2016  
File #: 10 - 939482  
Folder Name: 1007 OXFORD ST N  
PIN: 262923230082





Date: September 27, 2016  
File #: 10 - 939482  
Folder Name: 1007 OXFORD ST N  
PIN: 262923230082



Date: September 27, 2016  
File #: 10 - 939482  
Folder Name: 1007 OXFORD ST N  
PIN: 262923230082



Date: September 27, 2016  
File #: 10 - 939482  
Folder Name: 1007 OXFORD ST N  
PIN: 262923230082



Date: September 27, 2016  
File #: 10 - 939482  
Folder Name: 1007 OXFORD ST N  
PIN: 262923230082



Date: September 27, 2016  
File #: 10 - 939482  
Folder Name: 1007 OXFORD ST N  
PIN: 262923230082



Date: September 27, 2016  
File #: 10 - 939482  
Folder Name: 1007 OXFORD ST N  
PIN: 262923230082



Date: September 27, 2016  
File #: 10 - 939482  
Folder Name: 1007 OXFORD ST N  
PIN: 262923230082



Date: September 27, 2016  
 File #: 10 - 939482  
 Folder Name: 1007 OXFORD ST N  
 PIN: 262923230082

Model Number PG8MAA036070ADJA

Serial Number 4309A29324

ANSI  
 Z21.47b-2006 • CSA-2.3b-2006  
 CENTRAL FURNACE

Payne Heating & Cooling  
 7310 West Morris Street  
 Indianapolis, IN 46231



PRODUCT / PRODUIT PG8MAA036070ADJA  
 MODEL / MODELE PG8MAA036070  
 SERIES / SERIE D  
 SERIAL / SERIE 4309A29324

DATE OF MANUFACTURE / DATE DE FABRICATION OCT 2009  
 NATURAL GAS / GAZ NATUREL  
 FACTORY ORIFICE / ORIFICE FOURNI 43  
 MAX. UNIT AMPS / AMPS MAX. 6.8  
 MOTOR H.P. / FORCE W. 1/3  
 249

INPUT / ENTREE	HEAT STAGE	
OUTPUT / SORTIE	BTU/HR	66,000
AIR TEMPERATURE RISE / AUGMENTATION DE LA TEMPERATURE DE L'AIR	BTU/HR	54,000
DESIGN MAX. AIR TEMPERATURE / TEMPERATURE MAX. DE L'AIR	DEG. F	30 - 60
	DEG. C	17 - 33
	DEG. F	185
	DEG. C	85

Che  
 this  
 Vérifi  
 les fu

1. This furn  
 manufact  
 of local c  
 Z23.1 / A  
 Ce fourna  
 est un produ  
 fabriqué en  
 conformité  
 CSA B140.1

Date: September 27, 2016  
File #: 10 - 939482  
Folder Name: 1007 OXFORD ST N  
PIN: 262923230082





Date: September 27, 2016  
File #: 10 - 939482  
Folder Name: 1007 OXFORD ST N  
PIN: 262923230082



Date: September 27, 2016  
File #: 10 - 939482  
Folder Name: 1007 OXFORD ST N  
PIN: 262923230082



Date: September 27, 2016  
File #: 10 - 939482  
Folder Name: 1007 OXFORD ST N  
PIN: 262923230082



Date: September 27, 2016  
File #: 10 - 939482  
Folder Name: 1007 OXFORD ST N  
PIN: 262923230082



Date: September 27, 2016  
File #: 10 - 939482  
Folder Name: 1007 OXFORD ST N  
PIN: 262923230082

