

McMonigal-St Dennis, Barb (CI-StPaul)

From: City of Saint Paul <cityofsaintpaul@public.govdelivery.com>
Sent: Wednesday, September 6, 2017 11:16 AM
To: Dubruiel, Paul (CI-StPaul); cloe.gray@ci.stpaul.mn.us; *CI-StPaul_Mayor-GovDelivery; Gau, Rong-Hwa (CI-StPaul); *CI-StPaul_Mayor; Sheldon, Tina (CI-StPaul); Petok, Ben (CI-StPaul); #CI-StPaul_WebMaster; Simms, Savannah (CI-StPaul); Kantner, Libby (CI-StPaul); Nelson, Pete (CI-StPaul); McMonigal-St Dennis, Barb (CI-StPaul)
Subject: Courtesy Copy: Sound Level Variance Applications Medtronic Twin Cities Marathon 2017 Summit University Planning Council District 8 Area

This is a courtesy copy of an email bulletin sent by Barb McMonigal-St. Dennis.

This bulletin was sent to the following groups of people:

Subscribers of ENS - D8: Summit-University Planning Council (658 recipients)

Event: Medtronic Twin Cities Marathon 2017 Summit University District Council 8 Area

Description of Variance:

Locations: Locations within Summit University District Council 8 Area: Summit Avenue and Dale Street-St. Albans Street; Summit Avenue and Hamline Avenue-Syndicate Street; Summit Avenue and Lexington Avenue-Oxford Street; Summit Avenue and Selby Avenue-Virginia Street

Noise Source: Twin Cities in Motion has applied for a sound level variance in order to provide amplified sound for announcements, speakers and/or music, from 7:00 a.m. to 2:30 p.m., with a pre-event sound check from 6:30 a.m. until 7:00 a.m. on Sunday, October 1, 2017 at Summit Avenue and Dale Street-St. Albans Street; Summit Avenue and Hamline Avenue-Syndicate Street; Summit Avenue and Lexington Avenue-Oxford Street; Summit Avenue and Selby Avenue-Virginia Street. The Department of Safety and Inspections recommends the following conditions: 1) Variance will be for the hours of 7:00 a.m. to 2:30 p.m., with a pre-event sound check from 6:30 a.m. until 7:00 a.m. on Sunday, October 1, 2017 at the above listed Locations . 2) All electronically powered equipment used in conjunction with the event must not exceed 80 dBA as measured 50 feet from sound source. 3) The applicant will provide personnel and equipment to ensure compliance with the sound level variance conditions. 4) All electronically powered equipment, PA systems, loudspeakers or similar devices will be turned off no later than 2:30 p.m. on Sunday, October 1, 2017, the date of the event.

A public hearing before the City Council on this variance request will be held on:

Date: Wednesday, September 20, 2017
Time: 5:30 p.m.
Location: 3rd floor, City Hall Council Chambers

If you attend the public hearing, you will be given the opportunity to present verbal comments or objections before the City Council. If you are unable to attend the public hearing, you may within fifteen (15) days of the mailing date on this notice, submit written comments or objections with the City of St. Paul, Department of Safety and Inspections, 375 Jackson Street, Suite 220, Saint Paul, Minnesota 55101-1806, attention Barb

McMonigal-St. Dennis or by email to barb.mcmonigal-st.dennis@ci.stpaul.mn.us. Written comments or objections must be received on or before Tuesday, September 19, 2017.



Questions? [Contact Us](#)

STAY CONNECTED:



SUBSCRIBER SERVICES:

[Manage Preferences](#) | [Unsubscribe from ALL](#) | [Help](#)