

Other (Fence Variance, Code Compliance, etc.)

APPLICATION FOR APPEAL


Saint Paul City Council – Legislative Hearings

FECEIVED 310 City Hall, 15 W. Kellogg Blvd.

Saint Paul, Minnesota 55102

Telephone: (651) 266-8585

JII C	I En .
We need the following to process your appeal:	CERK
\$25 filing fee (non-refundable) (payable to the City of Saint Paul) (if cash: receipt number 950275) Copy of the City-issued orders/letter being appealed Attachments you may wish to include This appeal form completed Walk-In OR Mail-In for abatement orders only: Email OR Fax	HEARING DATE & TIME (provided by Legislative Hearing Office) Tuesday, February 7 Time2:30 p.m- Location of Hearing: Room 330 City Hall/Courthouse
Address Being Appealed:	
Number & Street: 2137 Welles Ley Arcity: 57 Appellant/Applicant: Mike Kelleher Em	
Phone Numbers: Business Residence Signature: Michael Kelleher Name of Owner (if other than Appellant):	Date:
Mailing Address if Not Appellant's:	
Phone Numbers: Business Residence	Cell 214.6155
What Is Being Appealed and Why? Vacate Order/Condemnation/ Revocation of Fire C of O Water pipes	Attachments Are Acceptable broken- Heal off.
Summary/Vehicle Abatement	, 500
Fire C of O Deficiency List/Correction	
Code Enforcement Correction Notice	
Vacant Building Registration	



375 Jackson Street, Suite 220 Saint Paul, MN 55101-1806 Telephone: 651-266-8989 Facsimile: 651-266-1919 www.stpaul.gov/dsi

January 25, 2017

Michael L Kelleher 2137 Wellesley Ave St Paul MN 55105-1234

VACANT BUILDING REGISTRATION NOTICE

The premises at 2137 WELLESLEY AVE

has been inspected and found to meet the legal definition of a Vacant Building as described in Saint Paul Legislative Code, Chapter 43. You are required by law to register this building with the Department of Safety and Inspections, Vacant Building Division, by filling out and returning the registration form provided with this letter. You are also required to pay the annual Vacant Building Registration Fee of \$2,085.00. The fee is due upon receipt of this letter and must be paid no later than thirty (30) days from the date of this letter, as required in Saint Paul Legislative Code, Chapter 43. If this building is vacant due to a fire, complete the enclosed registration form and return it to this office within 30 days.

Please return the enclosed registration form along with your payment by February 25, 2017.

Do Not Mail Cash

If you wish to pay in person, you may do so from 8:00am to 4:00pm Monday through Friday at:

DEPARTMENT OF SAFETY AND INSPECTIONS 375 Jackson Street, Suite 220 Saint Paul, MN 55101-1806

You may file an appeal to this fee or registration requirements by contacting the City Clerk's Office by calling (651)266-8688. Any appeal of this fee must be made within ten (10) days of the date of this notice.

If the registration fee is not received in this office within 45 days of the date of this letter, the full amount owed will be assessed to, and collected with, the taxes for this property as permitted by Saint Paul Legislative Code Chapter 43.

The Code Enforcement Officer has notified the Building Inspection and Design Section that this property meets the legal definition of a registered vacant building and in accordance with Legislative Code Chapter 33, no permits (except demolition, wrecking and removal permits) will be issued until the requirements of all applicable ordinances are fulfilled.

All catergory 2 and category 3 vacant buildings must be winterized with gas and water services shut off or, alternately, an excess flow gas valve must be installed in the dwelling, within sixty (60) days of the date of this notice.

WRITTEN PERMISSION FROM THE CITY OF SAINT PAUL IS REQUIRED BEFORE A CATEGORY 2 OR CATEGORY 3 VACANT BUILDING CAN BE OCCUPIED OR SOLD.

- Category 2: Requirements include: 1. register/re-register the building, 2. pay outstanding fee(s), 3. obtain a code compliance report, 4. submit for approval a rehab cost estimate from a licensed contractor and a schedule for completion of all code compliance work, 5. submit proof of financial responsibility acceptable to the City, and 6. obtain Zoning approval of the proposed use.
- Category 3: All requirements listed for Category 2 vacant buildings, AND obtain a Certificate of Occupancy OR Certificate of Code Compliance prior to the sale of the building.

If the use of this building meets the definition of a nonconforming use by the Zoning Code, then the use will lose its nonconforming status 365 days from the date the building was declared vacant.

You must contact the Enforcement officer, Matt Dornfeld, at 651-266-1902 to find out what must be done before this building can be legally reoccupied.

The Enforcement Officer may declare this building to constitute a Nuisance Building subject to demolition and issue an Order to Abate under authority of Legislative Code Chapter 45. In the event this building is declared a Nuisance Building, subject to demolition, the Enforcement Office will notify all owners and interested parties of the Order to Abate as provided in the Legislative Code Chapter 45.

If you have questions about this annual registration fee or other vacant building requirements, please contact the District Inspector, Matt Dornfeld, at 651-266-1902.

This registration form and fee is required by law. Your prompt attention to this matter is appreciated.

Steve Magner Vacant Buildings Program Manager

Enclosures: Regulations Requirements Information Vacant Building Registration Form

SM: md vb_registration_notice 11/14



CITY OF SAINT PAUL Christopher B. Coleman, Mayor 375 Jackson Street., Suite 220 Saint Paul, MN 55101-1806 Telephone: 651-266-8989 Facsimile: 651-266-1919 Web: www.stpaul.gov/dsi

335.0

December 29, 2016

NOTICE OF CONDEMNATION AS UNFIT FOR HUMAN HABITATION AND ORDER TO VACATE

Michael L Kelleher 2137 Wellesley Ave St Paul MN 55105-1234

Dear Sir or Madam:

The Department of Safety and Inspections, Division of Code Enforcement, has determined that the dwelling and premises at 2137 WELLESLEY AVE is "Unfit for Human Habitation". In accordance with Saint Paul Legislative Code, Chapter 34, Section 23, the premises will be placarded on December 29, 2016 and ordered vacated no later than December 29, 2016.

Your attention is called to the following provisions of Section 34.23, Subsection 6 entitled, "Vacation of Structure or Unit":

"Any residential structure or residential unit which has been condemned or placarded as unfit for human habitation shall be vacated within the time set forth in the placard and/or order. It shall be unlawful for any person to let to any person for human habitation any structure or unit so condemned or placarded, and no person shall occupy the structure or unit after the date set forth in the placard and/or notice."

THIS DWELLING SHALL NOT AGAIN BE USED FOR HUMAN HABITATION UNTIL WRITTEN APPROVAL IS SECURED FROM THE CITY OF SAINT PAUL; DEPARTMENT OF SAFETY AND INSPECTIONS, DIVISION OF CODE ENFORCEMENT

<u>Principle Violations</u>: These deficiencies must be corrected before this condemnation and vacate order will be removed.

- 1. CONDEMNATION: The interior of the house constitutes material endangerment. The interior of home has gross hoarding conditions, no water and no heat. Inspector found the basement packed with clutter, blocked egress, small walking path in the basement. Limited access to inspect the entire property.
- 2. Lack OF WATER. Immediately restore water service. Failure to provide water service will result in these premises being declared Unfit for Human Habitation and ordered vacated for lack of this basic facility.
- 3. LACK OF HEAT. Provide and maintain a minimum of 68 degrees F in all habitable rooms at all times.
- 4. HOT WATER. Provide adequate hot water between 120 degrees F and 130 degrees F.
- 5. FURNACE/BOILER. Have a licensed heating contractor service and clean the furnace or boiler and make any necessary repairs. Perform a C/O test on the heating plant. Then, send the attached form back to the Inspector. Repair of gas fired appliances requires a permit.
- 6. COMBUSTIBLE MATERIALS. Immediately remove and discontinue excessive accumulation of combustible materials. Remove 50% of storage and provide clearance around all mechanical appliances and electrical panels.
- 7. INTERIOR SANITATION. Provide and maintain interior in a clean and sanitary condition.
- 8. INTERIOR WALLS. The interior walls are defective. Repair all wall defects and finish in a professional manner.
- 9. FLOORS. Repair and maintain the floors in an approved manner.
- 10. EXTERIOR WALLS. The exterior walls and/or trim of the house and/or garage has defective, peeled, flaked, scaled or chalking paint or has unpainted wood surfaces, or . Scrape and repaint to effect a sound condition in a professional manner.
- 11. EAVES/SOFFITS. The eaves and soffits are in a state of disrepair or deterioration. Repair all defects, holes, breaks, loose or rotting boards, to a professional state of maintenance. Permit may be required.

Authorization to reoccupy this/these dwelling unit(s) will not be given until it is demonstrated that all principal violations have been corrected and that no new conditions exist which could constitute material endangerment or which threaten the peace, health, safety or welfare of the occupants of this building.

All repairs and new installations must be made in accordance with the appropriate codes. Permit information may be obtained from the Building Inspection and Design Section, 375 Jackson Street, Suite 220, (651) 266-8989.

You may file an appeal to this notice by contacting the City Clerk's Office at (651) 266-8688. Any appeal must be made in writing within 10 days of the date of this notice.

2137 WELLESLEY AVE Page 3 of 3

It is the responsibility of the property owner to keep all buildings secured and to properly maintain the premises at all times.

If you have any questions concerning this matter, please contact the Inspector, Lisa Martin, at 651-266-1940. To arrange an appointment or request an extension of time to complete repairs, you will need to speak directly to the inspector.

Sincerely,

Lisa Martin

Enforcement Officer

lm

c: Posted to ENS

uhh60103 4/11



CITY OF SAINT PAUL

DEPARTMENT OF SAFETY AND INSPECTIONS DIVISION OF CODE ENFORCEMENT

375 Jackson Street, Suite 220

Saint Paul, MN 55101-1806

VEHICLE ABATEMENT ORDER

Michael L Kelleher 2137 Wellesley Ave St Paul MN 55105-1234 Occupant 2137 WELLESLEY St Paul MN 55105-1234

December 29, 2016

16 - 110058

- Yog hais tias koj hais tsis to taub tsab ntawv no, hu rau tus txhais lus ntawm (651) 266-8989. Nws yog pab dawb zwb.
- Si necessita un traductor, por favor llamanos al (651)266-8989. No costo.

As owner or person(s) responsible for 2137 WELLESLEY AVE

YOU ARE HEREBY NOTIFIED THAT THE FOLLOWING VEHICLES ARE IN VIOLATION OF THE SAINT PAUL LEGISLATIVE CODE, CHAPTERS 34, 45, OR 163

Vehicle	#1	#2	#3
Make	GEO	HONDA	
Color	GREEN	GREEN	
License	381DUK 05/11	753HDR 10/16	
Violation	A, D, E	A, D, E	
Vehicle	#4	#5	#6
Make			
Color			
License			
Violation			

VIOLATION CODE:

A - Lacks current license/tabs

B - Open to entry/unsecured

C - Missing vital parts/dismantled

D - Appears undriveable/inoperative

E - Unimproved surface

F - Other violation

FAILURE TO COMPLY MAY RESULTS IN TAGGING AND/OR TOWING.

<u>CHARGES</u>: If the City impounds and disposes of the vehicle(s), the charges assessed to the above property will be approximately \$1,000.00 for each vehicle. This charge does not include impound fees and other related costs for release of vehicle(s).

Vehicles found to be in violation on or after <u>January 11, 2017</u> will be removed, impounded and disposed of in accordance with law. The cost of this abatement will be charged against the property as a special assessment to be collected in the same way as property taxes. Noncompliance with this order and repeat violations will result in the issuance of criminal citation

Issued by: Lisa Martin Badge Number: 335 Phone Number: 651-266-1940

Appeals: You may appeal this order and obtain a hearing before the City Council by completing an appeal application with the City Clerk before the appeal deadline noted above or seven (7) days after the date mailed, whichever comes first. No appeals may be filed after that date. You may obtain an appeal application from the City Clerk's Office, Room 310, City Hall, St. Paul, MN 55102. The telephone number is (651) 266-8585. You must submit a copy of this Vehicle Violation Notice with your appeal application.

*WARNING Code inspection and enforcement trips cost the taxpayers money. If multiple trips within a year to your property are required to insure compliance with the law, you may be charged for the cost of inspections and enforcement trips to your property. Such charges are in addition to any other fines or assessments which may be levied against you and your property.

Va2 p2 60159