

Account Nur 0145439
Service Addr 1829 DAYTON AVE
Mailing Address:
BRANDON HUNTER
1829 DAYTON AVE
SAINT PAUL MN 55104-6013

Service	Read Date	Meter	Read Type	Read Status	Previous Reading	Current Reading	Consumption	Average	Days	Pending?	Billed Consumption	Informational?	Bill Date	Previous Reading Date
Water	2/12/2025	52236470	Water	Actual Read	242.	422.	180.	2	90	FALSE	180.	FALSE	2/21/2025	11/14/2024 12:00:00 AM
Water	11/14/2024	52236470	Water	Actual Read	162.	242.	80.	0.87	92	FALSE	80.	FALSE	11/22/2024	8/14/2024 12:00:00 AM
Water	8/14/2024	52236470	Water	Actual Read	126.	162.	36.	0.39	92	FALSE	36.	FALSE	8/22/2024	5/14/2024 12:00:00 AM
Water	5/14/2024	52236470	Water	Actual Read	116.	126.	10.	0.11	91	FALSE	10.	FALSE	5/22/2024	2/13/2024 12:00:00 AM
Water	2/13/2024	52236470	Water	Actual Read	106.	116.	10.	0.11	91	FALSE	10.	FALSE	2/23/2024	11/14/2023 12:00:00 AM
Water	11/14/2023	52236470	Water	Actual Read	87.	106.	19.	0.21	92	FALSE	19.	FALSE	11/22/2023	8/14/2023 12:00:00 AM
Water	8/14/2023	52236470	Water	Actual Read	69.	87.	18.	0.2	90	FALSE	18.	FALSE	8/22/2023	5/16/2023 12:00:00 AM
Water	5/16/2023	52236470	Water	Actual Read	67.	69.	2.	0.02	92	FALSE	2.	FALSE	5/22/2023	2/13/2023 12:00:00 AM
Water	2/13/2023	52236470	Water	Actual Read	64.	67.	3.	0.03	90	FALSE	3.	FALSE	2/23/2023	11/15/2022 12:00:00 AM
Water	11/15/2022	52236470	Water	Actual Read	57.	64.	7.	0.08	92	FALSE	7.	FALSE	11/23/2022	8/15/2022 12:00:00 AM
Water	8/15/2022	52236470	Water	Actual Read	48.	57.	9.	0.1	91	FALSE	9.	FALSE	8/22/2022	5/16/2022 12:00:00 AM
Water	5/16/2022	52236470	Water	Actual Read	43.	48.	5.	0.05	91	FALSE	5.	FALSE	5/23/2022	2/14/2022 12:00:00 AM
Water	2/14/2022	52236470	Water	Actual Read	37.	43.	6.	0.07	90	FALSE	6.	FALSE	2/22/2022	11/16/2021 12:00:00 AM
Water	11/16/2021	52236470	Water	Actual Read	21.	37.	16.	0.17	96	FALSE	16.	FALSE	11/23/2021	8/12/2021 12:00:00 AM
Water	8/12/2021	52236470	Water	Actual Read	4.	21.	17.	0.19	90	FALSE	17.	FALSE	8/23/2021	5/14/2021 12:00:00 AM
Water	5/14/2021	52236470	Water	Actual Read	0.	4.	4.	0.06	67	FALSE	6.	FALSE	5/24/2021	3/8/2021 12:00:00 AM
Water	3/8/2021	52236470	Water	Actual Read	491.	493.	2.	0.08	24	FALSE	2.	FALSE	5/24/2021	2/12/2021 12:00:00 AM
Water	2/12/2021	52236470	Water	In-House Estimate	484.	491.	7.	0.08	91	FALSE	7.	FALSE	2/22/2021	11/13/2020 12:00:00 AM
Water	11/13/2020	52236470	Water	Actual Read	477.	484.	7.	0.08	92	FALSE	7.	FALSE	11/20/2020	8/13/2020 12:00:00 AM
Water	8/13/2020	52236470	Water	Actual Read	468.	477.	9.	0.1	91	FALSE	9.	FALSE	8/24/2020	5/14/2020 12:00:00 AM
Water	5/14/2020	52236470	Water	Actual Read	462.	468.	6.	0.07	91	FALSE	6.	FALSE	5/22/2020	2/13/2020 12:00:00 AM
Water	2/13/2020	52236470	Water	Actual Read	455.	462.	7.	0.08	91	FALSE	7.	FALSE	2/25/2020	11/14/2019 12:00:00 AM
Water	11/14/2019	52236470	Water	Actual Read	448.	455.	7.	0.08	92	FALSE	7.	FALSE	11/22/2019	8/14/2019 12:00:00 AM
Water	8/14/2019	52236470	Water	Actual Read	441.	448.	7.	0.08	92	FALSE	7.	FALSE	8/22/2019	5/14/2019 12:00:00 AM
Water	5/14/2019	52236470	Water	Actual Read	434.	441.	7.	0.08	90	FALSE	7.	FALSE	5/22/2019	2/13/2019 12:00:00 AM
Water	2/13/2019	52236470	Water	Actual Read	428.	434.	6.	0.07	91	FALSE	6.	FALSE	2/25/2019	11/14/2018 12:00:00 AM
Water	11/14/2018	52236470	Water	Actual Read	419.	428.	9.	0.1	92	FALSE	9.	FALSE	11/26/2018	8/14/2018 12:00:00 AM
Water	8/14/2018	52236470	Water	Actual Read	411.	419.	8.	0.09	92	FALSE	8.	FALSE	8/22/2018	5/14/2018 12:00:00 AM
Water	5/14/2018	52236470	Water	Actual Read	404.	411.	7.	0.08	90	FALSE	7.	FALSE	5/22/2018	2/13/2018 12:00:00 AM
Water	2/13/2018	52236470	Water	Actual Read	398.	404.	6.	0.07	91	FALSE	6.	FALSE	2/22/2018	11/14/2017 12:00:00 AM
Water	11/14/2017	52236470	Water	Actual Read	391.	398.	7.	0.08	92	FALSE	7.	FALSE	11/21/2017	8/14/2017 12:00:00 AM
Water	8/14/2017	52236470	Water	Actual Read	385.	391.	6.	0.07	91	FALSE	6.	FALSE	8/21/2017	5/15/2017 12:00:00 AM
Water	5/15/2017	52236470	Water	Actual Read	385.	385.	0.	0	3	FALSE	0.	FALSE	5/18/2017	5/12/2017 12:00:00 AM

Unit Of Measure	Service Multiplier 1	Service Multiplier 2	Cancelled?	Bill Number	Information Reading ID	Multiplier 1	Allocation	Multiplier 2	Factor	Worker Code	Override Consumption	Use Override Consumption
100 CF	0.	0.	FALSE	8974193	0	1.	0.	1.	0.		0.	FALSE
100 CF	0.	0.	FALSE	8864392	0	1.	0.	1.	0.		0.	FALSE
100 CF	0.	0.	FALSE	8754022	0	1.	0.	1.	0.		0.	FALSE
100 CF	0.	0.	FALSE	8646310	0	1.	0.	1.	0.		0.	FALSE
100 CF	0.	0.	FALSE	8538657	0	1.	0.	1.	0.		0.	FALSE
100 CF	0.	0.	FALSE	8427354	0	1.	0.	1.	0.		0.	FALSE
100 CF	0.	0.	FALSE	8318997	0	1.	0.	1.	0.		0.	FALSE
100 CF	0.	0.	FALSE	8210764	0	1.	0.	1.	0.		0.	FALSE
100 CF	0.	0.	FALSE	8104663	0	1.	0.	1.	0.		0.	FALSE
100 CF	0.	0.	FALSE	7992261	0	1.	0.	1.	0.		0.	FALSE
100 CF	0.	0.	FALSE	7885709	0	1.	0.	1.	0.		0.	FALSE
100 CF	0.	0.	FALSE	7776473	0	1.	0.	1.	0.		0.	FALSE
100 CF	0.	0.	FALSE	7668494	0	1.	0.	1.	0.		0.	FALSE
100 CF	0.	0.	FALSE	7559634	0	1.	0.	1.	0.		0.	FALSE
100 CF	0.	0.	FALSE	7450323	0	1.	0.	1.	0.		0.	FALSE
100 CF	0.	0.	FALSE	7340078	0	1.	0.	1.	0.		0.	FALSE
100 CF	0.	0.	FALSE	7340078	0	1.	0.	1.	0.		0.	FALSE
100 CF	0.	0.	FALSE	7232385	0	1.	0.	1.	0.		0.	FALSE
100 CF	0.	0.	FALSE	7123405	0	1.	0.	1.	0.		0.	FALSE
100 CF	0.	0.	FALSE	7012644	0	1.	0.	1.	0.		0.	FALSE
100 CF	0.	0.	FALSE	6904510	0	1.	0.	1.	0.		0.	FALSE
100 CF	0.	0.	FALSE	6797367	0	1.	0.	1.	0.		0.	FALSE
100 CF	0.	0.	FALSE	6688862	0	1.	0.	1.	0.		0.	FALSE
100 CF	0.	0.	FALSE	6579298	0	1.	0.	1.	0.		0.	FALSE
100 CF	0.	0.	FALSE	6472111	0	1.	0.	1.	0.		0.	FALSE
100 CF	0.	0.	FALSE	6365487	0	1.	0.	1.	0.		0.	FALSE
100 CF	0.	0.	FALSE	6254198	0	1.	0.	1.	0.		0.	FALSE
100 CF	0.	0.	FALSE	6144872	0	1.	0.	1.	0.		0.	FALSE
100 CF	0.	0.	FALSE	6036369	0	1.	0.	1.	0.		0.	FALSE
100 CF	0.	0.	FALSE	5929680	0	1.	0.	1.	0.		0.	FALSE
100 CF	0.	0.	FALSE	5817766	0	1.	0.	1.	0.		0.	FALSE
100 CF	0.	0.	FALSE	5707418	0	1.	0.	1.	0.		0.	FALSE
100 CF	0.	0.	FALSE	5598885	0	1.	0.	1.	0.		0.	FALSE

Override Consumption Reason	Demand Factor	Used in Bill?	Heat Degree Days	Cool Degree Days	Meter Usage	Load Factor	Power Factor	Service Type	LF	PF	Dials	Decimals	Billing Interval	Service Group
	0.	TRUE	0	0	180	0	0	Consumption	FALSE	FALSE	4	,0		Water
	0.	TRUE	0	0	80	0	0	Consumption	FALSE	FALSE	4	,0		Water
	0.	TRUE	0	0	36	0	0	Consumption	FALSE	FALSE	4	,0		Water
	0.	TRUE	0	0	10	0	0	Consumption	FALSE	FALSE	4	,0		Water
	0.	TRUE	0	0	10	0	0	Consumption	FALSE	FALSE	4	,0		Water
	0.	TRUE	0	0	19	0	0	Consumption	FALSE	FALSE	4	,0		Water
	0.	TRUE	0	0	18	0	0	Consumption	FALSE	FALSE	4	,0		Water
	0.	TRUE	0	0	2	0	0	Consumption	FALSE	FALSE	4	,0		Water
	0.	TRUE	0	0	3	0	0	Consumption	FALSE	FALSE	4	,0		Water
	0.	TRUE	0	0	7	0	0	Consumption	FALSE	FALSE	4	,0		Water
	0.	TRUE	0	0	9	0	0	Consumption	FALSE	FALSE	4	,0		Water
	0.	TRUE	0	0	5	0	0	Consumption	FALSE	FALSE	4	,0		Water
	0.	TRUE	0	0	6	0	0	Consumption	FALSE	FALSE	4	,0		Water
	0.	TRUE	0	0	16	0	0	Consumption	FALSE	FALSE	4	,0		Water
	0.	TRUE	0	0	17	0	0	Consumption	FALSE	FALSE	4	,0		Water
	0.	TRUE	0	0	4	0	0	Consumption	FALSE	FALSE	4	,0		Water
	0.	TRUE	0	0	2	0	0	Consumption	FALSE	FALSE	4	,0		Water
	0.	TRUE	0	0	7	0	0	Consumption	FALSE	FALSE	4	,0		Water
	0.	TRUE	0	0	7	0	0	Consumption	FALSE	FALSE	4	,0		Water
	0.	TRUE	0	0	9	0	0	Consumption	FALSE	FALSE	4	,0		Water
	0.	TRUE	0	0	6	0	0	Consumption	FALSE	FALSE	4	,0		Water
	0.	TRUE	0	0	7	0	0	Consumption	FALSE	FALSE	4	,0		Water
	0.	TRUE	0	0	7	0	0	Consumption	FALSE	FALSE	4	,0		Water
	0.	TRUE	0	0	7	0	0	Consumption	FALSE	FALSE	4	,0		Water
	0.	TRUE	0	0	6	0	0	Consumption	FALSE	FALSE	4	,0		Water
	0.	TRUE	0	0	9	0	0	Consumption	FALSE	FALSE	4	,0		Water
	0.	TRUE	0	0	8	0	0	Consumption	FALSE	FALSE	4	,0		Water
	0.	TRUE	0	0	7	0	0	Consumption	FALSE	FALSE	4	,0		Water
	0.	TRUE	0	0	6	0	0	Consumption	FALSE	FALSE	4	,0		Water
	0.	TRUE	0	0	7	0	0	Consumption	FALSE	FALSE	4	,0		Water
	0.	TRUE	0	0	6	0	0	Consumption	FALSE	FALSE	4	,0		Water
	0.	TRUE	0	0	0	0	0	Consumption	FALSE	FALSE	4	,0		Water

Meter Reading Trouble Code 1	Meter Reading Trouble Code 2	Raw Usage	Notes	(TabOrder)	Service Order
		180		0	0
		80		0	0
		36		0	0
		10		0	0
		10		0	0
		19		0	0
		18		0	0
		2		0	0
		3		0	0
		7		0	0
		9		0	0
		5		0	0
		6		0	0
		16		0	0
		17		0	0
		4		0	0
		2		0	0
		7		0	0
		7		0	0
		9		0	0
		6		0	0
		7		0	0
		7		0	0
		7		0	0
		6		0	0
		9		0	0
		8		0	0
		7		0	0
		6		0	0
		7		0	0
		6		0	0
		0		0	0