

STAMP - Activities

[New Search](#)
[Help using this report](#)

Run Date: 12/08/17 08:17
AM

Sort by Most Recent Date

Starting Date:

House#:

Folder

Ending Date:

Type: ▼

**Street
Name:**

Folder Count: 313

**Include Same PIN
Addresses: Yes**

Click on [address link](#) to access
GISmo, MapIT, and Ramsey County Info

Click on [ID# link](#) below to view detail

PIN:342923130103

Address	In Date	ID #	Status	Type	Description
490 Syndicate St N - Flamingo					
	10/02/2017	17 196054	Open	RE - Real Estate Assessments	Owner Daymar Properties Llc
	09/29/2017	17 168170	Pending	XE - ECLIPS License - Entertainment - Entertainment (A)	Licensee Bole Ethiopian Cuisine - ECLIPS License# 20170003907
	09/29/2017	17 168175	Pending	XL - ECLIPS License - Liquor - Wine On Sale	Licensee Bole Ethiopian Cuisine - ECLIPS License# 20170003907
	09/29/2017	17 168169	Pending	XL - ECLIPS License - Liquor - Malt On Sale (Strong)	Licensee Bole Ethiopian Cuisine - ECLIPS License# 20170003907
	09/20/2017	17 081434	Open	GT - General Activity Tracking - License	09/19/2017 Generated 300' property ownership list for Liq. Out. Sidewalk Petition and emailed to Donna Sanders (dsanders@ndc-mn.org) . See attached property ownership information. JWF
	06/02/2015	15 125009	Pay to Vendor	CW - Contract Work Order - Police Work Order	Contractor Restoration Professionals
	05/23/2013	13 188402	Closed	CL - Compliance Checks - Liquor Compliance Check	Licensee Flamingo Restaurant - ECLIPS License# 20100002613
	05/23/2013	13 188395	Closed	CL - Compliance Checks - Liquor Compliance Check	Licensee Flamingo Restaurant - ECLIPS License# 20100002613
	05/22/2013	13 163585	Canceled	XL - ECLIPS License - Liquor - Wine On Sale	Licensee Flamingo Restaurant - ECLIPS License# 20100002613
	05/22/2013	13 163596	Canceled	XL - ECLIPS License - Liquor - Malt On Sale (Strong)	Licensee Flamingo Restaurant - ECLIPS License# 20100002613
	08/24/2012	12 097639	Resolved	CS - CSO Complaint - Exterior - Complaint	alley behind flamingo, Subway, Jackson Hewitt, NAPA wrote Dumping Trash on Alley Accumulation of trash in Alley (mattresses, CRT, other trash) dumped by people not affiliated with businesses.
	06/04/2012	12 064164	Scheduled	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Flamingo Restaurant
	05/26/2012	11 243387	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Flamingo Restaurant
	10/19/2011	11 290149	Active/Issued	BS - Billboard / Sign - Signs - Commercial Replace	Contractor Shelly Rees / Signminds Inc - COPY TO READ: FLAMINGO RESTAURANT
	06/23/2011	10 609044	History		

		RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Flamingo Restaurant	
11/04/2010	10 918847	Expired	CT - Certificate of Insurance - Awning - Insurance	CERTIFICATE OF INSURANCE FOR FLAMINGO, SEE COPY IN SIGN PERMIT DOC. FOLDER.
10/26/2010	10 914406	Active/Issued	BS - Billboard / Sign - Signs - Commercial New	Contractor Shelly Rees / Signminds Inc - SIGN IS A PICTURE OF A FLAMINGO TO REFLECT THE NAME OF THE BUSINESS
07/25/2010	09 317452	History	RS - Restaurant Inspection - High Risk - Change of Ownership	Establishment Flamingo Restaurant
06/17/2010	10 508648	Canceled	XF - ECLIPS Food Related - Sidewalk Cafe	Licensee Flamingo Restaurant - ECLIPS License# 20100002613
06/17/2010	10 508750	Canceled	XF - ECLIPS Food Related - Restaurant (3) - 13-50 Seats	Licensee Flamingo Restaurant - ECLIPS License# 20100002613
11/05/2009	08 201978	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Flamingo
04/07/2009	07 065550	Expired	CT - Certificate of Insurance - Awning/Sign - Insurance	
11/17/2008	08 178164	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Flamingo
10/21/2008	08 179183	Closed	CL - Compliance Checks - Liquor Compliance Check	Licensee Daniel Tsegai Flamingo - ECLIPS License# 20060003208
10/21/2008	08 179150	Closed	CL - Compliance Checks - Liquor Compliance Check	Licensee Daniel Tsegai Flamingo - ECLIPS License# 20060003208
10/15/2008	07 169447	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Flamingo
02/21/2008	08 010166	Canceled	XF - ECLIPS Food Related - Restaurant (3) - 13-50 Seats	Licensee Daniel Tsegai Flamingo - ECLIPS License# 20060003208
12/28/2007	07 226858	Closed	CL - Compliance Checks - Liquor Compliance Check	Licensee Daniel Tsegai Flamingo - ECLIPS License# 20060003208
10/04/2007	06 264214	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Flamingo
02/26/2007	07 026746	Closed	CL - Compliance Checks - Liquor Compliance Check	Licensee Daniel Tsegai Flamingo - ECLIPS License# 20060003208
02/21/2007	06 222956	Canceled	XL - ECLIPS License - Liquor - Malt On Sale (Strong)	Licensee Daniel Tsegai Flamingo - ECLIPS License# 20060003208
02/21/2007	06 222991	Canceled	XL - ECLIPS License - Liquor - Wine On Sale	Licensee Daniel Tsegai Flamingo - ECLIPS License# 20060003208
11/19/2006	06 222901	Withdrawn	XF - ECLIPS Food Related - Restaurant (B) - more than 12 seats	Licensee Daniel Tsegai Flamingo - ECLIPS License# 20060003208
11/09/2006	06 267353	Expired	BS - Billboard / Sign - Signs - Commercial New	Contractor Daniel Tsegai - COPY TO READ: EAST AFRICAN- ERITREN CUISINE, FLAMINGO RESTAURANT.
11/03/2006	06 240072	History	RS - Restaurant Inspection - High Risk - Change of Ownership	Establishment Flamingo
11/01/2006	07 065388	Denied	XL - ECLIPS License - Liquor - Liquor-Outdoor Service Area (Sidewalk)	Licensee Daniel Tsegai Flamingo - ECLIPS License# 20060003208
11/01/2006	07 074507	Canceled	XF - ECLIPS Food Related - Sidewalk Cafe	Licensee Daniel Tsegai Flamingo - ECLIPS License# 20060003208

10/27/2006	06 255463	Finald	B - Building Permit - Commercial - Remodel	Contractor Daniel Tsegai - FLAMINGO RESTAURANT
10/24/2006	06 251748	Finald	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor Mr. Joshua Lee Further Solutions LLC
09/25/2006	06 116548	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Flamingo - Cancelled fee, second invoice generated on 11/3/06. ptk 5/10/07
08/29/2006	06 130158	Pending	PV - Project Facilitator Review	Project Applicant Daniel W. Tsegai Salam Restaurant, Inc. - Mr. Tsegai is proposing take over the existing restaurant (dba Jubba Grill) and add wine and strong beer to the menu. New dba for restaurant will be "Flamingo".
07/26/2006	06 096715	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Jubba Grill
06/13/2006	05 154106	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Jubba Grill
09/01/2005	05 128294	History	RS - Restaurant Inspection - High Risk - Management Review	Establishment Jubba Grill
07/05/2005	04 086000	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Jubba Grill
06/22/2005	05 121594	Closed	CS - CSO Complaint - Exterior - Complaint	Miscellaneous Boarding
05/04/2004	03 392143	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Jubba Grill
11/06/2003	03 295607	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Jubba Grill
04/29/2003	03 288902	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Jubba Grill
04/21/2003	03 255036	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Jubba Grill
02/10/2003	03 253511	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Jubba Grill
01/27/2003	01 186234	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Jubba Grill
09/16/2002	02 004675	Canceled	XF - ECLIPS Food Related - Restaurant (B) - more than 12 seats	Licensee Abdirahman Yusuf Jama Jubba Grill Inc - ECLIPS License# 20020004675
04/13/2001	01 182519	History	RS - Restaurant Inspection - High Risk - Plan Review Inspection	Establishment Salama Restaurant
03/12/2001	01 181523	History	RS - Restaurant Inspection - High Risk - Plan Review Inspection	Establishment Salama Restaurant
03/05/2001	01 181014	History	RS - Restaurant Inspection - High Risk - Plan Review Inspection	Establishment Salama Restaurant
03/01/2001	01 000541	Canceled	XF - ECLIPS Food Related - Restaurant (B) - more than 12 seats	Licensee Mohamed Nor Salama Restaurant - ECLIPS License# 20010000541
02/22/2001	01 180444	History		Establishment Salama Restaurant

			RS - Restaurant Inspection - High Risk - Plan Review Inspection	
02/13/2001	01 122555	History	RS - Restaurant Inspection - High Risk - Plan Review Inspection	Establishment Salama Restaurant
02/07/2001	01 123540	Final	E - Electrical Permit - Service & Circuits - Commercial Repair/Alter	Contractor Mrs Amy Henschell Brite Lite Electric CO
01/31/2001	01 123026	Final	PL - Plumbing & Gas Fitting (OLD) - Plumbing (ALL) - Commercial Replace	Contractor Michael Colestock Accent Service Plumbing & Htg Inc
01/30/2001	01 122979	Final	EG - Fire Engineering - Special Extinguishing System - Existing Building - Alter Systems	Contractor Northland Fire Protection Inc. - INSTALLATION OF A DUAL ANSUL R-102 U.L. 300 FIRE SUPPRESSION SYSTEM. SALAMA RESTAURANT
01/24/2001	01 122525	History	RS - Restaurant Inspection - High Risk - Plan Review Inspection	Establishment Salama Restaurant
05/10/2000	00 124430	History	RS - Restaurant Inspection - High Risk - Routine Inspection	DOOR IS LOCKED AND LIGHTS WERE TURNED OFF; STEVE OLSON CALLED JOE TAL, OWNER, AND HE SAID THEY DISCONTINUED THE BUSINESS, 05/12/2000 [FL].
04/20/2000	00 124305	History	RS - Restaurant Inspection - High Risk - Complaint Inspection	Establishment Joe's Smoke House
04/20/2000	00 124320	Closed	LC - DSI Env Health Complaint - Health-Safety- Environment	NONE OF THE COUNTER TOPS OF THIS RESTAURANT WERE WASHED; DEAD BUG, FOOTPRINT ON COUNTER TOPS; CIGARETTE BUTTS ON FLOOR AND FLOOR ARE FILTHY [FL].
03/20/2000	00 001270	Withdrawn	XF - ECLIPS Food Related - Restaurant (B) - more than 12 seats	Licensee Joe's Smoke House - ECLIPS License# 20000001270
02/02/2000	00 124301	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Joe's Smoke House
02/01/2000	99 006647	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Joe's Smoke House
02/19/1999	00 023861	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Southern Style Smokehouse
02/11/1999	99 019243	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Southern Style Smokehouse
02/01/1999	99 011985	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Southern Style Smokehouse
10/02/1998	99 006276	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Southern Style Smokehouse
07/03/1998	98 029017	Closed without Approval	W - Warm Air, Ventilation & General Sheet - Warm Air & Ventilation - Commercial Repair/Alter	Contractor United Sheet Metal - Closed without final approval
06/27/1998	98 028680	Closed without Approval	W - Warm Air, Ventilation & General Sheet - Warm Air & Ventilation - Commercial Repair/Alter	Contractor Greg Guimont Doody Mechanical Inc - Closed without final approval
01/14/1998	98 017683	History		

			RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Southern Style Smokehouse
12/15/1997	98 004677	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Southern Style Smokehouse
12/12/1997	98 011209	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Southern Style Smokehouse
07/14/1997	96 013133	History	MF - Mobile Food Vehicle - Medium Risk - Management Review	Establishment Southern Style Smokehouse
04/17/1997	97 013535	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Southern Style Smokehouse
04/17/1997	98 011249	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Southern Style Smokehouse
01/30/1997	97 023541	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Southern Style Smokehouse
01/09/1997	97 001481	History	RS - Restaurant Inspection - High Risk - Plan Review Inspection	Establishment Southern Style Smokehouse
10/14/1996	96 017337	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Southern Style Smokehouse
09/09/1996	96 004188	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Southern Style Smokehouse
05/29/1996	96 088742	Closed without Approval	M - Mechanical Permit - Gas - Commercial Install	Contractor Greg Guimont Doody Mechanical Inc - Closed without final approval
04/09/1996	96 013147	History	MF - Mobile Food Vehicle - Medium Risk - Plan Review Inspection	Establishment Southern Style Smokehouse
04/09/1996	96 086687	Finalized	W - Warm Air, Ventilation & General Sheet - Commercial Install	Contractor United Sheet Metal
04/08/1996	96 086522	Finalized	W - Warm Air, Ventilation & General Sheet - Commercial Install	Contractor United Sheet Metal
02/13/1996	96 084997	Closed without Approval	M - Mechanical Permit - Steam or Hot Water - Commercial Install	Contractor Greg Guimont Doody Mechanical Inc - Closed without final approval
01/10/1996	96 084057	Closed without Approval	M - Mechanical Permit - Gas - Commercial Install	Contractor Greg Guimont Doody Mechanical Inc - Closed without final approval
11/21/1995	95 082515	Closed without Approval	M - Mechanical Permit - Gas - Commercial New	Contractor Greg Guimont Doody Mechanical Inc - Closed without final approval
08/14/1995	95 077079	Finalized	W - Warm Air, Ventilation & General Sheet - Warm Air & Ventilation - Commercial Install	Contractor United Sheet Metal
08/01/1995	95 076850	Closed without Approval	M - Mechanical Permit - Steam or Hot Water - Commercial Install	Contractor Greg Guimont Doody Mechanical Inc - Closed without final approval
07/05/1995	95 004243	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Southern Style Smokehouse
06/30/1995	96 005073	History		Establishment Southern Style Smokehouse

			RS - Restaurant Inspection - High Risk - Routine Inspection	
06/28/1995	95 075195	Finaled	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor Donnelly Electric Inc
06/21/1995	95 074865	Finaled	W - Warm Air, Ventilation & General Sheet - Warm Air & Ventilation - Commercial Repair/Alter	Contractor John Matthews Air & Conditioning Assoc., Inc.
04/05/1995	96 007569	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Southern Style Smokehouse
02/17/1995	95 007553	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Southern Style Smokehouse
12/01/1994	94 010692	History	RS - Restaurant Inspection - High Risk - Plan Review Inspection	Establishment Southern Style Smokehouse
<u>1271 University Ave W</u>				
10/02/2017	17 196054	Open	RE - Real Estate Assessments	Owner Daymar Properties Llc
08/14/2017	17 069340	Resolved	CS - CSO Complaint - Dumping - Complaint	Sofa chairs on alley ROW.
06/27/2017	17 054597	Transferred - Closed	CS - CSO Complaint - Graffiti - Complaint	Graffiti on the south side of the building (facing University)
06/26/2017	17 054598	Closed	PA - Parks Summary Abatement - Graffiti	Owner Daymar Properties Llc - Graffiti on the south side of the building (facing University)
05/31/2017	17 044937	Resolved	CS - CSO Complaint - Dumping - Complaint	4 mattresses, dirty pants & jacket, and a beer bottle dumped in the alley
01/20/2017	17 004950	Assessed	CW - Contract Work Order - Police Work Order	Contractor Restoration Professionals
01/20/2017	17 004955	Resolved	CS - CSO Complaint - Exterior - Complaint	
02/24/2015	15 012723	Active/Issued	BS - Billboard / Sign - Signs - Commercial New	Contractor Laurie Accounts Payable Graphic House Inc - COPY TO READ "NAPA AUTO PARTS" Elec- Global Green Elec
07/09/2014	14 307152	In Compliance	CS - CSO Complaint - Exterior - Complaint	Pee bottles and debris not picked up on a regular basis.
09/04/2013	13 228882	Finaled	SS - PW Sewer Permit - Sanitary - Repair	Contractor Don Henry Walsh Construction CO - Central Corridor Light Rail Transit project (CCLRT)
07/17/2013	13 210872	Resolved	CS - CSO Complaint - Exterior - Complaint	Used mattresses dumped behind NAPA Issue ID: 634942
06/19/2013	13 200112	Finaled	E - Electrical Permit - Service & Circuits - Commercial Repair/Alter	Contractor Aaron Gunderson / Bob Grill Hunt Electric Corporation
05/06/2013	13 181391	Resolved	CS - CSO Complaint - Exterior - Complaint	There is consistently a pile of garbage in the alley behind the NAPA on the 1200 block of University Avenue. The wind blows it into my yard.
10/12/2012	12 115866	Closed	PA - Parks Summary Abatement - Graffiti	Owner Daymar Properties Llc - 1271 University W. - Graffiti on rear of property.
10/12/2012	12 115865	Transferred - Closed	CS - CSO Complaint - Graffiti - Complaint	1271 University W. - Graffiti on rear of property.
06/14/2012	12 069206	Finaled	M - Mechanical Permit - Gas - Commercial Replace	Contractor Liana Cohan Owens Companies Inc
06/14/2012	12 069207	Finaled		

		W - Warm Air, Ventilation & General Sheet - Ventilation Only - Commercial Replace	Contractor Liana Cohan Owens Companies Inc	
04/27/2012	12 050222	Closed	PA - Parks Summary Abatement - Graffiti	Owner Daymar Properties Llc - graffiti on door, alley side
04/27/2012	12 050221	Transferred - Closed	CS - CSO Complaint - Graffiti - Complaint	graffiti on door, alley side
09/22/2011	11 279529	Closed	PA - Parks Summary Abatement - Graffiti	Owner Daymar Properties Llc - Graffiti in back.
09/22/2011	11 279528	Transferred - Closed	CS - CSO Complaint - Graffiti - Complaint	Graffiti in back.
12/23/2010	10 937601	Resolved	CS - CSO Complaint - Snow Walk - Complaint	Snow Walk
10/19/2010	10 911573	Closed	PA - Parks Summary Abatement - Graffiti	Owner Daymar Properties Llc - Graffiti on the WM Dumpster tagged behind 1271 University.
10/19/2010	10 911572	Transferred - Closed	CS - CSO Complaint - Graffiti - Complaint	Graffiti on the WM Dumpster tagged behind 1271 University.
08/06/2010	10 702964	Closed	PA - Parks Summary Abatement - Graffiti	Owner Daymar Properties Llc - Graffiti (Police)
08/06/2010	10 702963	Transferred - Closed	CS - CSO Complaint - Graffiti - Complaint	Graffiti (Police)
03/05/2010	10 117586	Closed	PA - Parks Summary Abatement - Graffiti	Owner Paul J Vincent - Graffiti (Police report) on the wall in the alley
03/05/2010	10 117585	Transferred - Closed	CS - CSO Complaint - Graffiti - Complaint	Graffiti (Police report) on the wall in the alley
06/23/2009	09 092477	Closed	PA - Parks Summary Abatement - Graffiti	Owner Paul J Vincent - Graffiti on east side of property
06/23/2009	09 092476	Resolved	CS - CSO Complaint - Graffiti - Complaint	Graffiti on east side of property
03/31/2009	09 048955	Closed	PA - Parks Summary Abatement - Graffiti	Owner Paul J Vincent - Graffiti on SE corner of the bldg
03/31/2009	09 048954	Closed	CS - CSO Complaint - Graffiti - Complaint	Graffiti on SE corner of the bldg
05/14/2008	08 074981	Closed	PA - Parks Summary Abatement - Graffiti	Owner Whitaker Buick Co - Graffiti on dumpster and side of building facing alley.
05/14/2008	08 074980	Resolved	CS - CSO Complaint - Graffiti - Complaint	Graffiti on dumpster and side of building facing alley.
06/01/2006	06 094384	Rejected	PC - Planning Commission Cases - CUP - Commercial	Applicant Ms Lisa Proechel - Conditional Use Permit for seasonal outdoor sales of consumer fireworks
04/19/1999	99 001002	Finald	BS - Billboard / Sign - Signs - Commercial New	Contractor Mitchell Demars Crosstown Sign Inc
04/08/1999	99 161031	Finald	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor Adam Von Behren Laketown Electric Corporation
<u>1275 University Ave W</u>				
10/02/2017	17 196054	Open	RE - Real Estate Assessments	Owner Daymar Properties Llc
09/21/2017	17 081938	Pending	CO - Certificate of Occupancy - Assembly	Responsible Party Daymar Properties Llc - ADDRESS RANGE: 1271-1277 UNIVERSITY AVE W and 490 SYNDICATE ST
06/08/2017	17 047917	Resolved	CS - CSO Complaint - Exterior - Complaint	office furniture, reportedly from this address, dumped in the alley; clothing, garbage, baby furniture
05/23/2017	17 042030	Closed	PA - Parks Summary Abatement - Garbage Rubbish	Owner Daymar Properties Llc - Please remove the excessive garbage/rubbish near the alley,

			wood debris, litter, trash bags. Thanks overflowing garbage
05/15/2017	17 039003	Resolved	CS - CSO Complaint - Garbage Rubbish - Complaint
05/12/2017	17 038513	Resolved	CS - CSO Complaint - Garbage Rubbish - Complaint Tax company's dumpsters, trash is overflowing with office furniture, toner, clothes, people are picking stuff out of, paint cans 5.19.17-Trash all over, household furniture, cardboard, household garbage, no longer have dumpster
03/02/2016	16 014683	Resolved	CS - CSO Complaint - Garbage Rubbish - Complaint Overflowing dumpster and blowing debris
01/20/2016	16 004447	Finald	RW - PW Right of Way Permit - Obstruction - Sidewalk Contractor Shelly Rees / Signminds Inc - REMOVE & REINSTALL SIGN ON BUILDING FROM SIDEWALK
01/14/2016	16 003174	Finald	BS - Billboard / Sign - Signs - Commercial Replace Contractor Shelly Rees / Signminds Inc - COPY TO READ "JACKSON HEWITT TAX SERVICE"
01/08/2016	16 001858	Finald	E - Electrical Permit - Electrical - Commercial Repair/Alter Contractor Charles Howard Pulse Electric Inc.
02/03/2015	15 007656	Closed	RF - Referral - C of O Owner Daymar Properties Llc - Follow up on C of O folder approved with corrections.
02/03/2015	15 007655	Certified	CO - Certificate of Occupancy - Assembly Responsible Party Daymar Properties Llc - ADDRESS RANGE: 1271-1277 UNIVERSITY AVE W and 490 SYNDICATE ST
11/21/2014	14 348718	In Compliance	CS - CSO Complaint - Snow Walk - Complaint 11/21/2014 Snow Walk Complaint Received.
05/23/2013	13 188622	Closed	PA - Parks Summary Abatement - Graffiti Owner Daymar Properties Llc - south mail box, planter on west side of building, north side of building and dumpsters
05/23/2013	13 188621	Transferred - Closed	CS - CSO Complaint - Graffiti - Complaint south mail box, planter on west side of building, north side of building and dumpsters
05/10/2013	13 183592	Certified	CO - Certificate of Occupancy - Assembly Responsible Party Daymar Properties Llc
05/09/2013	13 183008	Resolved	CS - CSO Complaint - Exterior - Complaint Trash strewn in alley near dumpsters behind NAPA. St Paul Connect: Issue ID: 512393 - Map
01/29/2013	13 147938	Closed	PA - Parks Summary Abatement - Graffiti Owner Daymar Properties Llc - Graffiti on building.
01/29/2013	13 147937	Transferred - Closed	CS - CSO Complaint - Graffiti - Complaint Graffiti on building.
03/13/2012	12 032561	Closed	PA - Parks Summary Abatement - Graffiti Owner Daymar Properties Llc - 1275 University Ave. - graffiti on fence along north alley.
03/13/2012	12 032560	Transferred - Closed	CS - CSO Complaint - Graffiti - Complaint 1275 University Ave. - graffiti on fence along north alley.
04/13/2011	11 129589	Resolved	CS - CSO Complaint - Graffiti - Complaint GRAF-GREEN PAINT ON FRONT OF BLDG
02/09/2011	11 014144	Closed	PA - Parks Summary Abatement - Graffiti Owner Daymar Properties Llc - GRAF-TAG ON WINDOW
02/09/2011	11 014143	Transferred - Closed	CS - CSO Complaint - Graffiti - Complaint GRAF-TAG ON WINDOW
11/23/2010	10 926552	Closed	RF - Referral - Citizen Complaint Owner Daymar Properties Llc - Rodents

09/09/2010	10 895855	Closed	RF - Referral - C of O	Owner Daymar Properties Llc - Follow up on C of O folder approved with corrections.
09/09/2010	10 895854	History	CO - Certificate of Occupancy - Assembly	Responsible Party Daymar Properties Llc
08/16/2010	10 707611	Resolved	CS - CSO Complaint - Exterior - Complaint	Dumpster behind Jackson Hewitt has not been emptied for two months. Refuse on ground and rodents have been seen here. Now others are illegally dumping their garbage by it.
03/17/2010	10 123335	Closed	PA - Parks Summary Abatement - Graffiti	Owner Paul J Vincent - Graffiti (Police report) on the big wall
03/17/2010	10 123334	Transferred - Closed	CS - CSO Complaint - Graffiti - Complaint	Graffiti (Police report) on the big wall
12/07/2009	09 423462	Finald	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor A E M Electric Services Corporation
10/28/2009	09 306628	Closed	PA - Parks Summary Abatement - Graffiti	Owner Paul J Vincent - Red Arrow Dumpster tagged behind property
10/28/2009	09 306627	Transferred - Closed	CS - CSO Complaint - Graffiti - Complaint	Red Arrow Dumpster tagged behind property
06/24/2009	09 093331	Finald	BS - Billboard / Sign - Signs - Commercial Replace	Contractor Lee Blackwelder Signs By Rsg - COPY TO READ: JACKSON HEWITT TAX SERVICE
03/31/2009	09 048960	Closed	PA - Parks Summary Abatement - Graffiti	Owner Paul J Vincent - Graffiti on back door
03/31/2009	09 048959	Closed	CS - CSO Complaint - Graffiti - Complaint	Graffiti on back door
02/02/2009	09 020439	Closed	PA - Parks Summary Abatement - Graffiti	Owner Paul J Vincent - Graffiti on the building
02/02/2009	09 020438	Resolved	CS - CSO Complaint - Graffiti - Complaint	Graffiti on the building
01/22/2009	09 014331	In Compliance	CS - CSO Complaint - Snow Walk - Complaint	Snow Walk
06/12/2008	08 092927	Certified	CO - Certificate of Occupancy - Assembly	Responsible Party Metro Equity Mgmt LLC
05/02/2008	08 069179	Closed	RF - Referral - Citizen Complaint	Owner Paul J Vincent - HOOD SERVICE
04/29/2008	08 065924	Closed	PA - Parks Summary Abatement - Graffiti	Owner Paul J Vincent - graffiti on N side of bldg
04/29/2008	08 065923	Resolved	CS - CSO Complaint - Graffiti - Complaint	graffiti on N side of bldg
10/04/2006	06 240222	Closed	RF - Referral - Citizen Complaint	Owner Paul J Vincent - 490 N. Syndicate - Lic #20060003208 Flamingo Restaurant > 12 seats
10/03/2006	06 239412	Closed	RF - Referral - License Inspection	Owner Paul J Vincent - 490 N. Grotto - Lic #20060003208 Flamingo Restaurant > 12 seats
08/15/2006	06 124086	History	CO - Certificate of Occupancy - Assembly	Responsible Party Towle Real Estate
06/22/2004	04 108996	History	CO - Certificate of Occupancy - Mercantile	Responsible Party Towle Real Estate
08/03/2001	01 217822	History	CO - Certificate of Occupancy - Mercantile	Responsible Party Towle Real Estate
05/18/2001	01 203135	Active	PS - Pre-Fire Survey - Mercantile	Owner Paul J Vincent
03/30/2001	01 184650	Closed	RF - Referral - C of O	Owner Paul J Vincent - VARIOUS VIOLATIONS FOUND ON INSPECTION.
03/13/2001	01 019060	History	CO - Certificate of Occupancy - Mercantile	Responsible Party Towle Real Estate
12/22/1999	99 179450	Closed	BS - Billboard / Sign - Signs - Commercial New	Contractor John Conway Contact Signs Inc - 16-Nov-2005: Folder

				closed by system due to no activity in one year Copy to read: JACKSON HEWITT TAX SERVICE. Closed without final approval
02/11/1999	97 013338	History	RS - Restaurant Inspection - Medium Risk - Management Review	Establishment Cafe Karaoke Do Thanh
07/03/1997	97 123863	Finald	W - Warm Air, Ventilation & General Sheet - Warm Air & Ventilation - Commercial Repair/Alter	Contractor Dayner Partners
06/30/1997	97 123616	Finald	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor Daymar Partners
04/24/1997	95 011323	History	RS - Restaurant Inspection - Medium Risk - Routine Inspection	Establishment Cafe Karaoke Do Thanh
04/17/1997	95 011288	History	RS - Restaurant Inspection - Low Risk - Routine Inspection	Establishment Cafe Karaoke Do Thanh
12/13/1996	95 005438	History	RS - Restaurant Inspection - Low Risk - Routine Inspection	Establishment Cafe Karaoke Do Thanh
05/22/1996	96 014116	Canceled	XF - ECLIPS Food Related - Restaurant (L) - Limited	Licensee Thanh Ngoc Nguyen Cafe Karoake Do Thanh - ECLIPS License# 0014116
05/22/1996	96 014116	Canceled	XE - ECLIPS License - Entertainment - Cabaret - Class A	Licensee Thanh Ngoc Nguyen Cafe Karoake Do Thanh - ECLIPS License# 0014116
05/22/1996	96 014116	Canceled	XS - ECLIPS License - Miscellaneous - Cigarette/Tobacco	Licensee Thanh Ngoc Nguyen Cafe Karoake Do Thanh - ECLIPS License# 0014116
07/14/1995	95 075909	Closed without Approval	M - Mechanical Permit - Refrigeration - Commercial Install	Contractor John Matthews Air Conditioning Assoc., Inc. - Closed without final approval
07/14/1995	95 075910	Closed without Approval	W - Warm Air, Ventilation & General Sheet - Warm Air & Ventilation - Commercial Install	Contractor John Matthews Air Conditioning Assoc., Inc. - Closed without final approval
07/14/1995	95 075911	Closed without Approval	M - Mechanical Permit - Gas - Commercial Install	Contractor John Matthews Air Conditioning Assoc., Inc. - Closed without final approval
07/07/1995	95 004206	History	RS - Restaurant Inspection - Low Risk - Routine Inspection	Establishment Cafe Karaoke Do Thanh
07/05/1995	95 016169	History	RS - Restaurant Inspection - Low Risk - Routine Inspection	Establishment Cafe Karaoke Do Thanh
07/01/1995	95 017719	Canceled	XF - ECLIPS Food Related - Restaurant (L) - Limited	Licensee Don Luan Nguyen & Duong D Cafe Karaoke Do Thanh - ECLIPS License# 0017719
07/01/1995	95 017719	Canceled	XS - ECLIPS License - Miscellaneous - Cigarette/Tobacco	Licensee Don Luan Nguyen & Duong D Cafe Karaoke Do Thanh - ECLIPS License# 0017719
06/20/1995	95 074770	Finald	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor Don Phan
06/19/1995	95 008521	History	RS - Restaurant Inspection - Low Risk - Routine Inspection	Establishment Cafe Karaoke Do Thanh
06/16/1995	95 008714	History	RS - Restaurant Inspection - Low Risk - Routine Inspection	Establishment Cafe Karaoke Do Thanh
06/08/1995	95 011026	History		Establishment Cafe Karaoke Do Thanh

		RS - Restaurant Inspection - Low Risk - Routine Inspection	
05/11/1995	95 010967 History	RS - Restaurant Inspection - Low Risk - Plan Review Inspection	Establishment Cafe Karaoke Do Thanh
10/16/1973	73 000990 History	CO - Certificate of Occupancy - Mercantile	Responsible Party Marco
10/16/1973	73 010989 History	CO - Certificate of Occupancy - Business	Responsible Party Marco
	99 001211 Open	ZH - Zonetrack History - Major Variance	Applicant Duong Phan
<u>1277 University Ave W - Subway</u>			
10/26/2017	17 208488 Closed	PA - Parks Summary Abatement - Garbage Rubbish	Owner Daymar Properties Llc - REMOVE THE MATTRESSES NEAR THE ALLEY. Thanks.
10/10/2017	17 203274 Closed	PA - Parks Summary Abatement - Garbage Rubbish	Owner Daymar Properties Llc - Please remove the discarded furniture, trash bags and excessive litter near the alley. Thanks
10/02/2017	17 196054 Open	RE - Real Estate Assessments	Owner Daymar Properties Llc
09/26/2017	17 083445 Resolved	CS - CSO Complaint - Garbage Rubbish - Complaint	keep dumpsters open so the trash goes into the alley, as well as excessive dumping behind these businesses 10.4.17-Litter is accumulating behind the shopping complex on the northeast corner of University and Syndicate
06/21/2017	17 052689 Resolved	CS - CSO Complaint - Dumping - Complaint	furniture, clothing, and literal garbage in back near alley
12/24/2014	14 355796 Resolved	CS - CSO Complaint - Garbage Rubbish - Complaint	12/17/14 The dumpster behind NAPA/Subway is always overflowing, it spills out into the alley and the wind pushes it into my yard. This happens every couple months and I would like you to have it dealt with routinely.
04/10/2014	14 193892 Finaled	E - Electrical Permit - Service & Circuits - Commercial Repair/Alter	Contractor Bloomington Electric Company
09/04/2013	13 228884 Finaled	SS - PW Sewer Permit - Sanitary - Repair	Contractor Don Henry Walsh Construction CO - Central Corridor Light Rail Transit project (CCLRT)
06/21/2012	12 072285 Resolved	CS - CSO Complaint - Exterior - Complaint	Shrubs extend past fence making it difficult for residence in vehicles to merge/view oncoming traffic from Hamline Northbound. Shrubs are located in the rear of business along fence.
04/25/2012	12 049304 Scheduled	RS - Restaurant Inspection - Medium Risk - Routine Inspection	Establishment Subway #3475
04/24/2012	12 035901 History	RS - Restaurant Inspection - Medium Risk - Routine Inspection	Establishment Subway #3475
03/21/2012	10 911407 History	RS - Restaurant Inspection - Medium Risk - Routine Inspection	Establishment Subway #3475
10/18/2010	09 046865 History		Establishment Subway #3475

		RS - Restaurant Inspection - Medium Risk - Routine Inspection		
10/08/2010	10 907664	Finaled	RW - PW Right of Way Permit - Obstruction - Dumpster	Contractor Steve Hanson / Lois / Stacy Veit Container Corp - DUMPSTER IS ON SYNDICATE EXTENDED TO 10/12/10
10/07/2010	10 906908	Finaled	RW - PW Right of Way Permit - Obstruction - Dumpster	Contractor Steve Hanson / Lois / Stacy Veit Container Corp - ALO ON SYNDICATE
10/05/2010	10 906083	Finaled	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor Kirtland Electric
09/22/2010	10 901157	Finaled	PG - Plumbing/Gasfitting/Inside Water Piping - Plumbing/Inside Water (All) - Commercial Alter	Contractor William Martin Polo Plumbing Inc
09/09/2010	10 895952	Finaled	B - Building Permit - Commercial - Remodel	Contractor Paula Scott Braden Construction Inc
08/06/2010	10 702980	Finaled	E - Electrical Permit - Electrical - Commercial New	Contractor Midbrod Electric Inc
04/12/2010	10 220286	Finaled	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor Kirtland Electric
04/12/2010	10 220270	Resolved	CS - CSO Complaint - Exterior - Complaint	Subway - trash on sidewalk daily and in street, blows down Syndicate continuously - they never pick up
03/31/2009	09 048957	Closed	PA - Parks Summary Abatement - Graffiti	Owner Paul J Vincent - Graffiti on 3 dumpsters, north and west side of property, in front of Subway, and on the back door
03/31/2009	09 048956	Closed	CS - CSO Complaint - Graffiti - Complaint	Graffiti on 3 dumpsters, north and west side of property, in front of Subway, and on the back door
03/25/2009	06 251641	History	RS - Restaurant Inspection - Medium Risk - Routine Inspection	Establishment Subway #3475
02/03/2009	09 021067	Closed	PA - Parks Summary Abatement - Graffiti	Owner Paul J Vincent - Graffiti on the dumpster in the alley.
02/03/2009	09 021066	Resolved	CS - CSO Complaint - Graffiti - Complaint	Graffiti on the dumpster in the alley.
01/16/2009	08 202556	Canceled	XF - ECLIPS Food Related - Restaurant (3) - 13-50 Seats	Licensee Michael Saul Subway - ECLIPS License# 20020000658
05/02/2008	08 068851	Closed	PA - Parks Summary Abatement - Graffiti	Owner Paul J Vincent - Graffiti (Police Report) on the N wall and on 2 dumpsters
05/02/2008	08 068850	Resolved	CS - CSO Complaint - Graffiti - Complaint	Graffiti (Police Report) on the N wall and on 2 dumpsters
04/29/2008	08 065988	Closed	PA - Parks Summary Abatement - Garbage Rubbish	Owner Paul J Vincent - Couch, blue wooden cabinets behind building.
04/17/2008	08 060144	Resolved	CS - CSO Complaint - Exterior - Complaint	Trash running over behind subway, stuff blowing everywhere.
05/01/2007	07 070723	Closed	CS - CSO Complaint - Graffiti - Complaint	1277 University rear wall
12/04/2006	06 280628	Finaled	E - Electrical Permit - Service & Circuits - Commercial Repair/Alter	Contractor Midbrod Electric Inc
10/20/2006	05 104999	History		Establishment Subway #3475

		RS - Restaurant Inspection - Medium Risk - Routine Inspection	
05/20/2005	04 185360	History	RS - Restaurant Inspection - Medium Risk - Complaint Inspection
			Establishment Subway #3475
03/31/2005	05 082575	Closed	CS - CSO Complaint - Exterior - Complaint
			Subway's 2 dumpsters insufficient for the amount of trash accumulated. Waste Mgmt empties regularly but overflowing trash ends up on complainant's property. Complainant has talked with Subway manager & Waste Mgmt and has pictures with dates of trash.
10/26/2004	04 180319	History	RS - Restaurant Inspection - Medium Risk - Complaint Inspection
			Establishment Subway #3475
10/25/2004	03 356266	History	RS - Restaurant Inspection - Medium Risk - Complaint Inspection
			Establishment Subway #3475
10/19/2004	04 172187	Closed	LC - DSI Env Health Complaint - Health-Safety- Environment - Env Health - Food
			10/19/04 Complainant ate here recently and saw a cockroach by the customer drinking fountain. When she complained to the manager they just ignored her. The place is also dirty. [roy]
01/16/2004	03 286218	Canceled	XF - ECLIPS Food Related - Restaurant (B) - more than 12 seats
			Licensee Michael Saul Subway - ECLIPS License# 20020000658
09/17/2003	02 245037	History	RS - Restaurant Inspection - Medium Risk - Routine Inspection
			Establishment Subway Salad & Sandwiches
12/10/2002	02 104200	History	RS - Restaurant Inspection - Medium Risk - Complaint Inspection
			Establishment Subway Salad & Sandwiches
12/10/2002	02 244626	Closed	LC - DSI Env Health Complaint - Health-Safety- Environment
			Complainants were there on 12/07/2002 @ 1830 and ate Garden Sandwich with lettuce, tomato, green pepper, black olive, mayo and ham + cheese on white bread. Got sick on 12/08/2002 @ 1100 with vomiting, diarrhea, cramps and very weak chills. One got sick on 12/09/2002 @ 1700 with vomiting. Complaint was refered from MDH., 12/10/2002 [fl]
08/05/2002	02 199153	Closed	CS - CSO Complaint - Ordinance Enforcement - Complaint
			2 dumpsters in alley right of way
04/17/2002	02 110857	Closed	BS - Billboard / Sign - Signs - Commercial New
			Contractor Electro Neon & Design Inc - 16-Nov-2005: Folder closed by system due to no activity in one year COPY TO READ: SUBWAY. Closed without final approval
03/12/2002	02 104101	Closed	LC - DSI Env Health Complaint - Health-Safety- Environment
			Complainant stated that the dumpster of this establishment is either too small or not being picked up frequent enough. Trash is often overflowing and being blown to the neighborhood. Neighbors are concerned of trash might attract rats, 3/11/2002 [fl]
03/11/2002	01 223946	History	

		RS - Restaurant Inspection - Medium Risk - Complaint Inspection	Establishment Subway Salad & Sandwiches
01/16/2002	02_000658	Canceled	XF - ECLIPS Food Related - Restaurant (A) - 0-12 seats
09/17/2001	01_120950	History	RS - Restaurant Inspection - Medium Risk - Complaint Inspection
09/12/2001	01_223690	Closed	LC - DSI Env Health Complaint - Health-Safety-Environment
			Complainant was there last week and nobody had hair control and there was a hair her sandwich. The backdoor was propped open with a box and she could see into the kitchen area. It was very filthy and cluttered and what appeared to be the hand sink was full of tomato sauce. Also, the table that the pop machine is on looks as if it is ready to fall down. Appreciate someone to look into this, [fl].
12/29/2000	99_005664	History	RS - Restaurant Inspection - Medium Risk - Complaint Inspection
11/21/2000	00_150782	Closed	LC - DSI Env Health Complaint - Health-Safety-Environment
			COMPLAINANT WAS THERE AND ORDERED A FOOT LONG SANDWICH; COMPLAINANT DID NOT HAVE ENOUGH COUPONS TO TRADE FOR THE SANDWICH; WHEN SHE WAS ABOUT TO WALK AWAY, SHE THOUGHT OF PAYING FOR IT BY CHECK OR CREDIT CARD. SHE RETURNED AND ASKED TO PAY FOR BY CHECK, THE WAITRESS PICKED UP THE SANDWICH FROM THE TRASH AND TRIED TO SELL THE SANDAWICH TO COMPLAINANT. APPRECIATED IF SOMEONE WOULD LOOK INTO IT BECAUSE THEY ARE NOT SUPPOSED TO SELL FOOD OFF THE TRASH TO CUSTOMER, 11/21/2000 [FL]
10/07/1999	99_011933	History	RS - Restaurant Inspection - Medium Risk - Routine Inspection
10/02/1998	99_001052	Closed	EC - Environmental Complaint History (DC)
			From Mayor's Complaint Office. Complainant says this Subway Shop and the rib place next door do not have any restrooms in either place, and patrons urinate outside of the buildings. kko
10/02/1998	99_025351	History	RS - Restaurant Inspection - Medium Risk - Routine Inspection
07/23/1998	99_000582	Closed	EC - Environmental Complaint History (DC)
			AN EMPLOYEE FOUND IN THE BACK ROOM WITH NO SHIRT, NO SOCKS AND NO SHOES; HE SAID HE WAS TOLD TO BE THERE [FJL].
07/23/1998	99_009904	History	RS - Restaurant Inspection - Medium Risk - Routine Inspection
03/31/1998	99_001938	Closed	EC - Environmental Complaint History (DC)
			From MN Dept of Health. Complainant, male age 32, ate at noon on 3/28/98. Meatball

			sandwich, cheese on bottom; diet Pepsi, bag of chips. Started 3/29 at 5:00a.m., diarrhea 3 times, vomiting at 6:00a.m., nausea, fever 101.8 degrees. Recovered 3/31/98 (s/b 3/30?) at 9:00a.m. Ate in River Falls WI for other meal that day. Other male also ill with diarrhea & vomiting, no other info. Subway is only meal in common. See FBI form for more info. kko
03/31/1998	99 018391	History	RS - Restaurant Inspection - Medium Risk - Routine Inspection Establishment Subway Salad & Sandwiches
01/07/1998	98 011196	History	RS - Restaurant Inspection - Medium Risk - Routine Inspection Establishment Subway Salad & Sandwiches
01/07/1998	99 002009	Closed	EC - Environmental Complaint History (DC) RODENT INFESTATION IN THIS RESTAURANT. HE OVER HEARD EMPLOYEE SAYING THE CHEESE WAS GONE FROM THE TRAPS. .
04/17/1997	97 003487	History	RS - Restaurant Inspection - Medium Risk - Routine Inspection Establishment Subway Salad & Sandwiches
04/17/1997	97 011356	History	RS - Restaurant Inspection - Medium Risk - Routine Inspection Establishment Subway Salad & Sandwiches
08/06/1996	95 002801	History	RS - Restaurant Inspection - Medium Risk - Routine Inspection Establishment Subway Salad & Sandwiches
08/06/1996	99 001903	Closed	EC - Environmental Complaint History (DC) Complainant there on 5/30/96 about 5:30-6:30p.m. The person who was making the sandwiches had open cuts and abrasions up above the wrists on both arms. Complainant called manager, said person had been told to wear band aids. Complainant did not buy food after seeing arms. MS
08/06/1996	99 005554	Closed	EC - Environmental Complaint History (DC) Complaint says the dumpsters behind the Subway and the Rib Extacsy, in the alley have not been emptied for at least 2 weeks. There are about 2 or 3 dumpsters overflowing, and trash is getting into Complainant's yard. KKO
05/24/1995	95 008367	History	RS - Restaurant Inspection - Medium Risk - Routine Inspection Establishment Subway Salad & Sandwiches
05/24/1995	99 006199	Closed	EC - Environmental Complaint History (DC) Complainant was in restaurant, and WILL NOT GO BACK. The staff was making sandwiches, then handling money, etc. without any washing in between. One customer asked for a glass of water refill. He gave a male staff person his used cup, and the staff person took it behind the counter and refilled it with water, gave it back, then returned to making sandwiches without washing his hands. 5/5/95 KKO .
10/20/1994	94 013176	History	Establishment Subway Salad & Sandwiches

		RS - Restaurant Inspection - Medium Risk - Routine Inspection	
06/20/1994	94 012578	History	RS - Restaurant Inspection - Medium Risk - Routine Inspection
			Establishment Subway Salad & Sandwiches
06/20/1994	99 003713	Closed	EC - Environmental Complaint History (DC)
			Complainant there on 6/16/94 at 6:00p.m. Sandwich maker was also handling money at register. There was no air conditioning, it was terribly hot, and the staff was wiping off sweat and working with food. 6/17/94 KKO .
04/25/1994	94 018150	History	RS - Restaurant Inspection - Medium Risk - Routine Inspection
			Establishment Subway Salad & Sandwiches
04/25/1994	99 002469	Closed	EC - Environmental Complaint History (DC)
			Complainant's son Gabriel, age 21, ate BBQ Chicken Sandwich at 8:00 p.m. on 4/19/94. By 8:30 p.m. he had cramps, and by 9:00 p.m., he started vomiting, which lasted about 45 minutes, and caused his face to be bloodshot. He also had nausea and a low- grade fever, and chills. Complainant called a Doctor, who said it may be food poisoning. She also called Subway to ask about the chicken, and they said that the chicken "is fine". .
04/05/1994	94 024130	History	RS - Restaurant Inspection - Medium Risk - Routine Inspection
			Establishment Subway Salad & Sandwiches
04/05/1994	99 000665	Closed	EC - Environmental Complaint History (DC)
			On 3/23/ at 11:51 p.m., Complainant & friend saw female employee mopping floor. She put mop down, & rinsed hands in water before making food. Complainant asked her to use soap & s .
03/02/1994	99 012688	History	RS - Restaurant Inspection - No Risk - Routine Inspection
			Establishment Subway Salad & Sandwiches
02/16/1994	94 096234	Canceled	XF - ECLIPS Food Related - Restaurant (A) - 0-12 seats
			Licensee Subway #3475 - ECLIPS License# 0096234
02/09/1994	99 002391	Closed	EC - Environmental Complaint History (DC)
			CONVERTED FROM PARADOX SYSTEM. NO NARRATIVE.
02/09/1994	99 012735	History	RS - Restaurant Inspection - No Risk - Routine Inspection
			Establishment Subway Salad & Sandwiches
01/26/1994	99 012685	History	RS - Restaurant Inspection - No Risk - Routine Inspection
			Establishment Subway Salad & Sandwiches
11/01/1993	99 002421	Closed	EC - Environmental Complaint History (DC)
			CONVERTED FROM PARADOX SYSTEM. NO NARRATIVE.
11/01/1993	99 012773	History	RS - Restaurant Inspection - No Risk - Routine Inspection
			Establishment Subway Salad & Sandwiches
07/20/1993	99 011088	History	RS - Restaurant Inspection - No Risk - Routine Inspection
			Establishment Subway Salad & Sandwiches
12/31/1992	99 011148	History	RS - Restaurant Inspection - No Risk - Routine Inspection
			Establishment Subway Salad & Sandwiches
12/10/1992	99 002356	Closed	

12/10/1992	99 011069	History	EC - Environmental Complaint History (DC) RS - Restaurant Inspection - No Risk - Routine Inspection	CONVERTED FROM PARADOX SYSTEM. NO NARRATIVE. Establishment Subway Salad & Sandwiches
07/24/1992	99 002442	Closed	EC - Environmental Complaint History (DC)	CONVERTED FROM PARADOX SYSTEM. NO NARRATIVE.
07/24/1992	99 011182	History	RS - Restaurant Inspection - No Risk - Routine Inspection	Establishment Subway Salad & Sandwiches
07/08/1992	99 002384	Closed	EC - Environmental Complaint History (DC)	CONVERTED FROM PARADOX SYSTEM. NO NARRATIVE.
07/08/1992	99 011102	History	RS - Restaurant Inspection - No Risk - Routine Inspection	Establishment Subway Salad & Sandwiches
05/20/1992	99 002402	Closed	EC - Environmental Complaint History (DC)	CONVERTED FROM PARADOX SYSTEM. NO NARRATIVE.
05/20/1992	99 011132	History	RS - Restaurant Inspection - No Risk - Routine Inspection	Establishment Subway Salad & Sandwiches
04/29/1992	99 011047	History	RS - Restaurant Inspection - No Risk - Routine Inspection	Establishment Subway Salad & Sandwiches
12/26/1991	99 011160	History	RS - Restaurant Inspection - No Risk - Routine Inspection	Establishment Subway Salad & Sandwiches
08/23/1991	99 011096	History	RS - Restaurant Inspection - No Risk - Routine Inspection	Establishment Subway Salad & Sandwiches
04/22/1991	99 011155	History	RS - Restaurant Inspection - No Risk - Routine Inspection	Establishment Subway Salad & Sandwiches
08/20/1990	99 002366	Closed	EC - Environmental Complaint History (DC)	CONVERTED FROM PARADOX SYSTEM. NO NARRATIVE.
06/22/1990	99 002438	Closed	EC - Environmental Complaint History (DC)	CONVERTED FROM PARADOX SYSTEM. NO NARRATIVE.
<u>1279 University Ave W - Historic/Archived</u>				
10/02/2017	17 196054	Open	RE - Real Estate Assessments	Owner Daymar Properties Llc