

✓ scanned

WP 11-117

RECEIVED
NOV 16 2011
CITY CLERK



CITY OF SAINT PAUL
INTERDEPARTMENTAL MEMORANDUM

P. 2
No. 8996

EGRESS WINDOW NON-COMPLIANCE DETERMINATION

TO: CITY CLERK
15 KELLOGG BLVD. WEST
310 CITY HALL
SAINT PAUL, MN 55102

PHONE: 651-266-8688
FAX: 651-266-8574

DATE: 11-16-11

APPEAL PROPERTY ADDRESS: 844 FULLER

APPLICANT NAME: PUBLIC HEALTH (DANIEL) PHONE NUMBER: 651-266-1143
ON BEHALF OF LUE WILLIAMS

PERMIT NUMBER: _____

TYPE OF WINDOW: DH

NUMBER OF WINDOWS: 3

TOTAL GLAZED AREA: 6.7 sqft DIFFERENCE FROM REQUIRED AREA: COMPLIES

WIDTH OF OPENING: 22" DIFFERENCE FROM REQUIRED OPENING: COMPLIES

HEIGHT OF OPENING: 22.6" DIFFERENCE FROM REQUIRED OPENING: 1.4"

HEIGHT OF OPENING TO FINISHED FLOOR: 48" DIFFERENCE FROM MAXIMUM HEIGHT: COMPLIES

RECOMMENDATION (IF APPLICABLE):

St Paul-Ramsey Co. Public Health
Nov. 16. 2011 10:41AM

FROM: _____

13/4/11
1:30 P.M



Saint Paul - Ramsey County Department of Public Health
Environmental Health Section
2785 White Bear Avenue North Suite 350
Maplewood, MN 55109-1320
FAX: (651) 266-1177

Date: 11-16-11

No. 8996
St Paul - Ramsey Co. Public Health
Nov. 16, 2011 10:41AM

FACSIMILE TRANSMISSION
Cover Sheet and Transmittal Form

To FAX#: 6-8574

To:	<u>Mai Yang, Paralegal</u>
Location:	<u>Legislative Hearing Office City of St. Paul</u>
Sender:	<u>Daniel Schmidt / Jim Yannarelli St. Paul - Ramsey Cty. Dept. of Public Health</u>

This transmission consists of 2 pages (including cover sheet).

If transmission is incomplete or illegible, call sender at (651) 266-1143 (DANIEL SCHMIDT)

Message:

Request for Egress Window Non-Compliance Determination
Attachments: Egress Window Non-Compliance Determination Form

CONFIDENTIALITY NOTICE

The document(s) accompanying this facsimile transmission may contain confidential information intended only for the use of the recipient named above. If you are not the intended recipient, you are hereby notified that any disclosure, copying or distribution of the contents of this transmission except its direct delivery to the intended recipient is strictly prohibited. If you have received this transmission in error, please notify us immediately by telephone to arrange for return of the original message to us.