

STAMP - Activities

[New Search](#)
[Help using this report](#)
[E-mail Service Desk](#)
Run Date: 07/02/14 11:02 AM

Sort by Most Recent Date
Starting Date:
House#:
Folder
Ending Date:
Type:
Street Name:
Folder Count: 82

Include Same PIN Addresses: Yes

Click on address link to access GISmo, MapIT, and Ramsey County Info

Click on ID# link below to view detail

PIN:102823230196

Address	In Date	ID #	Status	Type	Description
<u>470 SNELLING AVE S - Billboard</u>					
	05/12/2014	<u>14</u> <u>258883</u>	Open	RE - Real Estate Assessments	Owner Snelling 472 Property Llc
	08/28/2013	<u>13</u> <u>227057</u>	In Compliance	CS - CSO Complaint - Ordinance Enforcement - Complaint	Sandwich board on the sidewalk.
	02/28/2002	<u>02</u> <u>102392</u>	Active/Issued	BB - Bill Board	Billboard Owner Clear Channel Outdoor Inc - 472 SNELLING AVE S
<u>472 SNELLING AVE S - Goby's Grille and Pub</u>					
	06/18/2014	<u>14</u> <u>196422</u>	Pending	XL - ECLIPS License - Liquor - Liquor On Sale - 2 AM Closing	Licensee Sweet Pea's - ECLIPS License# 20140001008
	06/18/2014	<u>14</u> <u>196423</u>	Pending	XL - ECLIPS License - Liquor - Liquor On Sale - 100 seats or less	Licensee Sweet Pea's - ECLIPS License# 20140001008
	06/18/2014	<u>14</u> <u>196424</u>	Pending	XL - ECLIPS License - Liquor - Liquor On Sale - Sunday	Licensee Sweet Pea's - ECLIPS License# 20140001008
	05/21/2014	<u>14</u> <u>289343</u>	Finaled	M - Mechanical Permit - Refrigeration - Commercial Repair/Alter	Contractor Marvin Huss Custom Refrigeration Inc
	05/12/2014	<u>14</u> <u>258883</u>	Open	RE - Real Estate Assessments	Owner Snelling 472 Property Llc
	05/12/2014	<u>14</u> <u>202530</u>	Finaled	EG - Fire Engineering - Special Extinguishing System - Existing Building - Alter Systems	Contractor Nardini Fire Equipment Co Inc - Remove existing range guard system, install new system Ansul R102
	05/02/2014	<u>14</u> <u>200319</u>	Finaled	E - Electrical Permit - Service & Circuits - Commercial Repair/Alter	Contractor Ready Watt Electric
	04/22/2014	<u>14</u> <u>197011</u>	Ready to Issue/Approved	BS - Billboard / Sign - Signs - Commercial Replace	Contractor Daniel Kaufman Kaufman Sign CO - SWEET PEA'S PUBLIC HOUSE
	04/22/2014	<u>14</u> <u>196989</u>	Finaled	PG - Plumbing/Gasfitting/Inside Water Piping - Plumbing/Inside Water (All) - Commercial Replace	Contractor Aaron Blair Professional Mechanical Services
	04/17/2014	<u>14</u> <u>195912</u>	Active/Issued	CT - Certificate of Insurance - Awning - Insurance	Certificate of insurance for awning
	04/09/2014	<u>14</u> <u>193438</u>	Active/Issued	BS - Billboard / Sign - Signs - Commercial New	Contractor Greg Mantel Acme Awning CO - COPY TO READ: 472 SWEET PEAS THE FRIENDLIEST PUB IN ST PAUL

03/24/2014	<u>14</u> <u>189156</u>	Inspected	B - Building Permit - Commercial - Repair	Contractor Beeline Construction Company Inc - N/A. OK to use plans per phone conversation with Jim Smart 4-8-14 DD
04/19/2013	<u>13</u> <u>175872</u>	Scheduled	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Goby's Grill And Pub
04/17/2013	<u>11</u> <u>149357</u>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Goby's Grill And Pub
05/04/2012	<u>12</u> <u>053076</u>	Closed	RF - Referral - C of O	Owner Goblisch Properties Llc/Co Gregory Goblisch - Follow up on C of O folder approved with corrections.
05/04/2012	<u>12</u> <u>053075</u>	In Process	CO - Certificate of Occupancy - Assembly	Responsible Party Snelling 472 Property Llc
04/24/2012	<u>12</u> <u>043624</u>	Canceled	XF - ECLIPS Food Related - Sidewalk Cafe	Licensee Goby's Grille & Pub - ECLIPS License# 0019686
04/24/2012	<u>12</u> <u>048804</u>	Open	GT - General Activity Tracking - SCS	04/24/2012: Goby's Grille & Pub Lic ID #0019686
04/10/2012	<u>12</u> <u>043152</u>	Finald	RW - PW Right of Way Permit - Obstruction - Sidewalk Cafe	Contractor Greg Goblisch Goby's Grille & Pub - Goby's Grille & Pub - Sidewalk Cafe Eclipse Lic ID #0019686
05/31/2011	<u>11</u> <u>141412</u>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Goby's Grill And Pub
05/13/2011	<u>11</u> <u>129336</u>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Goby's Grill And Pub
05/04/2011	<u>11</u> <u>137663</u>	Closed	GT - General Activity Tracking - License	
04/11/2011	<u>10</u> <u>409598</u>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Goby's Grill And Pub
05/19/2010	<u>10</u> <u>222429</u>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Goby's Grill And Pub
04/14/2010	<u>09</u> <u>065616</u>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Goby's Grill And Pub
12/22/2009	<u>09</u> <u>517314</u>	Certified	CO - Certificate of Occupancy - Assembly	Responsible Party Gregory Goblisch
04/30/2009	<u>09</u> <u>047655</u>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Goby's Grill And Pub
03/26/2009	<u>08</u> <u>029998</u>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Goby's Grill And Pub
02/28/2008	<u>08</u> <u>008574</u>	Canceled	XF - ECLIPS Food Related - Restaurant (4) - 51-150 Seats	Licensee Goby's Grille & Pub - ECLIPS License# 0019686
02/20/2008	<u>07</u> <u>025572</u>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Mr Bob Goblisch Goby's Grille & Pub
01/21/2008	<u>08</u> <u>012921</u>	Closed	CL - Compliance Checks - Liquor Compliance Check	Licensee Goby's Grille & Pub - ECLIPS License# 0019686
01/21/2008	<u>08</u> <u>011762</u>	Pending	CL - Compliance Checks - Liquor Compliance Check	Licensee Goby's Grille & Pub - ECLIPS License# 0019686
12/18/2007	<u>07</u> <u>221039</u>	History	CO - Certificate of Occupancy - Assembly	Responsible Party Gregory Goblisch
05/31/2007	<u>07</u> <u>087875</u>	Closed	PA - Parks Summary Abatement - Graffiti	Owner Gregory Goblisch - Graffiti Police Report
05/31/2007		Closed		Graffiti Police Report

	<u>07</u> <u>087874</u>		CS - CSO Complaint - Graffiti - Complaint	
04/13/2007	<u>07</u> <u>061752</u>	Pending	PV - Project Facilitator Review	Project Applicant Gregory Goblisch
02/28/2007	<u>06</u> <u>289337</u>	Active/Issued	XE - ECLIPS License - Entertainment - Gambling Location	Licensee Goby's Grille & Pub - ECLIPS License# 0019686
02/21/2007	<u>06</u> <u>057111</u>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Mr Bob Goblisch Goby's Grille & Pub
11/03/2006	<u>06</u> <u>263038</u>	Closed	CL - Compliance Checks - Tobacco Compliance Check	Licensee Goby's Grille & Pub - ECLIPS License# 0019686
11/03/2006	<u>06</u> <u>262526</u>	In Compliance	CL - Compliance Checks - Liquor Compliance Check	Licensee Goby's Grille & Pub - ECLIPS License# 0019686
03/22/2006	<u>05</u> <u>079272</u>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Mr Bob Goblisch Goby's Grille & Pub
12/08/2005	<u>05</u> <u>213417</u>	History	CO - Certificate of Occupancy - Assembly	Responsible Party Gregory Goblisch
03/22/2005	<u>04</u> <u>019899</u>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Mr Bob Goblisch Goby's Grille & Pub
11/19/2004	<u>04</u> <u>196238</u>	Closed	LC - DSI Env Health Complaint - Health-Safety- Environment - Env Health	Music at the bar is very loud late at night, have asked the owner of the bar several times to have bands play lower. Good for about a week, patrons of the bar are very loud when coming out of the bar at 2:00 am residents have called Police and nothing gets done. Want some action on the Cities part since a liquor license is involved.
11/19/2004	<u>04</u> <u>196237</u>	Closed	CS - CSO Complaint - Noise - Complaint	Music at the bar is very loud late at night, have asked the owner of the bar several times to have bands play lower. Good for about a week, patrons of the bar are very loud when coming out of the bar at 2:00 am residents have called Police and nothing gets done. Want some action on the Cities part since a liquor license is involved.
11/19/2004	<u>04</u> <u>196235</u>	Closed	CS - CSO Complaint - Parking - FYI - No Response Required	Patrons of the bar are parking in the TCF bank parking lot. A parking lot not intended for the bar patrons. This is occurring more and more on Thursday nights, Police Dept. has been notified on several occasions regarding this problem. Nothing seems to be getting done about this and the bank has posted seven signs regarding the parking there. Patrons are urinating in the lot.
01/07/2004	<u>02</u> <u>232967</u>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Mr Bob Goblisch Goby's Grille & Pub
12/15/2003	<u>03</u> <u>413434</u>	History	CO - Certificate of Occupancy - Assembly	Responsible Party Gregory Goblisch
08/06/2003	<u>03</u> <u>392546</u>	Canceled	XL - ECLIPS License - Liquor - Liquor On Sale - 2 AM Closing	Licensee Goby's Grille & Pub - ECLIPS License# 0019686

10/21/2002	<u>01</u> <u>210245</u>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Mr Bob Goblisch Goby's Grille & Pub
02/08/2002	<u>02</u> <u>099349</u>	History	CO - Certificate of Occupancy - Assembly	Responsible Party Gregory Goblisch
06/13/2001	<u>00</u> <u>128049</u>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Mr Bob Goblisch Goby's Grille & Pub
05/18/2001	<u>01</u> <u>201916</u>	Active	PS - Pre-Fire Survey - Business	Owner Bob Goblisch
03/13/2001	<u>01</u> <u>017924</u>	History	CO - Certificate of Occupancy - Assembly	Responsible Party Gregory Goblisch
11/21/2000	<u>00</u> <u>150672</u>	Closed	BS - Billboard / Sign - Signs - Commercial New	Contractor Darrin Bergman Sign- A-Rama - 16-Nov-2005: Folder closed by system due to no activity in one year Copy to Read: GOBY'S GRILLE & PUB. Closed without final approval
05/22/2000	<u>99</u> <u>006853</u>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Mr Bob Goblisch Goby's Grille & Pub
10/04/1999	<u>99</u> <u>100192</u>	Finald	W - Warm Air, Ventilation & General Sheet - General Sheet Metal - Commercial Repair/Alter	Contractor Miesen Roofing Inc
02/16/1999	<u>99</u> <u>008461</u>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Mr Bob Goblisch Goby's Grille & Pub
07/31/1998	<u>98</u> <u>144865</u>	Closed without Approval	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor Ronald G Oswald Prairie Electric Company Inc - Closed without final approval
02/05/1998	<u>97</u> <u>023964</u>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Mr Bob Goblisch Goby's Grille & Pub
04/01/1997	<u>97</u> <u>021825</u>	Canceled	XE - ECLIPS License - Entertainment - Gambling Location (Class C)	Licensee Goby's Grille & Pub - ECLIPS License# 0021825
02/01/1997	<u>97</u> <u>082035</u>	Canceled	XE - ECLIPS License - Entertainment - Gambling Manager	Licensee Jennifer Olson Inactive -- Children's Program Northern - ECLIPS License# 0082035
07/08/1996	<u>95</u> <u>000393</u>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Mr Bob Goblisch Goby's Grille & Pub
10/09/1994	<u>94</u> <u>013281</u>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Mr Bob Goblisch Goby's Grille & Pub
01/27/1993	<u>99</u> <u>005147</u>	Closed	EC - Environmental Complaint History (DC)	CONVERTED FROM PARADOX SYSTEM. NO NARRATIVE.
11/02/1991	<u>91</u> <u>019686</u>	Active/Issued	XL - ECLIPS License - Liquor - Liquor On Sale - 100 seats or less	Licensee Goby's Grille & Pub - ECLIPS License# 0019686
11/02/1991	<u>91</u> <u>019686</u>	Active/Issued	XL - ECLIPS License - Liquor - Liquor On Sale - Sunday	Licensee Goby's Grille & Pub - ECLIPS License# 0019686
11/02/1991	<u>91</u> <u>019686</u>	Canceled	XF - ECLIPS Food Related - Restaurant (B) - more than 12 seats	Licensee Goby's Grille & Pub - ECLIPS License# 0019686
11/02/1991	<u>91</u> <u>019686</u>	Canceled	XS - ECLIPS License - Miscellaneous - Cigarette/Tobacco	Licensee Goby's Grille & Pub - ECLIPS License# 0019686
04/01/1991	<u>91</u> <u>043526</u>	Canceled	XS - ECLIPS License - Miscellaneous - Cigarette/Tobacco	Licensee Tower Tap Bar And Grill I Goby's Grille & Pub - ECLIPS License# 0043526
02/14/1991	<u>99</u> <u>025845</u>	History		Establishment Mr Bob Goblisch Goby's Grille & Pub

			RS - Restaurant Inspection - No Risk - Routine Inspection	
02/08/1990	<u>90</u> <u>022786</u>	Canceled	XL - ECLIPS License - Liquor - Liquor On Sale - 100 seats or less	Licensee Tower Tap Bar And Grill I Goby's Grille & Pub - ECLIPS License# 0022786
02/08/1990	<u>90</u> <u>022786</u>	Canceled	XL - ECLIPS License - Liquor - Liquor On Sale - Sunday	Licensee Tower Tap Bar And Grill I Goby's Grille & Pub - ECLIPS License# 0022786
02/08/1990	<u>90</u> <u>022786</u>	Canceled	XL - ECLIPS License - Liquor - Malt Off Sale	Licensee Tower Tap Bar And Grill I Goby's Grille & Pub - ECLIPS License# 0022786
12/11/1989	<u>89</u> <u>016144</u>	Canceled	XL - ECLIPS License - Liquor - Malt Off Sale	Licensee James T Hannegan & Donald Tower Tap Bar & Grill Inc - ECLIPS License# 0016144
12/11/1989	<u>89</u> <u>016144</u>	Canceled	XL - ECLIPS License - Liquor - Malt On Sale (3.2)	Licensee James T Hannegan & Donald Tower Tap Bar & Grill Inc - ECLIPS License# 0016144
12/11/1989	<u>89</u> <u>016144</u>	Canceled	XL - ECLIPS License - Liquor - Wine On Sale	Licensee James T Hannegan & Donald Tower Tap Bar & Grill Inc - ECLIPS License# 0016144
11/25/1981	<u>81</u> <u>003602</u>	History	CO - Certificate of Occupancy - Assembly	Responsible Party Gregory Goblich
11/25/1981	<u>81</u> <u>013601</u>	History	CO - Certificate of Occupancy - Assembly	Responsible Party Gregory Goblich