



CITY OF SAINT PAUL  
*Christopher B. Coleman, Mayor*

ENVIRONMENTAL HEALTH SERVICES  
375 Jackson Street, Suite 220  
Saint Paul, Minnesota 55101-1806

**Telephone:** 651-266-8989  
**Faxsimile:** 651-266-9124  
**Web:** [www.stpaul.gov/dsi](http://www.stpaul.gov/dsi)

May 13, 2015

Kelly O'Shaughnessy  
702 Fairmount Avenue  
Saint Paul MN 55105

Dear Ms. O'Shaughnessy:

This is to confirm that our office has received your application for a variance from the city's noise ordinance and that it is being processed.

The Department of Safety and Inspections has recommended that a variance be issued with conditions. See attached resolution.

A public hearing on your request for a variance has been scheduled for **Wednesday, June 3, 2015 at 5:30 p.m.**, Third Floor, City Council Chambers, at the Saint Paul City Hall/Ramsey County Courthouse, 15 Kellogg Boulevard W., Saint Paul, Minnesota.

You may wish to be present at this hearing to answer any questions that the City Council might have. After the public hearing, the Council may grant, deny, or modify the variance request.

**If you have any questions, please contact:**

**Barb McMonigal-St.Dennis, Environmental Health Specialist**  
**[barb.mcmonigal-st.dennis@ci.stpaul.mn.us](mailto:barb.mcmonigal-st.dennis@ci.stpaul.mn.us)**