

**From:** [Tim Niver](#)  
**To:** [Peterson, Janis \(CI-StPaul\)](#)  
**Subject:** Re: construction drawings/Mucci's  
**Date:** Friday, May 28, 2021 8:30:17 AM

---

**Think Before You Click:** This email originated **outside** our organization.

Janis,

Please keep in mind that this drawing does not show the visual screening for the dumpsters. It is most definitely part of the plan.

Thank you,

Timothy Niver  
Mucci's Italian

On Fri, May 28, 2021 at 7:07 AM Tim Niver <[timniver@gmail.com](mailto:timniver@gmail.com)> wrote:

# PROJECT PARTICIPANTS

## ARCHITECT

Infinite Group Ltd.  
275 Market Street Suite 519  
Minneapolis MN, 55405

Contact: Kwadwo Boadi-Aboagye  
612.202.7417 phone

Firm Ground A&E  
275 Market Street Suite 368  
Minneapolis MN, 55405

Contact: David Hanks  
612.819.1935 office

## CLIENT


Tim Niver  
612-251-6594

## MECHANICAL/ ELECTRICAL

## DESIGN-BUILD CONTRACTOR

Flannery Construction  
Contact: Jerry Flannery  
612-919-6888

# PROJECT: MUCCI'S ITALIAN




INFINITE GROUP LTD  
275 Market Street 519  
Minneapolis, MN 55405  
612.202.7417 mobile  
www.infinitegroupd.com



FIRM GROUND A&E, INC.  
275 Market Street 368  
Minneapolis, MN 55405  
612.819.1835 office  
www.firmgroundae.com

## LOCATION MAP



786 RANDOLPH AV  
SAINT PAUL, MN  
55102

SITE



## SHEET INDEX

### ARCHITECTURAL

SHEET NUMBER	SHEET NAME	Sheet Issue Date
A021	CODE ANALYSIS AND LIFE SAFETY PLAN	03/29/21
A100	DEMO FLOOR PLANS	03/29/21
A200	ARCHITECTURAL SITE PLAN AND FLOOR PLAN	05/12/21
A300	REFLECTED CEILING PLAN	05/12/21
A400	FINISH FLOOR PLAN	05/12/21
A500	ELEVATIONS AND DOOR SCHEDULE	05/12/21

### STRUCTURAL

SEE STRUCTURAL

### MECHANICAL AND ELECTRICAL

SEE MEP DRAWINGS

### CIVIL

SEE CIVIL DRAWINGS

## DRAWING SYMBOLS

	DEMOLITION NOTE		DOOR
	NORTH ARROW		WINDOW
	MATCH LINE		LOUVER
	GRID NUMBER /LINE		WALL TYPE
	SECTION REFERENCE		VISUAL DISPLAY BOARD TYPE
	ELEVATION REFERENCE		TV
	DETAIL NO.		EQUIPMENT NOTE
	SHEET NO.		VERTICAL BLINDS
	FINISHED FLOOR ELEVATION		CASEWORK TYPE
	BREAK LINE		SIGN TYPE
	KEY NOTE		
	ROOM		


## MATERIAL SYMBOLS

	EXISTING CONSTRUCTION TO REMAIN		FINISHED WOOD
	REMOVE EXISTING CONSTRUCTION		METAL
	CONCRETE BLOCK		RIGID INSULATION
	LIGHTWEIGHT CONCRETE BLOCK		BATT INSULATION
	BRICK		BLOWN/POURED INSULATION
	STRUCTURAL GLAZED FACING TILE		CEMENT PLASTER/STUCCO
	CONCRETE		GYP. BD.
	PLYWOOD		ACOUSTICAL TILE/PANEL

CLIENT:

Mucci's Italian

786 Randolph Av  
St Paul, MN 55102



Key Plan

ARCHITECT STAMP

I hereby certify that this plan, specification, or report was prepared by me or under my direct supervision, and that I am a duly Licensed Architect under the laws of the State of Minnesota.

Printed Name: THOMAS P. WASMOEN

Signature: \_\_\_\_\_

Date: 03/29/2021 License #: 20891

No.	Date	Revision Description
1	03/29/2021	PERMIT SET
2	04/02/2021	REVISION 1
3	05/12/2021	CD SET


## TITLE SHEET

Project 21.0002.01 Drawing No.  
Date 03/22/2021  
Drawn by CD T001  
Checked by KBA

CODES AND REGULATORY INFORMATION

<b>PROJECT INFORMATION</b> PROJECT NAME: MUCCI'S ITALIAN PROJECT LOCATION: 786 RANDOLPH AV ST PAUL, MN 55102		<b>MINNESOTA CODES</b> 2020 MN STATE BUILDING CODE 2020 MN ENERGY CODE 2020 MN ACCESSIBILITY CODE 2015 MN PLUMBING CODE 2018 IBC		<b>REGULATORY AGENCIES</b> BUILDING INSPECTION: CITY OF ST PAUL Department of Safety and Inspections 375 Jackson Street Suite 220 Saint Paul, MN 55101 PHONE: (651) 266-8989		ENVIRONMENTAL HEALTH: RASMSEY COUNTY Health Department 90 Plato Blvd W #200, St Paul, MN 55107 PHONE: (651) 266-2400																																																																										
<b>OCCUPANCY DATA</b> OCCUPANCY GROUP: A-2 CONSTRUCTION TYPE: III FIRE SPRINKLERS: NO EXITS REQUIRED: 2 EXITS PROVIDED: 3 SEATING COUNT: 60 ACCESSIBLE SEATING: 5%: 3		<b>AREA SCHEDULE (CODE PLANS)</b> <table border="1"> <thead> <tr> <th>OCCUPANCY TYPE</th> <th>FUNCTION</th> <th>AREA</th> <th>OCCUPANT LOAD CALCULATED</th> <th>OCCUPANT LOAD FACTOR</th> </tr> </thead> <tbody> <tr><td>A-2</td><td>BACK BAR</td><td>29 SF</td><td>1.0</td><td>30</td></tr> <tr><td>A-2</td><td>COOLER</td><td>101 SF</td><td>0.3</td><td>300</td></tr> <tr><td>A-2</td><td>DINING</td><td>556 SF</td><td>37.1</td><td>15</td></tr> <tr><td>A-2</td><td>ENTRY</td><td>46 SF</td><td>6.6</td><td>7</td></tr> <tr><td>A-2</td><td>GARAGE</td><td>494 SF</td><td>1.6</td><td>300</td></tr> <tr><td>A-2</td><td>HALL</td><td>116 SF</td><td>16.6</td><td>7</td></tr> <tr><td>A-2</td><td>KITCHEN</td><td>142 SF</td><td>0.7</td><td>200</td></tr> <tr><td>A-2</td><td>OUTDOOR SERVICE COUNTER</td><td>41 SF</td><td>1.4</td><td>30</td></tr> <tr><td>A-2</td><td>PATIO</td><td>1049 SF</td><td>69.9</td><td>15</td></tr> <tr><td>A-2</td><td>PREP</td><td>52 SF</td><td>0.3</td><td>200</td></tr> <tr><td>A-2</td><td>RESTROOM</td><td>101 SF</td><td>0.0</td><td>200</td></tr> <tr><td>A-2</td><td>SCULLERY</td><td>101 SF</td><td>0.5</td><td>200</td></tr> <tr><td>A-2</td><td>SERVICE COUNTER</td><td>80 SF</td><td>2.7</td><td>30</td></tr> <tr><td colspan="2"></td><td>2908 SF</td><td>TOTAL OCCUPANTS:</td><td>144</td></tr> </tbody> </table>				OCCUPANCY TYPE	FUNCTION	AREA	OCCUPANT LOAD CALCULATED	OCCUPANT LOAD FACTOR	A-2	BACK BAR	29 SF	1.0	30	A-2	COOLER	101 SF	0.3	300	A-2	DINING	556 SF	37.1	15	A-2	ENTRY	46 SF	6.6	7	A-2	GARAGE	494 SF	1.6	300	A-2	HALL	116 SF	16.6	7	A-2	KITCHEN	142 SF	0.7	200	A-2	OUTDOOR SERVICE COUNTER	41 SF	1.4	30	A-2	PATIO	1049 SF	69.9	15	A-2	PREP	52 SF	0.3	200	A-2	RESTROOM	101 SF	0.0	200	A-2	SCULLERY	101 SF	0.5	200	A-2	SERVICE COUNTER	80 SF	2.7	30			2908 SF	TOTAL OCCUPANTS:	144
OCCUPANCY TYPE	FUNCTION	AREA	OCCUPANT LOAD CALCULATED	OCCUPANT LOAD FACTOR																																																																												
A-2	BACK BAR	29 SF	1.0	30																																																																												
A-2	COOLER	101 SF	0.3	300																																																																												
A-2	DINING	556 SF	37.1	15																																																																												
A-2	ENTRY	46 SF	6.6	7																																																																												
A-2	GARAGE	494 SF	1.6	300																																																																												
A-2	HALL	116 SF	16.6	7																																																																												
A-2	KITCHEN	142 SF	0.7	200																																																																												
A-2	OUTDOOR SERVICE COUNTER	41 SF	1.4	30																																																																												
A-2	PATIO	1049 SF	69.9	15																																																																												
A-2	PREP	52 SF	0.3	200																																																																												
A-2	RESTROOM	101 SF	0.0	200																																																																												
A-2	SCULLERY	101 SF	0.5	200																																																																												
A-2	SERVICE COUNTER	80 SF	2.7	30																																																																												
		2908 SF	TOTAL OCCUPANTS:	144																																																																												
<b>PLUMBING FIXTURES</b> <b>RESTROOM FACILITIES</b> <table border="1"> <thead> <tr> <th>REQUIRED</th> <th>PROVIDED</th> </tr> </thead> <tbody> <tr><td>1</td><td>1</td></tr> <tr><td>1</td><td>1</td></tr> </tbody> </table> <b>WATER CLOSETS:</b> MALES: 72 X 1/75 = 96 FEMALES: 72 X 1/75 = 96 LAVATORIES: 72 MALES: 72 X 1/200 = 36 FEMALES: 72 X 1/200 = 36 SERVICE SINK: 1		REQUIRED	PROVIDED	1	1	1	1	<b>MEANS OF EGRESS: REQUIRED WIDTHS</b> <table border="1"> <thead> <tr> <th>EXIT LOCATION</th> <th>OCC. SERVED</th> <th>OCC. FACTOR</th> <th>REQUIRED</th> <th>PROVIDED</th> </tr> </thead> <tbody> <tr><td>1. MAIN ENTRY</td><td>44</td><td>.2 PER OCC</td><td>8.8"</td><td>34"</td></tr> <tr><td>2. REAR EXIT</td><td>10</td><td>.2 PER OCC</td><td>2"</td><td>34"</td></tr> <tr><td>3. PATIO ENTRY</td><td>17</td><td>.2 PER OCC</td><td>3.4"</td><td>68"</td></tr> <tr><td>4. PATIO EXITS</td><td>90</td><td>.2 PER OCC</td><td>18"</td><td>34" x 2</td></tr> </tbody> </table>				EXIT LOCATION	OCC. SERVED	OCC. FACTOR	REQUIRED	PROVIDED	1. MAIN ENTRY	44	.2 PER OCC	8.8"	34"	2. REAR EXIT	10	.2 PER OCC	2"	34"	3. PATIO ENTRY	17	.2 PER OCC	3.4"	68"	4. PATIO EXITS	90	.2 PER OCC	18"	34" x 2																																												
REQUIRED	PROVIDED																																																																															
1	1																																																																															
1	1																																																																															
EXIT LOCATION	OCC. SERVED	OCC. FACTOR	REQUIRED	PROVIDED																																																																												
1. MAIN ENTRY	44	.2 PER OCC	8.8"	34"																																																																												
2. REAR EXIT	10	.2 PER OCC	2"	34"																																																																												
3. PATIO ENTRY	17	.2 PER OCC	3.4"	68"																																																																												
4. PATIO EXITS	90	.2 PER OCC	18"	34" x 2																																																																												
<b>TRAVEL DISTANCE</b> <table border="1"> <thead> <tr> <th>TYPE</th> <th>TOTAL DISTANCE</th> </tr> </thead> <tbody> <tr><td>COMMON EGRESS PATH</td><td>14' - 6"</td></tr> <tr><td>EXIT PATH A</td><td>61' - 2"</td></tr> <tr><td>EXIT PATH B</td><td>17' - 10"</td></tr> <tr><td>LONGEST DIAGONAL</td><td>62' - 3"</td></tr> </tbody> </table>		TYPE	TOTAL DISTANCE	COMMON EGRESS PATH	14' - 6"	EXIT PATH A	61' - 2"	EXIT PATH B	17' - 10"	LONGEST DIAGONAL	62' - 3"	<b>TOTAL AREA:</b> 1,675 SF.																																																																				
TYPE	TOTAL DISTANCE																																																																															
COMMON EGRESS PATH	14' - 6"																																																																															
EXIT PATH A	61' - 2"																																																																															
EXIT PATH B	17' - 10"																																																																															
LONGEST DIAGONAL	62' - 3"																																																																															

<b>LEGEND</b> [Symbol] NEW CONSTRUCTION [Symbol] NO WORK IN THIS AREA [Symbol] 1 HR. FIRE BARRIER [Symbol] 2 HR. FIRE BARRIER		1. PROVIDE CEILING MOUNTED POWERED ILLUMINATION EXIT SIGN AND EMERGENCY LIGHTING AT LOCATION NOTED. 2. REMOTE BATTERY BACKUP EXIT LIGHTING ON BUILDING EXTERIOR ABOVE AND CENTERED ON DOOR, WITH LIGHT DIRECTED TO EXIT DOOR LANDING. <b>CODE COMPLIANCE NOTES:</b> ALL EXITS SHALL BE OPERABLE FROM THE INSIDE WITHOUT THE USE OF A KEY AND WITHOUT ANY SPECIAL KNOWLEDGE OR EFFORT. PUBLIC BUILDING AND FACILITIES MUST BE ACCESSIBLE TO AND BE FUNCTIONAL FOR PHYSICALLY DISABLED PERSONS AS REQUIRED BY MN ACCESSIBILITY CODE.	
---	--	--	--




**Occupancy Areas**

[Symbol] BACK BAR	[Symbol] OUTDOOR SERVICE COUNTER
[Symbol] COOLER	[Symbol] PATIO
[Symbol] DINING	[Symbol] PREP
[Symbol] ENTRY	[Symbol] RESTROOM
[Symbol] GARAGE	[Symbol] SCULLERY
[Symbol] HALL	[Symbol] SERVICE COUNTER
[Symbol] KITCHEN	

1 LIFE SAFETY PLAN - GROUND LEVEL  
1/4" = 1'-0"

CITY SIDEWALK  
VIEW STREET



SITE MAP  
1" = 10'-0"

**INFINITE GROUP, LTD.**  
 ARCHITECTS & ENGINEERS  
 FIRM GROUND A&E, INC.  
 275 Market Street 368  
 Minneapolis, MN 55405  
 612.819.1835 office  
 www.firmgroundae.com

**CLIENT:**  
 Mucci's Italian  
 786 Randolph Av  
 St Paul, MN 55102

Key Plan  
 ARCHITECT STAMP  
 Signature: [Handwritten Signature]  
 I hereby certify that this plan, specification, or report was prepared by me or under my direct supervision, and that I am a duly Licensed Architect under the laws of the State of Minnesota.  
 Printed Name: THOMAS P. WASMOEN  
 Signature: \_\_\_\_\_  
 Date: 03/29/2021 License #: 20891

No.	Date	Revision Description
1	03/29/2021	PERMIT SET

CODE ANALYSIS AND LIFE SAFETY PLAN

Project: 21.0002.01 Drawing No.: A021  
 Date: 03/22/2021  
 Drawn by: CD  
 Checked by: KBA



INFINITE GROUP LTD  
275 Market Street 519  
Minneapolis, MN 55405


612.202.7417 mobile  
www.infinitegroupd.com



FIRM GROUND A&E, INC.  
275 Market Street 368  
Minneapolis, MN 55405  
612.819.1835 office  
www.firmgroundae.com

CLIENT:  
Mucci's Italian

786 Randolph Av  
St Paul, MN 55102



Key Plan

ARCHITECT STAMP

I hereby certify that this plan, specification, or report was prepared by me or under my direct supervision, and that I am a duly Licensed Architect under the laws of the State of Minnesota.

Printed Name: THOMAS P. WASMOEN

Signature: \_\_\_\_\_


Date: 03/29/2021 License #: 20891

No.	Date	Revision Description
1	03/29/2021	PERMIT SET


DEMO FLOOR PLANS

Project 21.0002.01 Drawing No.  
Date 03/22/2021  
Drawn by CD A100  
Checked by KBA

- GENERAL NOTES:**
- NO WORKS TO BE DONE IN KITCHEN OR ASSOCIATED SPACES, OR IN BASEMENT.
  - PROVIDE WALL BLOCKING FOR ALL WALL SUPPORTED ITEMS INCLUDING BUT NOT LIMITED TO: WALL CABINETS, TRIMS, WINDOW TREATMENTS, FASTENINGS, DOOR STOPS, TOILET ACCESSORIES, VISUAL DISPLAY BOARDS, ETC. ALL WOOD BLOCKING TO BE FIRE RETARDANT TREATED.
  - PROVIDE FIRE RATED ASSEMBLIES FOR ALL PENETRATIONS AND OPENINGS TO MEET THE REQUIRED RATINGS.
  - DIMENSIONS TO WALL ARE TO FACE OF FINISHED WALL UNLESS NOTED OTHERWISE.
  - CONTRACTOR TO CONSULT WITH ARCHITECT ON SUB FLOOR LEVELING.
- DEMOLITION KEYNOTES:**
- DEMO EXISTING WALLS. PATCH EXTERIOR WALLS TO MATCH WHERE NECESSARY.
  - DEMO EXISTING DOORS AND FRAMES. PREPARE AND REFRAME OPENINGS FOR NEW WINDOWS, FINISHES.
  - DEMO EXISTING WINDOW. PREPARE AND REFRAME OPENINGS FOR NEW WINDOWS, FINISHES.
  - PREPARE SUBFLOOR TO INFILL TO MATCH EXISTING FLOOR IN DINING AREA.
  - REMOVE AND/OR RELOCATE EXISTING ELECTRICAL IN VESTIBULE FOR FUTURE USE.
  - DEMO AND RELOCATE EXISTING DUCTWORK.
  - EXISTING PLUMBING FIXTURES TO BE RELOCATED.
  - DEMO AND RECYCLE EXISTING PERIMETER FENCING.
  - DEMO EXISTING WINDOW AND WALL TO ACCOMMODATE NEW BATHROOM DOOR.
  - DEMO EXISTING BATHROOM DOOR. OPENING TO BE INFILLED TO MATCH EXISTING WALLS IMMEDIATELY ADJACENT.
  - EXISTING ROOF DRAIN TO BE RELOCATED TO DAYLIGHT ONTO ROOF OF NEW ADDITION.
  - EXISTING METER TO BE RELOCATED. CONTACT APPROPRIATE UTILITY.
  - DEMO EXISTING WALL AND PREPARE FOR NEW PASS-THROUGH WINDOW.
  - DEMO CANOPY ABOVE SIDEWALK. REPAIR / PATCH BRICK TO MATCH EXISTING.
- LEGEND**
- EXISTING WALL TO REMAIN
  - EXISTING ITEM TO BE DEMOLISHED
  - AREA NOT PART OF SCOPE



1 GROUND LEVEL DEMO PLAN  
3/8" = 1'-0"






INFINITE GROUP LTD  
275 Market Street 519  
Minneapolis, MN 55405  
612.202.7417 mobile  
www.infinitegroupd.com



FIRM GROUND A&E, INC.  
275 Market Street 368  
Minneapolis, MN 55405  
612.819.1835 office  
www.firmgroundae.com

CLIENT:  
**Mucci's Italian**  
  
786 Randolph Av  
St Paul, MN 55102



ARCHITECT STAMP

I hereby certify that this plan, specification, or report was prepared by me or under my direct supervision, and that I am a duly Licensed Architect under the laws of the State of Minnesota.

Printed Name: THOMAS P. WASMOEN  
Signature: \_\_\_\_\_

Date: 03/29/2021 License #: 20891

No.	Date	Revision Description
1	03/29/2021	PERMIT SET
2	04/02/2021	REVISION 1
3	05/12/2021	CD SET

**ARCHITECTURAL SITE PLAN AND FLOOR PLAN**

Project 21.0002.01 Drawing No.  
Date 03/22/2021  
Drawn by CD A200  
Checked by KBA


**GENERAL NOTES**

1. PROVIDE WALL BLOCKING FOR ALL WALL SUPPORTED ITEMS INCLUDING BUT NOT LIMITED TO: WALL CABINETS, TRIMS, WINDOW TREATMENTS, FASTENINGS, DOOR STOPS, TOILET ACCESSORIES, VISUAL DISPLAY BOARDS ETC. ALL WOOD BLOCKING TO BE FIRE RETARDANT TREATED.
2. PROVIDE FIRE RATED ASSEMBLIES FOR ALL PENETRATIONS AND OPENINGS TO MEET THE REQUIRED RATINGS.
3. DIMENSIONS TO STUD WALLS ARE TO FACE OF FINISHED WALL UNLESS NOTED OTHERWISE.
4. VERIFY ALL RECESSED SLABS, FLOOR DRAINS AND TRENCHES WITH MECHANICAL AND STRUCTURAL DRAWINGS.
5. CONTRACTOR TO CONSULT WITH ARCHITECT ON SUB FLOOR LEVELING.

**FIRE NOTES**



- FE1 FIRE EXTINGUISHER AND BRACKET  
FE2 FIRE EXTINGUISHER IN SEMI-RECESSED CABINET  
FE3 FIRE EXTINGUISHER IN FULLY-RECESSED CABINET
- NOTE:  
TYPE 'B' FIRE EXTINGUISHERS ARE TYPICAL

**WALL TYPES**




**TOTAL AREA:**  
1,675 SF.

- KEYNOTES**
- 1 PASS THRU WINDOW TO KITCHEN
  - 2 CASEWORK
  - 3 FENCE-WALL PARTITION
  - 4 PLANTER
  - 5 FIREPLACE (NOT USED)
  - 6 SINK
  - 7 LOUVERED GATE
  - 8 FOOTINGS AT PERGOLA SUPPORT COLUMNS - VERIFY SIZE / REQUIREMENTS WITH ENGINEER
  - 9 STRING LIGHT ANCHOR / SUPPORT COLUMN



1 GROUND FLOOR PLAN  
1/4" = 1'-0"

2 ENLARGED RESTROOM PLAN  
1/2" = 1'-0"



1 REFLECTED CEILING PLAN  
1/4" = 1'-0"

**GENERAL RCP NOTES**

1. CEILING PLANS SHOW DESIGN INTENT ONLY. REFER TO SPECIFICATIONS AS WELL AS MECHANICAL AND ELECTRICAL DRAWINGS FOR DEVICES, TYPES AND INSTALLATION. NOTE: DEVICES SHOWN ON ARCHITECTURAL PAN AND NOT ON THE ENGINEERING DRAWINGS OR SPECIFICATIONS SHOULD BE BROUGHT TO ARCHITECT'S ATTENTION FOR CLARIFICATION.
2. ALL CEILINGS TO BE EXPOSED UNLESS NOTED OTHERWISE.
3. SEE MECHANICAL AND ELECTRICAL DRAWINGS FOR DEVICE/FIXTURE TYPES, SIZES, INSTALLATION AND SPECIFICATIONS.
4. ACOUSTICAL CEILING GRID SHALL BE CENTERED IN ROOMS UNLESS NOTED OTHERWISE.
5. CEILING HEIGHTS ARE DIMENSIONED FROM FLOOR LINE DESIGN ELEVATION TO FINISHED CEILING.
6. CENTER RECESSED LIGHTS, ELECTRICAL AND MECHANICAL DEVICES WHEN SHOWN IN CEILING TILE. WHERE RECESSED LIGHTS ARE SHOWN OFF-CENTER IN A 2X2 SCORED CEILING TILE, CENTER THE FIXTURE WITHIN THE 2X2 PORTION OF THE TILE.
7. COORDINATE ALL PROJECT SCHEDULING WITH OWNER OR AS SPECIFIED AND/OR SHOWN ON THE DRAWINGS.
8. MECHANICAL, PLUMBING AND ELECTRICAL CONTRACTORS SHALL COORDINATE ALL DEVICES REQUIRING ACCESS IN NON-ACCESSIBLE CEILINGS. PROVIDE ACCESS PANELS AS NEEDED. (E.G. MECHANICAL VAV BOXES, PLUMBING CLEANOUTS, ETC.)
9. ALL CEILING FINISHES ADJACENT TO OR WITHIN THE LIMITS OF CONSTRUCTION DISTURBED OR DAMAGED BY CONSTRUCTION SHALL BE PATCHED TO MATCH EXISTING ADJACENT CEILING FINISH.
10. INSTALL CONTROL JOINTS IN CEILINGS TO LIMIT AREAS TO 2,500 SQUARE FEET. ADDITIONALLY, CONTROL JOINTS SHOULD BE INSTALLED IN CEILINGS TO LIMIT DIMENSIONS IN EITHER DIRECTION TO 50 FEET.
11. REFER TO MATERIAL IDENTIFICATION LIST AND ROOM FINISH SCHEDULE FOR CEILING FINISHES.
12. SEE ROOM FINISH SCHEDULE FOR CEILING FINISH/MATERIAL IF NOT INDICATED ON THIS PLAN.
13. COORDINATE EXACT LOCATIONS OF LIGHT FIXTURES, SPEAKERS, SMOKE DETECTORS, EXIT LIGHTS, ACCESS PANELS, SPRINKLER HEADS, HVAC DUCTS, DIFFUSERS, REGISTERS, SURVEILLANCE EQUIPMENT AND OTHER SUCH CEILING ITEMS WITH MECHANICAL, ELECTRICAL AND OTHER TRADES. NOTIFY ARCHITECT PROMPTLY IF ANY LOCATIONS CONFLICT WITH ARCHITECTURAL PLANS.

**LEGEND**

EXISTING WALL TO REMAIN

AREA NOT PART OF SCOPE

**CEILING PLAN SCHEDULE**

L-1	6" RECESSED CAN LIGHTS, BY CONTRACTOR
L-2	PENDANT LIGHTS, BY OWNER
L-3	2x2 TROFFER LIGHT, BY CONTRACTOR
L-4	STRING LIGHTS, BY CONTRACTOR
VACT-1	VINYL ACOUSTIC CEILING TILE, BY CONTRACTOR




INFINITE GROUP LTD  
275 Market Street 519  
Minneapolis, MN 55405  
612.202.7417 mobile  
www.infinitegroup.com



FIRM GROUND A&E, INC.  
275 Market Street 368  
Minneapolis, MN 55405  
612.819.1835 office  
www.firmground.com

**CLIENT:**  
**Mucci's Italian**  
**786 Randolph Av**  
**St Paul, MN 55102**



ARCHITECT STAMP


I hereby certify that this plan, specification, or report was prepared by me or under my direct supervision, and that I am a duly Licensed Architect under the laws of the State of Minnesota.

Printed Name: THOMAS P. WASMOEN  
Signature: \_\_\_\_\_  
Date: 03/29/2021 License #: 20891

No.	Date	Revision Description
1	03/29/2021	PERMIT SET
3	05/12/2021	CD SET 2

**REFLECTED CEILING PLAN**

Project 21.0002.01 Drawing No.  
Date 03/22/2021  
Drawn by CD A300  
Checked by KBA



**LEGEND**

- EXISTING WALL TO REMAIN
- AREA NOT PART OF SCOPE
- QUARRY TILE (CT-1). COLOR AND TEXTURE TBD.
- CERAMIC TILE (CT-2) COLOR TBD.
- EXPOSED CONCRETE (CN-1)

**FINISH PLAN SCHEDULE**

- (WP-1) WAINSCOT PANEL: DARK WALNUT STAIN
- (WT-1) WALL TILE: BEVELED SUBWAY TILE: BLACK
- (WT-2) WALL TILE: PENNY TILE: LIGHT GRAY
- (WT-3) WALL TILE: COLOR MARKET AMSTERDAM IN HERRING BONE PATTERN
- (FRP-1) FIBER REINFORCED PLASTIC: COLOR WHITE
- (FRP-2) FIBER REINFORCED PLASTIC: COLOR BLACK
- (CT-1) CERAMIC TILE: 8x8 ARTISAN CARDIFF
- (CT-2) QUARRY TILE (EXISTING)
- (PT-1) PAINT: WHITE
- (CN-1) SEALED CONCRETE
- (CN-2) CONCRETE BAR COUNTER: BLACK PIGMENT
- (CN-3) STAMPED CONCRETE SLAB AT PATIO
- (FC-1) LP SMARTSIDE FIBER CEMENT SIDING

CONTACT FOR ALL TILE: "TILE SHOP"




INFINITE GROUP LTD  
275 Market Street 519  
Minneapolis, MN 55405  
612.202.7417 mobile  
www.infinitegroup.com



FIRM GROUND A&E, INC.  
275 Market Street 368  
Minneapolis, MN 55405  
612.819.1835 office  
www.firmground.com

**CLIENT:**  
**Mucci's Italian**  
**786 Randolph Av**  
**St Paul, MN 55102**



ARCHITECT STAMP  
*[Signature]*

I hereby certify that this plan, specification, or report was prepared by me or under my direct supervision, and that I am a duly Licensed Architect under the laws of the State of Minnesota.

Printed Name: THOMAS P. WASMOEN  
Signature: \_\_\_\_\_  
Date: 03/29/2021 License #: 20891

No.	Date	Revision Description
1	03/29/2021	PERMIT SET
2	04/02/2021	REVISION 1
3	05/12/2021	CD SET

**FINISH FLOOR PLAN**

Project 21.0002.01 Drawing No.  
Date 03/22/2021  
Drawn by CD **A400**  
Checked by KBA






1 FINISH FLOOR PLAN  
1/4" = 1'-0"

- KEYNOTES**
- ① PRIVACY FENCE - CEDAR
  - ② PLANTER
  - ③ STEEL COLUMN AT GATE - BLACK PAINT
  - ④ STEEL BEAM AT GATE - BLACK PAINT
  - ⑤ WOOD SLATS
  - ⑥ FIREPLACE (NOT USED)
  - ⑦ STRING LIGHTS
  - ⑧ LOUVERED GATE
  - ⑨ LP SMARTSIDE FIBER CEMENT SIDING
  - ⑩ STRING LIGHT ANCHOR / SUPPORT COLUMN
  - ⑪ STEEL CABLE FOR STRING LIGHTS




INFINITE GROUP LTD  
275 Market Street 519  
Minneapolis, MN 55405  
612.202.7417 mobile  
www.infinitegrouppltd.com

FIRM GROUND  
**fg**  
architects & engineers  
FIRM GROUND A&E, INC.  
275 Market Street 368  
Minneapolis, MN 55405  
612.819.1835 office  
www.firmgroundae.com



DOOR SCHEDULE							
Type Mark	Door Style	Count	Height	Width	Door Material	Frame Material	Comments
A	Aluminum Glazed	1	6' - 8"	3' - 0"	Aluminum Anod	Aluminum Anod	Exterior Lockset
B	Wood Flush	2	6' - 8"	3' - 0"	Wood	Metal	Lockset
C	Aluminum Glazed	1	6' - 8"	6' - 0"	Aluminum Anod	Aluminum Anod	Exterior Lockset
D3		1	8' - 2 7/16"	5' - 3"			
Grand total:		5					

**CLIENT:**  
Mucci's Italian  
786 Randolph Av  
St Paul, MN 55102



ARCHITECT STAMP

I hereby certify that this plan, specification, or report was prepared by me or under my direct supervision, and that I am a duly Licensed Architect under the laws of the State of Minnesota.

Printed Name: THOMAS P. WASMOEN  
Signature: \_\_\_\_\_  
Date: 03/29/2021 License #: 20891

No.	Date	Revision Description
1	03/29/2021	PERMIT SET
2	04/02/2021	REVISION 1
3	05/12/2021	CD SET

**ELEVATIONS AND DOOR SCHEDULE**

Project 21.0002.01 Drawing No.  
Date 03/22/2021  
Drawn by CD A500  
Checked by KBA