Proposal for HOTWORX Operational Adjustments

Thank you for the opportunity to discuss the conditions for HOTWORX, a 24-hour infrared sauna fitness studio. We aim to operate according to the national HOTWORX model, which includes round-the-clock access for members. I understand there is an ordinance in place allowing gyms to operate 24 hours unmanned, except when saunas are involved. As saunas are the core equipment in our facility, we recognize the need for special conditions and have implemented robust safety measures that align with this requirement. Below, I propose modifications to the current conditions to reflect our specific operations.

Current Condition 1.

At least one employee or manager, trained and qualified in first aid and CPR, shall be on duty at all times when the licensed premises are in operation or open to the public.

Proposed Update:

HOTWORX provides 24-hour security through surveillance systems, and a personal emergency response system is available for members who choose to wear emergency buttons, allowing them to directly contact emergency services if needed. The local police department also has 24-hour access to our security cameras. Our staff is scheduled during peak traffic hours, ensuring trained personnel are present during busy times. Additionally, when members sign up, they receive training on the safe use of all equipment, including our saunas, and sign a waiver. This system ensures the safety of members while still providing the flexibility of 24-hour access.

Current Condition 2:

No exercise equipment shall be used unless there is an employee on duty who is trained to advise on the safe use of the equipment.

Proposed Update:

HOTWORX saunas are the primary equipment, and members are trained on safe use during their initial sign-up. Virtual, instructor-led workout sessions guide members 24/7, with safety instructions included in each session. Staff are present during peak hours for additional assistance. This combination of virtual guidance and initial training ensures member safety even when staff are not on-site.

Current Condition 3:

The licensee agrees to ensure that only registered members are permitted access to the facility during non-office hours, and non-members may access the space only during office hours.

Proposed Confirmation:

We strictly enforce this policy, using an advanced entry system to ensure only registered members can access the facility during non-staffed hours. Non-members can only visit during staffed hours for tours or information. This entry system complies with the business plan on file with the Department of Safety and Inspections.

·			

0 7 37 5 5 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ter e e e e e		0 0	0 0	eti yebnoM	ZZ-May
5 C 2 5 0 0	5 2 7 7 22 6 E	Andrew Section Andrew Section	0 0	0 0	ts Appuns	ZI-WSY
0 0 # Z Z T	S E P TOTAL E	E OT 6 9 ⊅ 0 0	0 0	o	Saturday 80	Y6M-0S
0 7 E S P 12 E		7 2 - 6 - 8 - 6 - 7	σσ	0 0	S8 yebhñ	YEM-91
		£ £ £ 7 8 t 0	. 0 0	0 0	Z8 Ysbannī	YEM-81
T 6 1 1 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	TIME OF STREET	t September 1992 - 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0	o o	Wednesday 136	YSM-ST
0 0 9 4 E # #JZ FE	13 E 3 3 10 CTP	0 5 4 5 (<u>12</u> 2 5	0.0	0 0	ZZI Kepsan <u>ı</u>	Te-Wsł
o t to the company of	SS E E E S E	• 100 150 • 12 2 •	0 0	0 0	YS21 YS500M	12-May
0 0 v 8 0 7 5 v v	(θ) τ ν ε ε ν	E ST S Z O I O	0 0	0 Z	82 Kepuns	Id-Mey
F 1987 W 4 1988 W 4	5 Z S 0 + E	T 6 9 E T T O	0 0	0 0	34 Yebinjes	13-May
0 0 7 7 0 T	7 C 3 T + C	v 8 5 6 ∠ 7 7	0 0	0 0	tr ysbird	YSM-SI
0 0 6 5 0 00 55	7 9 I 7 5 5	S 8 + E Z 0 9	Z 0	0 . 0	06 Yebeturi	TI-WSY
o c 8 2 e e con	y 1 8 2 5 7 9 00	r or or sector z s	T 0	0 0	Wednesday 134	10-MBy
0 1 9 7 8 8 8 8 8 15 16 16 16 16 16 16 16 16 16 16 16 16 16		T SALES TO SEE TO SEE TO SEE THE SEE T	0 0	0 0	6ZT Kepsan <u>ı</u>	YSM-90
0 7 5 6 8 8 8 C	人名 医毛细胞 人名英巴克 化化二苯甲酚 化二苯甲酚 医克斯特氏征 计数据数据 化多氯甲酚 医电影 医动物性神经炎 化二苯甲酚	5 71, 60, 9, 8, 9, 7	о е	0 0 V-30//5/50/06/	Monday 145	Y5M-80
		8 (EL 9 0 T 0 0	0 0	0 1	69 Yepung	VSM-70
4.3.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.	5 7 9 (Fee SEE 27	9 7 9 0 E T 0	0 0	0 7	08 ysbruds2	∨6M-80
[34] 1969 - "1960年 福田縣 1960年	8 6 1 C C 9	THE WAY TO SELECT THE SELECT OF THE SELECT O	0: 0	0 0	76 vebira	V&M-20
O O P 9 5 STA ZZ		5 6 01 2 01 Z 0 5 C 2 + 25 S 0		0 0	Thursday 135	V5M-₽0
α τ γ οτ γ 35 γ 3				0 0	Yednesday 127	vsM-50
0 L L E 9 H 6 6			And the second s		Opt Yearding	VSM-Si
0 1 E 9 OT A OT	g to to t	t 01 t 9 555 t 1	0	0	69-1 VebrioM	VEM-10
mgfi mg6i mg8 mg√ mg∂ mgd n	not most mas may mast mett n	tsulf mase mass easy mase mast	mes mss	met meSf four	oo lerol yed	SteG
	0. IS	de producti a Dazon (t. a. or o. a. a. or r. aleda.)				

	·	

The Gaston & Davis HOTWORX Studio St. Paul, MN

DRAWING INDEX

- 1- COVER SHEET
- 2- EXISTING AND PROPOSED PLAN
- 3- WALL SECTIONS AND DETAILS
- 4- ELECTRICAL PLAN
- 5-LIGHTING PLAN
- 6-INTERIOR ELEVATIONS
- 7- FLOORING PLAN
- 8- SECURITY PLAN

NOTE:

DO NOT REMOVE SECURITY PACKAGE SHEET FROM ARCHITECTURAL DRAWINGS OR IT WILL CAUSE DELAYS AND / OR ADDED EXPENSES

VICINITY MAP



ALL DRAWINGS ARE PROVIDED FOR USE OF STUDIO OWNER FOR THE PURPOSE OF SPACE ALLOCATION. HOTWORX LLC IS NOT AN ARCHITECTURAL OR MECHANICAL FIRM, AND CLAIMS NO RESPONSIBILITY IN SUPPLYING OWNER W/ PERMIT PLANS. ALL MECHANICAL & ELECTRICAL SPECIFICATIONS SHOULD BE DONE BY A LICENSED PRACTITIONER, DO NOT LINDER, ANY CIRCLIMSTANCES SCALE DRAWINGS. FIELD VERIFY ALL MEASURE MENTS AT THE SITE BEFORE EXECUTION AND NOTIFY HOTWORX OF ANY DISCREPANCIES BETWEEN THESE PLANS & ACTIVAL CONDITIONS.

- * ALL DIMENSIONS ARE CRITICAL.
- * ALL ELECTRICAL, MECHANICAL & PLUMBING WORK TO BE BY LICENSED
- PRACTITIONERS." * ALL WALLS & STRUCTURAL CHANGES BY GENERAL CONTRACTOR MUST BE NOTIFIED TO HOTWORX LLC

HJIWORK





CONTACTS

Contact Pavaiopment Team
HOTWORK Franchisers
development@rotwerx.net

PROJECT

Natala Gastra & Malk Date
HOWNOX SUDIO - INNOOSZ
4/3 Scrafin Ave. N
52, Paul, MN 55/0-4
02-28-2024


HČTWORX.

SCALE
NOT TO SCALE
DATE
OZ/ 26/ 2024
DRAWN BY
DEBSE T.

COVER STEET

SHEET NO.

__ OF B







LOBBY FURNITURE:


-RED METAL INDOOR/OUTDOOR CHAIR WITH ARMS (CH-31270-RED-GG)- NEED 3 FOR EACH TABLE. ORDER FROM BIZCHAIR.COM


76° 000 100

-TABLES WILL BE PROVIDED IN THE INTERIOR BRANDING COMPONENTS PACKAGE



HOT-O SIGN: *MOUNT HOT-O SIGN AT 46,25" A.F.F. TO BOTTOM OF SIGN. REQUIRES ELECTRICAL OUTLET LOCATED BEHIND SIGN.





Paint Schedule

General:

*Contractor shall provide a minimum of one primer coat, and two finish coats.

*All wall paint shall be Interior Latex - Satin finish

*All ceiling point shall be interior Latex - Satin finish

*Ceiling to be pointed BLACK

*All doors, door frames and trim work shall be interior Latex - Semi-Gloss

*All paint shall be Sherwin Williams brand, no substitutes will be

*Prepare all surfaces prior to painting

Product Type:

"SW7072 "ONLINE" - Demising walls, Front wall and Rear wall from finish floor up to ceiling. (Light Gray)

<u>SW7074_*SOFTWARE</u> - interior walls from floor to ceiling and interior of restrooms. (Dark Gray)

SW6868 "REAL_RED" - Interior Doors and Door Frames and any Exposed HVAC Systems/Ductwork

Point all surface mounted conduit, pipes, columns, etc. to match the color of

EXISTING CEILING BEAMS TO REMAIN


1/2" G.W.B. (TYP BOTH SIDES)

SOUND BATT INSULATION


FINISH FLOOR

(A) TYPICAL WALL SECTION

Black point for Ceiling and Ceiling Tiles.



**I - EXTRICER SCHALE TO BE INSTALLED BY LOCAL SICH INSTALL CESW. ELECTRICAN WILL NEED TO BE ON SITE IN ORDER TO COMPLETE SICH INSTALL, ELECTRICAL GRELLE MILET BY IN PLACE, FROM DED BY CC.





ALL DRIVINGS ALL PROMED FOR URE OF SIEND GRAVER FOR THE HER HER TO SEE YOUR LICENSE AND	NOTICE OF THE NATION OF THE PARTY OF THE PROPERTY OF THE PROPE	ELECTRICAL STATES CONTROLL	ALL ELECTION & PLIMPING WORK TO BE DY LICENSED	THE STATE OF THE S

REVISION			
DATE	INT I	1	
		1	
		1	
		1	
		4	

CONTACTS

Consect Development Team HOTWORK Francissing development@hotwers.not


PROJECT

HUTWORK

5CALE NOT 10 5CALE DATE 02/28/202 DRAWN BY DRAWING TITLE

> DETAILS SCHEÖULES

SHEET NO.





110V DUPLEX FLUSH FLOOR BOX

Ф 110V DUPLEX RECEPTACLE

208 VOLT DUPLEX RECEPTACLE

208 VOLT SERVICE FOR HOTWORX SAUNA WILL NEED BUCKBOOSTER TO BOOST UP TO 240 VOLTS

FLUSH FLOOR BOX FOR: HARDWRED INTERNET SERVICE

190V QUADPLEX RECEPTACLE

POWER NOTES

- ELECTRICAL CONTRACTOR SHALL COMPLY WITH ALL APPLICABLE STATE AND LOCAL CODES, RULES, AND REGULATIONS.
- ELECTRICAL CONTRACTOR IS RESPONSIBLE FOR VERIFYING THAT ALL CIRCUITS ARE PROPERLY LOADED.
- ELECT. CONTRACTOR SHALL COORDINATE WITH HVAC CONTRACTOR FOR ALL PHASING REQUIREMENTS.
- 4) ALL WIRING TO BE INSTALLED IN TYPE MC CABLE.
- 5) SAUNAS REQUIRE TWO HOTS AND ONE GROUND, NEUTRAL IS NOT
- 6) OUTLETS FOR POWER, PHONE OR DATA SHALL BE INSTALLED A MINIMUM OF 15" A.F.F.
- 7) SWITCHES AND ALL OTHER CONTROLS SHALL BE INSTALLED 36"-48"
- 8) LIMIT THE NUMBER OF CUTLETS PER CIRCUIT AS PER THE FOLLOWING:
 MAXIMUM 4 PER 15 AMP CIRCUIT
 MAXIMUM 6 PER 20 AMP CIRCUIT
- 9) CONVENIENCE OUTLETS TO BE MOUNTED AT 18" A.F.F. UNLESS OTHERWISE NOTED.
- 10) PROVIDE 110V POWER FOR EMERGENCY CALL BUTTON, LOCATION TO BE DETERMINED BY OWNER.
- 11) OPTIONAL: PROVIDE OUTLET FOR DOOR BELL FRONT AND BACK OF BUILDING, LOCATION TO BE DETERMINED BY OWNER.
- 12) FLAT SCREEN TV ELECTRICAL CULTLET TO BE LOCATED BEHIND TV. FRANCHISEE/CONTRACTOR TO COORDINATE PLACEMENT WITH BRANDING VENDOR OF CHOICE PRIOR TO INSTALLATION.
- 13) ELECTRICAL OUTLET ON OR NEAR ALL GRID WALLS TO BE COCKDINATED WITH BRANDING VENDOR OF CHOICE PRIOR TO INSTALLATION AND MAY REQUIRE RELOCATION TO CONFORM WITH BRANDING VENDORS DESIGN.
- 14) IF SURFACE MOUNTED CONDUIT IS USED, IT MUST BE MOUNTED ABOVE THE GRID WALL AT 100" A.F.F. TO BOTTOM OF RECEPTACLE BOX. COORDINATE WITH BRANDING VENDOR OF CHOICE.

EQUIPMENT LEGEND

HOTWORX INFRARED SAUNA- 240 volt SINGLE PHASE, 35 cmps, **unit is HARDWIRED** HEAT LOAD 20713.875 BTU/HR **NOTE: Usually a buck booster is required to get to the 240 volta. Electrican to verify existing line voltage before ordering buckbaceter

HOTWORX TV- standard 110 outlet mounted at 8' AFF Vending machine- dedicated 110 outlet

Computer- dedicated 110 voit outlet

Washer- dedicated 110 volt outlet GFI Dryer- dedicated 205V voit outlet

EXCEL Hand Dryers (model #TA-SB)- 110/120V, 15 or 20 amp

Water fountain chiller- dedicated 110 voit outlet GFI





IMAGES OF THE ELECTRICAL DISCONNECTS AND BUCKBOOSTERS BETWEEN EVERY TWO SAUNAS AS WELL AS THE 110 OUTLET FOR THE TVS, ALL MOUNTED AT 8' AFT

NOTE: -Depending on the local code requirements within your municipality, your electrician may need to install a coatom power card that is herdwired to the sauma and has to be at least on B gauge with with lies metal encoding or conduit.

NJ WORK

EDVARIE OF SIMO OMERICA AND MENTION FOR MOUNTS TO COURT WITH MENTION STATE STATE OF BY A LICKED BY WELLY IN MASSEMENTS. METER NORTH CHANCE OF CENEMA

REVISION

CONTACTS

Cortact Povelopment Team HOTWCRX Franchising


Netala Gaston & Malk Davis FOTMCRX STUDIO - MNOOS2 491 Sedling Am. N St. Pad, MN 55104 OZ-26-2024

HŮTWORX

5CALE DATE 02/28/2024 DRAWN BY CERSE! DRAWING THLE PROPOSED

ELECTRICAL PLAN SHEET NO.

OF 8



PROPOSED LIGHTING PLAN SCALE 1/4"=1'-0"

LICHTING SCHEDULE

OA 6" LED RECESSED DOWN LIGHT



HOTWORX FIXTURE: SOW LED UFO HIGH BAY LIGHT BBOOLM 5000K IP65 WATERPROOF INDUSTRIAL WAREHOUSE HANGING LIGHT BY HYKOLITY.
OPTIMAL HEIGHT 144" A.F.F.

® € LED EXIT SIGN

□ D EMERGENCY LIGHT

NOTES:

**WHEN ORDERING YOUR LIGHTING PACKAGE IT IS CRITICAL TO SPECIFY CEILING HEIGHT AND TYPE WITH LIGHTING VENDOR.

**ELECTRICIAN TO PROVIDE ALL EXIT & EMERGENCY LIGHTING AS REQUIRED BY CODE.

**ANY Z'XZ' OR Z'X4 LIGHTING FIXTURES TO BE REMOVED

**UFO LIGHTS (FIXTURE "B") TO BE HUNG BY CHAIN AT 12' AFF IF POSSIBLE

**THE UFO LIGHTS (FIXTURE "B") COME AS PART OF THE INTERIOR BRANDING PACKAGE FROM CINEMATION DESIGN BUIT YOU WILL NEED YOUR ELECTRICIAN TO HANG THEM. PLEASE CONTACT JOE MILLER AT CHEMATION DESIGN (817)—217—8241, WHEN YOU ARE READY FOR YOUR LIGHTS.

HOTWORX FIXTURE TYPE "B"

60W LED UFO HIGH BAY LIGHT 6800LM 5000K IP65 WATERPROOF INDUSTRIAL WAREHOUSE HANGING LIGHT BY HYKOLITY

OPTIMAL HEIGHT - 144" AFF





THE STATE OF THE S

REVISION			
DATE	INIT		
	1		
	L		

CONTACTS

Contact Foudoment Team HOTMORX Francisco development@hotwor.not

PROJECT

Natalia Gassan & Malk Davis HORWORX STUDIO - MNOO: 431 Swelling Avis. N 9s. Part, MN 55104 02-28-2024

HUNWORX.

SCALE

1/4" = 1"-0"

DATE

02/25/2024


DRAWN BY


DEBSE 1.


DRAWNIC

111LE

PLAN
SHEET NO.
5 OF 8







PROPOSED FLOORING PLAN SCALE 1/4"=1'-0"

APPROXIMATE FOOTAGE OF FLOORING:


* VINYL SIMULATED WOOD: 217.77 S.F.

* RUBBER FLOORING: 772.13 S.F.

**NOTE- ALL CONCRETE MUST BE LEVELED, PREPPED, AND SEALED BY CONTRACTOR BEFORE INTERIOR BRANDING COMPONENTS VENDOR CREW DOES THE INSTALL



6MM-8MM RUBBER FLOORING WITH 10% ORANGE FLAKE ** PROVIDED AND INSTALLED BY INTERIOR BRANDING COMPONENTS VENDOR



KARNDEAN LOOSELAY LONGBOARD VINYL FLOORING— SIMULATED WOOD **PROVIDED AND INSTALLED BY INTERIOR BRANDING COMPONENTS VENDOR

PATWORK

THE FREE SE SECT ALLOCATION FOR PROPERTY.

FOR THE FREE SECT ALLOCATION FOR PROPERTY.

FOR THE SECTION OF THE SECTION FOR THE

REVISION:

CONTACTS

Contact Pevelopment Team
HOTWOOX Pranchising
development Stokes 20ct

PROJECT

Naisala Geston & Walk Davis HOWCRX SHINO - MXXXX2 H3 Smiled Ave. N St. Pasi, MN 55104 C2-28-3X024

HÜTWORX.

SCALE

1/4" = 1'-0"

DATE

02/25/2024


DRAWN BY

DEBSET.


DRAWING 111LE PROPOSED FLOORING

SHET NO.

7 OF 8



PROPOSED SECURITY/SOUND EQUIPMENT PLAN SCALE 1/4"=1'-0"



**NOTE: *SECURITY AND SOUND REQUIREMENTS ARE 250 MEPS

5 ROCKBOT SPEAKERS (4) PER LOCATION

*AMP/CONTROLLER TO BE INSTALLED IN A SECURE LOCATION WITHOUT PUBLIC ACCESS. (TYPICALLY INSTALLED ADJACENT TO THE SECURITY BACKBOARD) FRANCHISEE TO VERIFY EXACT LOCATION.

*SIWORX

THE TOWNS OF TREMENDED TO THE STATE OF THE S

REVISION
PARE NIT'L

CONTACTS

Contact Pavelopment Feen HOTWORN Franchesing development Brothers net

PROJECT

Nafala Gaston & Maik Dans HOMWORN SILBNO - MNOOSZ 431 Svelling Mer, N 54, Paul, MNI 551,04 O2-283-2024

HUNWORX.

SCALE

1/4" = 11-0"

DATE

02/28/202

DRAWN BY

DEBBE T.

DRAWN BY

TILLE

PROPOSED ECURITY/50UND PLAN

5HEET NO. 8 OF 8



	·		
		·	