



# DSI RECEIPT

## CITY OF SAINT PAUL

Department of Safety and Inspections  
375 Jackson Street Suite 220  
Saint Paul, Minnesota 55101-1806  
Phone: (651) 266-8989 Fax: (651) 266-9124  
www.stpaul.gov/dsi

Date: 06/07/2019

Received From: ST PAUL SAINTS BASEBALL CLUB INC  
360 BROADWAY ST ST PAUL MN 55101

**Description:**

**Invoice Details**

1056341

Noise Variance

**Invoice Amount**

\$344.00

**Amount Paid**

\$344.00

**TOTAL AMOUNT PAID:**

**\$344.00**

**Paid By:**

Payment Type	Check #	Received Date	Amount
Check	51793	06/07/2019	\$344.00



CITY OF SAINT PAUL

Business Licensing  
375 Jackson Street, Suite 220  
Saint Paul, Minnesota 55101-1806

Telephone: 651-2668989  
Facsimile: 651-266-9124  
Web: www.stpaul.gov/dsi

### Sound Level Variance Application Legislative Code Chapter 293. - Noise Regulations

Application and \$172 fee payment should be submitted a minimum of sixty (60) days prior to the scheduled event start date. A public notification period is required prior to scheduling the application's Public Hearing before the Saint Paul City Council. Applications received fewer than sixty (60) days prior to the event may not satisfy the ordinance's processing timelines for placement on the Council's agenda.

- Organization/person seeking variance: ST. PAUL SAINTS BASEBALL CLUB, INC.
- Event Name: Goose Island Music Festival
- Address and physical description of noise source location (Event, Worksite): 360 Broadway, SAINT PAUL, MN 55101
- Responsible person: TOM WHALEY Title: EXEC. V.P.
- Telephone: (651) 288-9873 E-Mail: twhealey@saintsbats.com
- Date(s) variance requested: AUGUST 3, 2019
- Noise source - Time(s) of operation: 5:00pm - 10:00pm  
- Time(s) of pre-event sound check: 12:00p-4:00pm (intermittent)
- Sound level requested (dBA/Decibels): 105dB measured from mix
- Mailing address w/zip code: Same as above.
- Briefly describe the noise source and equipment involved: Musical concert - amplified sound from a stage.
- Describe the steps that will be taken to minimize the noise levels: Speakers will not be "flown", directed into seating bowl
- State reason for seeking variance (example - music, announcements, construction, etc.): It is expected that sound levels will exceed permissible limits as set forth in city ordinance.
- A site diagram & map must be attached showing location of noise source(s), streets, stages, tents, etc. (If there will be amplified sound, indicate location and direction that all speakers will be facing).  
**Multiple locations may require more than one application.**
- Submit completed application, site diagram/map, and **\$172.00** fee to:

CITY OF SAINT PAUL  
DEPARTMENT OF SAFETY AND INSPECTIONS  
375 JACKSON STREET, SUITE 220  
SAINT PAUL, MN 55101-1806


Signature of responsible person: \_\_\_\_\_

AA-ADA-EEO Employer

Date: \_\_\_\_\_

6/7/19

CHS FIELD  
~~July 22, 2019~~ / AUGUST 3, 2019  
I-74  
N



MET TRANSIT OMF  
S

4TH STREET  
ENTRANCE

E  
US 52 BRIDGE