

## STAMP - Activities

[New Search](#)
[Help using this report](#)
[E-mail Service Desk](#)

**Run Date:** 08/19/13 08:22  
AM

**Sort by Most Recent Date**

**Starting Date:**

**House#:**

**Folder**

**Ending Date:**

**Type:** All Folder Types

**Street  
Name:**

**Folder Count:** 74

**Include Same PIN  
Addresses: Yes**

Click on [address link](#) to access  
GISmo, MapIT, and Ramsey County Info

Click on [ID# link](#) below to view detail

**PIN:332923120085**

| Address                                    | In Date    | ID #                      | Status               | Type   | Description   |
|--|------------|---------------------------|----------------------|--|---|
| <a href="#">627 Aldine St</a>              | 10/18/2012 | <a href="#">12 130839</a> | Open                 | RE - Real Estate Assessments                                 | Owner Noah M Tilsen   |
| <a href="#">629 Aldine St - Eden Pizza</a> | 06/14/2013 | <a href="#">13 197942</a> | Scheduled            | RS - Restaurant Inspection - High Risk - Change of Ownership | Establishment Eden Pizza  |
|  | 06/11/2013 | <a href="#">13 149341</a> | History              | RS - Restaurant Inspection - High Risk - Change of Ownership | Establishment Eden Pizza  |
|  | 06/10/2013 | <a href="#">13 193784</a> | Pending              | XF - ECLIPS Food Related - Sidewalk Cafe                     | Licensee Eden Pizza - ECLIPS License# 20130002783   |
|  | 06/10/2013 | <a href="#">13 193785</a> | Withdrawn            | XF - ECLIPS Food Related - Restaurant (2) - 1-12 Seats       | Licensee Eden Pizza - ECLIPS License# 20130002783   |
|  | 06/05/2013 | <a href="#">13 193794</a> | Pending              | XL - ECLIPS License - Liquor - Malt On Sale (3.2)            | Licensee Eden Pizza - ECLIPS License# 20130002783   |
|  | 06/05/2013 | <a href="#">13 193678</a> | Inspection Pending   | RW - PW Right of Way Permit - Obstruction - Sidewalk Cafe    | Contractor Walte Still Eden Pizza - Eden Pizza - Sidewalk Cafe ECLIPS License ID #20130002783 |
|  | 05/23/2013 | <a href="#">13 188646</a> | Open                 | GT - General Activity Tracking - License                     |   |
|  | 01/11/2013 | <a href="#">11 115634</a> | History              | RS - Restaurant Inspection - High Risk - Routine Inspection  | Establishment Eden Pizza  |
|  | 10/18/2012 | <a href="#">12 130839</a> | Open                 | RE - Real Estate Assessments                                 | Owner Noah M Tilsen   |
|  | 04/12/2012 | <a href="#">12 044472</a> | Finald               | RW - PW Right of Way Permit - Obstruction - Sidewalk Cafe    | Contractor Noah Telsen Eden Pizza - Eden Pizza - Sidewalk Cafe ECLIPS License ID #20090002290 |
|  | 04/12/2012 | <a href="#">12 044488</a> | Open                 | GT - General Activity Tracking - SCS                         | 04/12/2012: Eden Pizza License ID #20070002290. jwf   |
|  | 04/01/2011 | <a href="#">11 102743</a> | History              | RS - Restaurant Inspection - High Risk - Routine Inspection  | Establishment Eden Pizza  |
|  | 03/07/2011 | <a href="#">11 106301</a> | Closed               | PA - Parks Summary Abatement - Graffiti                      | Owner Noah M Tilsen - graf-graffiti on the windows  |
|  | 03/07/2011 | <a href="#">11 106300</a> | Transferred - Closed | CS - CSO Complaint - Graffiti - Complaint                    | graf- graffiti on the windows   |
|  | 02/23/2011 | <a href="#">10 125064</a> | History              | RS - Restaurant Inspection - High Risk - Routine Inspection  | Establishment Eden Pizza  |
|  | 03/19/2010 | <a href="#">09 011676</a> | History              | RS - Restaurant Inspection - High Risk - Routine Inspection  | Establishment Eden Pizza  |

|            |                           |             |  |   |
|------------|---------------------------|-------------|--|---|
| 08/27/2009 | <a href="#">09 261503</a> | Finald      | WA - SPRWS Plumbing Permit - Existing Building - Lead Replacement                                | Contractor Kim Lyall Capra's Utilities Inc  |
| 05/19/2009 | <a href="#">09 073499</a> | Finald      | RW - PW Right of Way Permit - Excavation - Utility   | Contractor Ms JACKIE CAREY / DAN BARTHOL Saint Paul Regional Water Services - SYN# 0902563 GOPHER# 90153351 INSTALL NEW 1" WTR SVC 8X6 STREETHOLE |
| 01/16/2009 | <a href="#">08 008276</a> | History     | RS - Restaurant Inspection - High Risk - Routine Inspection                                      | Establishment Eden Pizza  |
| 07/09/2008 | <a href="#">08 112663</a> | Delinquent  | XF - ECLIPS Food Related - Sidewalk Cafe   | Licensee Noah Tilsen Eden Pizza - ECLIPS License# 20070002290   |
| 06/10/2008 | <a href="#">08 051678</a> | Canceled    | XF - ECLIPS Food Related - Restaurant (2) - 1-12 Seats   | Licensee Noah Tilsen Eden Pizza - ECLIPS License# 20070002290   |
| 01/11/2008 | <a href="#">07 127532</a> | History     | RS - Restaurant Inspection - High Risk - Routine Inspection                                      | Establishment Eden Pizza  |
| 11/28/2007 | <a href="#">07 207186</a> | Renewal Due | CO - Certificate of Occupancy - Mixed (Res+Comm)   | Responsible Party Noah Tilsen - 332923120085  |
| 10/04/2007 | <a href="#">07 168236</a> | Closed      | RF - Referral - Citizen Complaint  | Owner Noah M Tilsen - HOOD SYSTEM NEEDS CLEANING  |
| 09/04/2007 | <a href="#">07 141198</a> | Finald      | B - Building Permit - Mixed (Commercial/Residential) - Repair                                    | Contractor Noah Tilsen  |
| 08/02/2007 | <a href="#">07 114978</a> | History     | RS - Restaurant Inspection - High Risk - Change of Ownership                                     | Establishment Eden Pizza  |
| 07/30/2007 | <a href="#">07 123771</a> | Closed      | RF - Referral - Citizen Complaint  | Owner Terrence L Cheney/Kevin J Cheney - APT 3 - DOOR LOCK ON UNIT IS BROKEN. TENANT NEEDS TO USE OUTSIDE STAIRS TO ENTER. STAIRS ARE UNSAFE.     |
| 07/27/2007 | <a href="#">07 122917</a> | Finald      | RW - PW Right of Way Permit - Obstruction - Dumpster   | Contractor Dan Schmidt Schmidt Disposal & Recycling - EXTENSION   |
| 07/20/2007 | <a href="#">07 119155</a> | Canceled    | PG - Plumbing/Gasfitting/Inside Water Piping - Plumbing/Inside Water (All) - Residential Replace | Contractor Gregory Ryan Ryan Plumbing & Heating CO  |
| 07/18/2007 | <a href="#">07 117845</a> | Finald      | RW - PW Right of Way Permit - Obstruction - Dumpster   | Contractor Dan Schmidt Schmidt Disposal & Recycling   |
| 07/17/2007 | <a href="#">07 116792</a> | Expired     | B - Building Permit - Commercial - Remodel   | Contractor Noah Tilsen - UNIT #2 09/01/2008: Automatically closed by system due to no activity in one year.                                       |
| 07/12/2007 | <a href="#">06 249689</a> | History     | RS - Restaurant Inspection - High Risk - Change of Ownership                                     | Establishment Eden Pizza  |
| 07/05/2007 | <a href="#">07 110968</a> | Closed      | PA - Parks Summary Abatement - Graffiti  | Owner Terrence L Cheney/Kevin J Cheney - Graffiti Police Report -   |
| 07/05/2007 | <a href="#">07 110967</a> | Closed      | CS - CSO Complaint - Graffiti - Complaint  | Graffiti Police Report -  |
| 06/21/2007 | <a href="#">07 099782</a> | Finald      | E - Electrical Permit - Service & Circuits - Commercial Repair/Alter                             | Contractor Allied Electrical Contractors Inc  |
| 06/18/2007 | <a href="#">07 097557</a> | Finald      | RW - PW Right of Way Permit - Obstruction - Dumpster   | Contractor Dan Schmidt Schmidt Disposal & Recycling   |

|            |                           |           |  |  |
|------------|---------------------------|-----------|--|--|
| 06/11/2007 | <a href="#">07 094136</a> | Canceled  | XF - ECLIPS Food Related - Restaurant (A) - 0-12 seats                               | Licensee Noah Tilsen Eden Pizza - ECLIPS License# 20070002290  |
| 10/18/2006 | <a href="#">06 116343</a> | History   | RS - Restaurant Inspection - High Risk - Change of Ownership                         | Establishment Cheney's Midway Pizza  |
| 07/27/2006 | <a href="#">05 110809</a> | History   | RS - Restaurant Inspection - High Risk - Routine Inspection                          | Establishment Cheney's Midway Pizza  |
| 12/20/2005 | <a href="#">05 219787</a> | Certified | CO - Certificate of Occupancy - Mixed (Res+Comm)                                     | Responsible Party Noah Tilsen - 332923120085   |
| 06/01/2005 | <a href="#">05 053010</a> | History   | RS - Restaurant Inspection - High Risk - Routine Inspection                          | Establishment Cheney's Midway Pizza  |
| 05/11/2005 | <a href="#">05 098752</a> | Expired   | B - Building Permit - Commercial - Repair  | Contractor Starks Drywell - N/A. 02/07/2007: Automatically closed by system due to no activity in one year.                    |
| 05/10/2005 | <a href="#">05 098425</a> | Closed    | RF - Referral - Citizen Complaint  | Owner June E Melgaard - Documents sent in are not legible.   |
| 01/20/2005 | <a href="#">03 408328</a> | History   | RS - Restaurant Inspection - High Risk - Routine Inspection                          | Establishment Cheney's Midway Pizza  |
| 11/24/2003 | <a href="#">02 234356</a> | History   | RS - Restaurant Inspection - High Risk - Routine Inspection                          | Establishment Cheney's Midway Pizza  |
| 10/22/2002 | <a href="#">02 067635</a> | History   | RS - Restaurant Inspection - High Risk - Complaint Inspection                        | Establishment Cheney's Midway Pizza  |
| 10/21/2002 | <a href="#">02 232603</a> | Closed    | LC - DSI Env Health Complaint - Health-Safety-Environment                            | 10/21/02 Received a complaint from a person who said she was in this restaurant last week and said the place was filthy. [roy] |
| 01/08/2002 | <a href="#">01 121349</a> | History   | RS - Restaurant Inspection - High Risk - Routine Inspection                          | Establishment Cheney's Midway Pizza  |
| 11/08/2001 | <a href="#">01 234625</a> | History   | CO - Certificate of Occupancy - Mixed (Res+Comm)                                     | Responsible Party Terrence L Cheney - 332923120085   |
| 03/13/2001 | <a href="#">01 023102</a> | History   | CO - Certificate of Occupancy - Mixed (Res+Comm)                                     | Responsible Party Terrence L Cheney - 332923120085 -- Third invoice 1/11/02 FINAL SENT 2/14/02                                 |
| 01/05/2001 | <a href="#">01 121194</a> | History   | RS - Restaurant Inspection - High Risk - Routine Inspection                          | Establishment Cheney's Midway Pizza  |
| 01/04/2001 | <a href="#">99 179668</a> | History   | RS - Restaurant Inspection - High Risk - Routine Inspection                          | Establishment Cheney's Midway Pizza  |
| 10/05/2000 | <a href="#">00 145850</a> | Finald    | B - Building Permit - Commercial - Repair  | Contractor Terrence L Cheney - .Reshingle(w/TearOff).. Closed without final approval   |
| 10/05/2000 | <a href="#">00 145852</a> | Finald    | W - Warm Air, Ventilation & General Sheet - General Sheet Metal - Commercial Replace | Contractor Terrence L Cheney - Closed without final approval   |
| 12/28/1999 | <a href="#">99 002059</a> | History   | RS - Restaurant Inspection - High Risk - Routine Inspection                          | Establishment Cheney's Midway Pizza  |
| 04/21/1998 | <a href="#">98 017548</a> | History   | RS - Restaurant Inspection - High Risk - Routine Inspection                          | Establishment Cheney's Midway Pizza  |

|            |                           |                         |   |  |
|------------|---------------------------|-------------------------|---|--|
| 04/09/1998 | <a href="#">94 020166</a> | History                 | RS - Restaurant Inspection - High Risk - Routine Inspection   | Establishment Cheney's Midway Pizza  |
| 02/24/1998 | <a href="#">94 017609</a> | History                 | RS - Restaurant Inspection - High Risk - Routine Inspection   | Establishment Cheney's Midway Pizza  |
| 08/12/1997 | <a href="#">97 068210</a> | Closed without Approval | B - Building Permit - Commercial - New                        | Contractor Terrence L Cheney - Closed without final approval                       |
| 08/21/1995 | <a href="#">95 078006</a> | Withdrawn               | E - Electrical Permit - Electrical - Commercial Repair/Alter  | Contractor Don's Electric of Delano  |
| 01/18/1994 | <a href="#">99 023311</a> | History                 | RS - Restaurant Inspection - No Risk - Routine Inspection     | Establishment Cheney's Midway Pizza  |
| 02/17/1993 | <a href="#">99 023253</a> | History                 | RS - Restaurant Inspection - No Risk - Plan Review Inspection | Establishment Cheney's Midway Pizza  |
| 02/16/1993 | <a href="#">93 016120</a> | Canceled                | XF - ECLIPS Food Related - Restaurant (A) - 0-12 seats        | Licensee Lake Elmo Pizza & Chicken Cheney's Midway Pizza - ECLIPS License# 0016120 |
| 02/12/1993 | <a href="#">99 023292</a> | History                 | RS - Restaurant Inspection - No Risk - Plan Review Inspection | Establishment Cheney's Midway Pizza  |
| 01/27/1993 | <a href="#">99 023246</a> | History                 | RS - Restaurant Inspection - No Risk - Plan Review Inspection | Establishment Cheney's Midway Pizza  |
| 12/15/1992 | <a href="#">99 023323</a> | History                 | RS - Restaurant Inspection - No Risk - Plan Review Inspection | Establishment Cheney's Midway Pizza  |
| 12/03/1992 | <a href="#">99 021214</a> | History                 | RS - Restaurant Inspection - No Risk - Plan Review Inspection | Establishment Cheney's Midway Pizza  |
| 10/30/1992 | <a href="#">99 021260</a> | History                 | RS - Restaurant Inspection - No Risk - Plan Review Inspection | Establishment Cheney's Midway Pizza  |
| 02/20/1986 | <a href="#">86 016679</a> | Canceled                | XL - ECLIPS License - Liquor - Malt Off Sale                  | Licensee Otto Crossfield Crossfield Grocery Store - ECLIPS License# 0016679        |
| 02/20/1986 | <a href="#">86 016679</a> | Canceled                | XS - ECLIPS License - Miscellaneous - Cigarette/Tobacco       | Licensee Otto Crossfield Crossfield Grocery Store - ECLIPS License# 0016679        |
| 12/28/1973 | <a href="#">73 002242</a> | History                 | CO - Certificate of Occupancy - Mixed (Res+Comm)              | Responsible Party June E Melgaard - 332923120085                                   |
| 12/28/1973 | <a href="#">73 012241</a> | History                 | CO - Certificate of Occupancy - Mixed (Res+Comm)              | Responsible Party June E Melgaard - 332923120085                                   |
|            | <a href="#">99 000441</a> | Open                    | ZH - Zonetrack History - NUP - Establishment                  | Applicant Cheney, Terence  |