

STAMP - Activities

[New Search](#)
[Help using this report](#)
[E-mail Service Desk](#)

Run Date: 07/20/16
09:28 AM

Sort by Most Recent Date

Starting Date:

House#: 36

Folder

Ending Date:

Street Name: dale

Type:

Folder Count: 90

[Show all same PIN addresses](#)

Click on [address link](#) to access GISmo, MapIT, and Ramsey County Info

Click on [ID# link](#) below to view detail

Address	In Date	ID #	Status	Type	Description
<u>36 DALE ST S - lacucaracha Restaurant</u>					
	04/26/2016	16 030625	Pending	XE - ECLIPS License - Entertainment - Gambling Location	Licensee Lacucaracha Restaurant La Cucaracha Restaurant - ECLIPS License# 0016383
	03/23/2016	16 020835	Active/Issued	E - Electrical Permit - Service & Circuits - Commercial Repair/Alter	Contractor Crocus Hill Electric CO - FIRE MARSHALL CORRECTION - CONCEAL EXPOSED ROMEX
	03/11/2016	16 017860	Closed	RF - Referral - Citizen Complaint	Owner Flores Realty Co Llc - Used cooking old disposal in back is leaking into alley. Foul smell and splashing unto cars. Continual leak.
	03/11/2016	16 017859	Resolved	CS - CSO Complaint - Certificate of Occupancy - Complaint	Used cooking old disposal in back is leaking into alley. Foul smell and splashing unto cars. Continual leak.
	05/26/2015	15 122274	Open	RE - Real Estate Assessments	Owner Flores Realty Co Llc
	02/06/2015	15 008760	Open	BW - Building Warning - Stop Order	Owner William L Annoni - WARNING: This property is located in a National Register Historic District or Site and/or a Minnesota State Historic District or Site (that is not in a locally designated district or site). Under Minnesota Statute 116D.04, permits for any exterior work including the demolition, partial demolition, or moving of buildings or structure on the property cannot be issued until PED has determined if the proposed work requires completion of an Environmental Assessment Worksheet [EAW]. Notify applicants that the property is located in one or more of the historic districts/site. Inform them that the law requires the City to determine if an EAW is required before permits may be issued. Advise applicants to contact HPC staff in PED for information about the EAW process. For the purposes of this WARNING, partial demolition means any work involving the dismantling, razing, or removal of any structural member that

			provides bearing and anchorage to the building or structure's exterior framework and/or walls, or portions thereof, and specifically including any work incidental thereto.
04/25/2014	14 198251	Open	GT - General Activity Tracking - License
08/14/2013	13 221897	Finald	B - Building Permit - Commercial - Express Repair
07/05/2012	12 077524	Scheduled	RS - Restaurant Inspection - High Risk - Routine Inspection
07/03/2012	12 063081	History	RS - Restaurant Inspection - High Risk - Routine Inspection
05/29/2012	11 108884	History	RS - Restaurant Inspection - High Risk - Routine Inspection
06/08/2011	11 236189	Active/Issued	B - Building Permit - Commercial - Express Repair
03/14/2011	09 511634	History	RS - Restaurant Inspection - High Risk - Routine Inspection
05/01/2010	10 904149	Delinquent	XC - ECLIPS License - Car/Taxi - Shared Parking Agreement
03/05/2010	10 117758	Open	GT - General Activity Tracking - Zoning
12/11/2009	09 331705	History	RS - Restaurant Inspection - High Risk - Routine Inspection
11/30/2009	09 305726	History	RS - Restaurant Inspection - High Risk - Routine Inspection
10/26/2009	08 093350	History	RS - Restaurant Inspection - High Risk - Routine Inspection
01/01/2009	08 183305	Active/Issued	XL - ECLIPS License - Liquor - Liquor On Sale - 101-180 Seats
01/01/2009	08 183431	Canceled	XF - ECLIPS Food Related - Restaurant (5) - 151 and Over
10/28/2008	08 183306	In Compliance	CL - Compliance Checks - Liquor Compliance Check
09/24/2008	08 154944	Finald	BS - Billboard / Sign - Signs - Commercial New
09/24/2008	08 154947	Finald	BS - Billboard / Sign - Signs - Commercial New
09/24/2008	08 154951	Finald	BS - Billboard / Sign - Signs - Commercial New
06/12/2008	06 270192	History	RS - Restaurant Inspection - High Risk - Routine Inspection
12/28/2007	07 226007	Pending	CL - Compliance Checks - Liquor Compliance Check
			04/25/2014 Generated 300' property ownership list and map. Contractor Tim Schroeder Construction
			Establishment Lacucaracha Restaurant
			Establishment Lacucaracha Restaurant
			Establishment Lacucaracha Restaurant
			Contractor The Gopher Company Inc
			Establishment Lacucaracha Restaurant
			Licensee Lacucaracha Restaurant La Cucaracha Restaurant - ECLIPS License# 0016383
			Establishment Lacucaracha Restaurant
			Establishment Lacucaracha Restaurant
			Licensee Lacucaracha Restaurant La Cucaracha Restaurant - ECLIPS License# 0016383
			Licensee Lacucaracha Restaurant La Cucaracha Restaurant - ECLIPS License# 0016383
			Contractor Candille Demars Demars Signs Inc - COPY TO READ: COCKTAILS - MOLE - SALSAS - CARNE
			Contractor Candille Demars Demars Signs Inc - COPY TO READ: MERCHANTS OF CROCUS HILL
			Contractor Candille Demars Demars Signs Inc - COPY TO READ: THE CROSSROAD SHOPPE
			Establishment Lacucaracha Restaurant

			Licensee Lacucaracha Restaurant La Cucaracha Restaurant - ECLIPS License# 0016383
06/09/2007	07 093159	Active/Issued	CT - Certificate of Insurance - Sign - Insurance Business Owner Flores Realty Co Llc
11/14/2006	05 066101	History	RS - Restaurant Inspection - High Risk - Routine Inspection Establishment Lacucaracha Restaurant
11/03/2006	06 262397	Closed	CL - Compliance Checks - Liquor Compliance Check Licensee Lacucaracha Restaurant La Cucaracha Restaurant - ECLIPS License# 0016383
02/15/2005	03 379115	History	RS - Restaurant Inspection - High Risk - Complaint Inspection Establishment Lacucaracha Restaurant
07/21/2004	04 121860	Finald	E - Electrical Permit - Service & Circuits - Commercial Repair/Alter Contractor Concise Industrial
11/19/2003	03 399352	Finald	EG - Fire Engineering - Special Extinguishing System - Existing Building - Alter Systems Contractor Northland Fire Protection - INSTALL ANSUL R102 SYSTEM
10/21/2003	03 263194	History	RS - Restaurant Inspection - High Risk - Complaint Inspection Establishment Lacucaracha Restaurant
03/13/2003	03 266816	Closed	LC - DSI Env Health Complaint - Health-Safety- Environment - Env Health - Food Compaliant about rats and cockroachs and that employees disposing of mop water outside on the ground.
03/03/2003	02 098769	History	RS - Restaurant Inspection - High Risk - Complaint Inspection Establishment Lacucaracha Restaurant - Received complaint about rats and roaches, and that employee's or disposing of mop water outside on the ground. [bg]
09/01/2002	02 003258	Canceled	XE - ECLIPS License - Entertainment - Gambling Manager Licensee Wendy Busch Merrick Inc - ECLIPS License# 20020003258
09/01/2002	06 062610	Canceled	XE - ECLIPS License - Entertainment - Gambling Location Licensee Lacucaracha Restaurant La Cucaracha Restaurant - ECLIPS License# 0016383
05/15/2002	02 123580	Closed	LC - DSI Env Health Complaint - Health-Safety- Environment 04/15/02 Received a complaint that someone had eaten here a couple of days ago and when they looked behind their seat they saw a sticky board with three or four dead mice on it. The restaurant removed the board, but the complainant is concerned they may have a large mouse infestation here. [roy]
04/22/2002	02 112594	Closed	LC - DSI Env Health Complaint - Health-Safety- Environment 04/22/02 Received a complaint from the Minnesota Department of Health EPI section. This person believes they believe they became ill from food they ate at this restaurant on 04/21/02. See FBI report for additional information. [roy]
02/04/2002	01 122303	History	RS - Restaurant Inspection - High Risk - Routine Inspection Establishment Lacucaracha Restaurant
01/18/2001	00 151043	History	RS - Restaurant Inspection - High Risk - Routine Inspection Establishment Lacucaracha Restaurant
11/27/2000	00 147641	History	Establishment Lacucaracha Restaurant

10/23/2000	99 000613	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Lacucaracha Restaurant - 01/22/97 PURSUANT TO ACTING ENVIRONMENTAL HEALTH DIRECTOR, GARY PECHMANN, A VARIANCE IS BEING GRANTED TO ALLOW THE DISHMACHINE TO REMAIN WITHOUT THE INSTALLATION OF AN EXHAUST HOOD. THIS VARIANCE WILL REMAIN IN FORCE AS LONG AS THE OWNERS MAINTAIN THE KITCHEN CLEAN AND FREE FROM GREASE AND MOISTURE DAMAGE. [ROY] 09-16-98 AS A RESULT OF ESTABLISHMENT REVIEW; VARIANCE GRANTED FOR DOMESTIC FREEZERS IN BASEMENT AND SHARP MICROWAVE IN KITCHEN.
08/08/2000	00 138659	History	EN - Environmental - No Risk - Complaint Inspection	Establishment Flores Realty Co Llc - COMPLAINT RECEIVED OF MUSIC BROADCAST ON TO SIDEWALK FROM OUTDOOR SPEAKERS.
08/07/2000	00 138660	Closed	LC - DSI Env Health Complaint - Health-Safety- Environment	COMPLAINT OF LOUD MUSIC PLAYING OUTDOORS, MANAGEMENT AND POLICE HAVE BEEN UNRESPONSIVE.
10/04/1999	99 010800	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Lacucaracha Restaurant
08/30/1999	99 173453	Closed without Approval	M - Mechanical Permit - Refrigeration - Commercial Repair/Alter	Contractor Custom Refrigeration Incorporated - Closed without final approval
08/26/1999	99 002485	Closed	EC - Environmental Complaint History (DC)	Complainant got take-out food on 8/21/99 in the evening. Both she and husband ate the guacamole appetizer, and it tasted rotten. They both developed diarrhea. She also had a chicken, sauce, tortilla, goat cheese enchilada, and did not get sick. She is sure it was the guacamole. She would rather not call MN Dept of Health, but inspector here can call her for more info if needed. The restaurant would not refund money or look at guacamole. KKO
08/26/1999	99 011268	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Lacucaracha Restaurant
09/24/1998	99 006051	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Lacucaracha Restaurant
09/16/1998	99 023828	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Lacucaracha Restaurant
08/28/1998	98 017437	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Lacucaracha Restaurant
07/22/1998	98 000051	Closed		Closed without final approval

07/17/1998	98 016735	History	BS - Billboard / Sign - Signs - Commercial New EC - Environmental Complaint History (DC) - No Risk - Routine Inspection	
07/17/1998	99 000565	Closed	EC - Environmental Complaint History (DC)	From Mayor's Complaint Office. Complainant says that they play music late at night. kko
04/02/1998	98 013206	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Lacucaracha Restaurant
04/02/1998	99 004828	Closed	EC - Environmental Complaint History (DC)	Complainant there about 3/5/98 in the evening. They saw staff picking up small used pitchers of salsa from tables, putting them on a shelf, then filling the leftovers and putting them on another table. Complainant said people had been dipping chips in the pitchers, and does not think it is sanitary to refill half empty ones. kko .
10/01/1997	98 003649	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Lacucaracha Restaurant
10/01/1997	98 017658	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Lacucaracha Restaurant
10/01/1997	99 002618	Closed	EC - Environmental Complaint History (DC)	SUSPECT FOODBORNE ILLNESS COMPLAINT-SEE FBI FORM. COMPLAINANT INDICATES THAT WHEN TALKING TO ONE EMPLOYEE, AND REFERRED TO THE MANAGER ABOUT THIS SUSP.FBI, THE EMPLOYEE STATED, "HERE IS ANOTHER ONE", YET MGR. STATED THAT THERE HAD BEEN NO OTHER CALLS.BAMS. .
10/01/1997	99 005861	Closed	EC - Environmental Complaint History (DC)	ATE AT RESTAURANT ABOUT 3 WEEKS AGO. 4 PEOPLE 3 BECAME ILL. ALL THREE ATE CHICKEN IN TEPID LIQUID AND TACOS. BECAME ILL WITH DIAHRREA. .
09/12/1997	98 006084	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Lacucaracha Restaurant
09/11/1997	98 019526	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Lacucaracha Restaurant
09/04/1997	97 015567	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Lacucaracha Restaurant
02/06/1997	97 014456	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Lacucaracha Restaurant
01/22/1997	97 025568	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Lacucaracha Restaurant
01/22/1997	99 004356	Closed	EC - Environmental Complaint History (DC)	COMPLAINANT ATE HERE 12/26/96 7:30 PM. GROUP OF 3. 1 ILL 1 HR LATER W/ VOMITING INTERMITTENTLY FOR 4 HRS. ILL PERSON ATE VEGETARIAN BURRITTO, FRIED TYPE RICE,

01/07/1997	97 002682	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Lacucaracha Restaurant	BEANS, STRAWBERRY MARGARITTA. NO HISTORY OF ALLERGIES TO FOODS. OTHER TWO PEOPLE WERE NOT ILL. BAMS. .
01/07/1997	99 004371	Closed	EC - Environmental Complaint History (DC)		COMPLAINANT ATE HERE 12/26/96 7:30 PM. GROUP OF 3. 1 ILL 1 HR LATER W/ VOMITING INTERMITTENTLY FOR 4 HRS. ILL PERSON ATE VEGETARIAN BURRITTO, FRIED TYPE RICE, BEANS, STRAWBERRY MARGARITTA. NO HISTORY OF ALLERGIES TO FOODS. OTHER TWO PEOPLE WERE NOT ILL. BAMS. .
01/03/1997	97 002663	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Lacucaracha Restaurant	
01/02/1997	94 019538	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Lacucaracha Restaurant	
01/02/1997	99 005228	Closed	EC - Environmental Complaint History (DC)		COMPLAINANT ATE HERE 12/26/96 7:30 PM. GROUP OF 3. 1 ILL 1 HR LATER W/ VOMITING INTERMITTENTLY FOR 4 HRS. ILL PERSON ATE VEGETARIAN BURRITTO, FRIED TYPE RICE, BEANS, STRAWBERRY MARGARITTA. NO HISTORY OF ALLERGIES TO FOODS. OTHER TWO PEOPLE WERE NOT ILL. BAMS. .
01/25/1996	96 016383	Canceled	XF - ECLIPS Food Related - Restaurant (B) - more than 12 seats	Licensee Lacucaracha Restaurant La Cucaracha Restaurant - ECLIPS License# 0016383	
01/25/1996	96 016383	Active/Issued	XL - ECLIPS License - Liquor - Liquor On Sale - Sunday	Licensee Lacucaracha Restaurant La Cucaracha Restaurant - ECLIPS License# 0016383	
01/25/1996	96 016383	Canceled	XL - ECLIPS License - Liquor - Liquor On Sale - Over 100 seats (B)	Licensee Lacucaracha Restaurant La Cucaracha Restaurant - ECLIPS License# 0016383	
08/08/1995	95 077228	Finald	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor David J Bissonette Advantage Electric	
03/16/1995	95 116299	Closed without Approval	M - Mechanical Permit - Gas - Commercial Repair/Alter	Contractor Birnberg Investment Company - Closed without final approval	
03/16/1995	95 116300	Finald	W - Warm Air, Ventilation & General Sheet - Warm Air & Ventilation - Commercial Repair/Alter	Contractor Birnberg Investment Company	
02/16/1994	99 011896	History	RS - Restaurant Inspection - No Risk - Routine Inspection	Establishment Lacucaracha Restaurant	
03/24/1993	99 011859	History	RS - Restaurant Inspection - No Risk - Routine Inspection	Establishment Lacucaracha Restaurant	
12/16/1991	91 052768	Denied	XL - ECLIPS License - Liquor - Liquor On Sale - Over 200 seats (A)	Licensee Maureen Flores La Cucaracha Restaurant - ECLIPS License# 0052768	
04/01/1991	91 068917	Canceled			

03/25/1991	99 011843	History	XS - ECLIPS License - Miscellaneous - Cigarette/Tobacco	Licensee Maureen Flores La Cucaracha Restaurant - ECLIPS License# 0068917
			RS - Restaurant Inspection - No Risk - Routine Inspection	Establishment Lacucaracha Restaurant
03/12/1991	99 010028	History	RS - Restaurant Inspection - No Risk - Routine Inspection	Establishment Lacucaracha Restaurant
02/25/1991	99 009958	History	RS - Restaurant Inspection - No Risk - Routine Inspection	Establishment Lacucaracha Restaurant
10/25/1989	99 002532	Closed	EC - Environmental Complaint History (DC)	CONVERTED FROM PARADOX SYSTEM. NO NARRATIVE.
04/29/1986	86 083098	Canceled	XS - ECLIPS License - Miscellaneous - Cigarette/Tobacco	Licensee Maureen Flores La Cucaracha Restaurant - ECLIPS License# 0083098
	99 001589	Closed	ZH - Zonetrack History - Major Variance	Applicant Robert Flores
	99 001630	Closed	ZH - Zonetrack History - Appeal	Applicant Ian Ball
	99 005272	Scheduled	EC - Environmental Complaint History (DC) - No Risk - Routine Inspection	