



SAINT PAUL
SAFETY & INSPECTIONS

Received

DEPARTMENT OF SAFETY & INSPECTIONS (DSI)

JUL 17 2023

375 Jackson Street, Suite 220

Saint Paul, MN 55101-1806

Tel: 651-266-8989 | Fax: 651-266-9124

City of Saint Paul - DSI


Sound Level Variance Application

Legislative Code Chapter 293. - Noise Regulations Application and \$178 fee should be submitted a minimum of sixty (60) days prior to the event date to allow ample time for required public notification period and scheduling of a Council public hearing. Applications submitted within sixty (60) days of the event date may not satisfy the processing timeline requirements.

1. Organization/person seeking variance: CHURCH OF THE HOLY SPIRIT
2. Event Name: SPIRIT FEST
3. Address and physical description of noise source location (Event, Worksite): 515 ALBERT ST S, ST. PAUL, MN 55116 - SCHOOL PLAYGROUND - NOISE DIRECTED SOUTHWARDS TOWARDS FIELDS.
4. Responsible person: JUSTIN CARRICK Title: BUSINESS ADMINISTRATOR
5. Telephone: 651-698-3353 x 2213 E-Mail: carrickj@holy-spirit.org
6. Date(s) variance requested: SATURDAY, SEPTEMBER 9, 2023
7. Noise source - Time(s) of operation: 5:30 - 10 PM
- Time(s) of pre-event sound check: 4 PM
8. Sound level requested (dBA/Decibels): 125 dBA
9. Mailing address w/zip code: 515 ALBERT ST S, ST. PAUL, MN 55116
10. Briefly describe the noise source and equipment involved: DS SPEAKERS/AMPLIFIERS & MICROPHONES
11. Describe the steps that will be taken to minimize the noise levels: SPEAKERS/AMPLIFIERS WILL BE DIRECTED SOUTHWARD TO AVOID ECHO CHAMBER OFF SURROUNDING BUILDINGS.
12. State reason for seeking variance (example - music, announcements, construction, etc.): MUSIC
13. Maximum number of attendees: 500
14. A site diagram & map must be attached showing location of noise source(s), streets, stages, tents, etc. (If there will be amplified sound, indicate location and direction that all speakers will be facing. Multiple locations may require more than one application.)
15. Submit completed application, site diagram/map, and \$178 fee to:
CITY OF SAINT PAUL, DEPARTMENT OF SAFETY AND INSPECTIONS
375 JACKSON STREET, SUITE 220
SAINT PAUL, MN 55101-1806

I understand any social gathering associated with this variance must be managed in compliance with any applicable Mayor Carter executive order regarding vaccinations, distancing, masks and attendance limits.

Signature of responsible person: [Signature] Date: 7/17/23





DSI RECEIPT

CITY OF SAINT PAUL
Department of Safety and Inspections
375 Jackson Street Suite 220
Saint Paul, Minnesota 55101-1806
Phone: (651) 266-6999 Fax: (651) 266-9124
www.stpaul.gov/dsi

Date: 07/17/2023

Received From: CHURCH OF THE HOLY SPIRIT
515 ALBERT ST S ST PAUL MN 55116

Description:

Invoice Details	Invoice Amount	Amount Paid
1145867		
Noise Variance	\$178.00	\$178.00
TOTAL AMOUNT PAID:		\$178.00

Paid By:

Payment Type	Check #	Received Date	Amount
Check	39325	07/17/2023	\$178.00