



DSI RECEIPT

CITY OF SAINT PAUL

Department of Safety and Inspections
375 Jackson Street Suite 220
Saint Paul, Minnesota 55101-1806
Phone: (651) 266-8989 Fax: (651) 266-9124
www.stpaul.gov/dsi

Date: 08/06/2019

Received From: AMERICAN FOUNDATION FOR SUICIDE PREVENT
4120 MINNEHAHA AVE MINNEAPOLIS MN 55406

Description:

Invoice Details

1060340

Noise Variance

Invoice Amount

\$172.00

Amount Paid

\$172.00

TOTAL AMOUNT PAID:

\$172.00

Paid By:

Payment Type	Check #	Received Date	Amount
Credit Card	MC- 9677	08/06/2019	\$172.00

Sound Level Variance Application
Legislative Code Chapter 293. - Noise Regulations

Application and \$172 fee payment should be submitted a minimum of sixty (60) days prior to the scheduled event start date. A public notification period is required prior to scheduling the application's Public Hearing before the Saint Paul City Council. Applications received fewer than sixty (60) days prior to the event may not satisfy the ordinance's processing timelines for placement on the Council's agenda.

1. Organization/person seeking variance: American Foundation for Suicide Prevention
2. Event Name: Out of the Darkness Community Walk
3. Address and physical description of noise source location (Event, Worksite): 1199 Midway Parkway

East picnic pavilion

4. Responsible person: Erik Arveseth Title: Event organizer
5. Telephone: 612-568-6548 E-Mail: erik.arveseth@afspmn.org
6. Date(s) variance requested: 09/15/19
7. Noise source - Time(s) of operation: 8:00 a.m. - 2:00 p.m.
- Time(s) of pre-event sound check: 7:00 a.m.

8. Sound level requested (dBA/Decibels): 100 or less or less as I understand
9. Mailing address w/zip code: 4120 Minnehaha Avenue, Minneapolis, MN, 55406
10. Briefly describe the noise source and equipment involved: Professional PA playing background music and speaker

11. Describe the steps that will be taken to minimize the noise levels: people will be standing in front of the speakers so noise levels will be minimal. intention is for people to hear opening program and then just background music.


12. State reason for seeking variance (example - music, announcements, construction, etc.): Music, announcements

13. A site diagram & map must be attached showing location of noise source(s), streets, stages, tents, etc. (If there will be amplified sound, indicate location and direction that all speakers will be facing).

Multiple locations may require more than one application.

14. Submit completed application, site diagram/map, and **\$172.00** fee to:

CITY OF SAINT PAUL
DEPARTMENT OF SAFETY AND INSPECTIONS
375 JACKSON STREET, SUITE 220
SAINT PAUL, MN 55101-1806

Signature of responsible person: 

AA-ADA-EEO Employer

Date: 9/8/19

January 2019



CITY OF SAINT PAUL

Business Licensing
375 Jackson Street, Suite 220
Saint Paul, Minnesota 55101-1806

Telephone: 651-266-8989
Facsimile: 651-266-9124
Web: www.stpaul.gov/dsi


Sound Level Variance Application

Legislative Code Chapter 293. - Noise Regulations

Application and \$172 fee payment should be submitted a minimum of sixty (60) days prior to the scheduled event start date. A public notification period is required prior to scheduling the application's Public Hearing before the Saint Paul City Council. Applications received fewer than sixty (60) days prior to the event may not satisfy the ordinance's processing timelines for placement on the Council's agenda.

1. Organization/person seeking variance: American Foundation for Suicide Prevention
2. Event Name: Out of the Darkness Community Walk
3. Address and physical description of noise source location (Event, Worksite): 1199 Midway Parkway
East picnic pavilion
4. Responsible person: Erik Arveseth Title: Event organizer
5. Telephone: 612-568-6548 E-Mail: erik.arveseth@afspmn.org
6. Date(s) variance requested: 09/15/19
7. Noise source - Time(s) of operation: 8:00 a.m. - 2:00 p.m.
- Time(s) of pre-event sound check: 7:00 a.m.
8. Sound level requested (dBA/Decibels): 100 or less or less as I understand
9. Mailing address w/zip code: 4120 Minnehaha Avenue, Minneapolis, MN, 55406
10. Briefly describe the noise source and equipment involved: Professional PA playing background music and speaker
11. Describe the steps that will be taken to minimize the noise levels: people will be standing in front of the speakers
so noise levels will be minimal. intention is for people to hear opening program and then just background music.
12. State reason for seeking variance (example - music, announcements, construction, etc.): Music, announcements
13. A site diagram & map must be attached showing location of noise source(s), streets, stages, tents, etc. (If there will be amplified sound, indicate location and direction that all speakers will be facing).
Multiple locations may require more than one application.
14. Submit completed application, site diagram/map, and \$172.00 fee to:

CITY OF SAINT PAUL
DEPARTMENT OF SAFETY AND INSPECTIONS
375 JACKSON STREET, SUITE 220
SAINT PAUL, MN 55101-1806

Signature of responsible person: 

AA-ADA-EEO Employer

Date: 8/8/19

January 2019

