



## DSI RECEIPT

**CITY OF SAINT PAUL**  
Department of Safety and Inspections  
375 Jackson Street Suite 220  
Saint Paul, Minnesota 55101-1806  
Phone: (651) 266-8989 Fax: (651) 266-9124  
[www.stpaul.gov/dsi](http://www.stpaul.gov/dsi)

Date: 04/30/2019

Received From: MINNESOTA UNITED FC  
400 SNELLING AVE N ST PAUL MN 55104

**Description:**

**Invoice Details**

1053549

Noise Variance

**Invoice Amount**

\$344.00

**Amount Paid**

\$344.00

**TOTAL AMOUNT PAID:**

**\$344.00**

**Paid By:**

Payment Type	Check #	Received Date	Amount
Credit Card	VISA- 1719	04/30/2019	\$344.00



CITY OF SAINT PAUL

Business Licensing  
375 Jackson Street, Suite 220  
Saint Paul, Minnesota 55101-1806

Telephone: 651-2668989  
Facsimile: 651-266-9124  
Web: www.stpaul.gov/dsi

## Sound Level Variance Application

Legislative Code Chapter 293. - Noise Regulations

Application and \$172 fee payment should be submitted a minimum of sixty (60) days prior to the scheduled event start date. A public notification period is required prior to scheduling the application's Public Hearing before the Saint Paul City Council. Applications received fewer than sixty (60) days prior to the event may not satisfy the ordinance's processing timelines for placement on the Council's agenda.

1. Organization/person seeking variance: Minnesota United FC / Zacharia Litzelswope
2. Event Name: Minnesota United FC vs. San Jose Earthquakes
3. Address and physical description of noise source location (Event, Worksite):  
400 Snelling Ave N St. Paul, MN 55104
4. Responsible person: Zacharia Litzelswope Title: Director of Events
5. Telephone: (763) 258-7048 E-Mail: zacharia.l@mnuofc.com
6. Date(s) variance requested: 7.3.19
7. Noise source - Time(s) of operation: 4:30PM - 11:00PM  
- Time(s) of pre-event sound check: 3:30PM - 4:30PM
8. Sound level requested (dBA/Decibels): 105
9. Mailing address w/zip code: 400 Snelling Ave N St Paul, MN
10. Briefly describe the noise source and equipment involved: DJ for the Beer Garden
11. Describe the steps that will be taken to minimize the noise levels: Aiming speakers only towards activation areas.
12. State reason for seeking variance (example - music, announcements, construction, etc.):  
MLS Game
13. A site diagram & map must be attached showing location of noise source(s), streets, stages, tents, etc. (If there will be amplified sound, indicate location and direction that all speakers will be facing).  
**Multiple locations may require more than one application.**
14. Submit completed application, site diagram/map, and \$172.00 fee to:

CITY OF SAINT PAUL  
DEPARTMENT OF SAFETY AND INSPECTIONS  
375 JACKSON STREET, SUITE 220  
SAINT PAUL, MN 55101-1806

Signature of responsible person: \_\_\_\_\_

AA-ADA-EEO Employer

Date: 4/29/19

# Notes

- DJ Booth is within Beer Garden
- Speakers are aimed towards stadium

