



CITY OF SAINT PAUL

July 19, 2021

375 Jackson Street, Suite 220
Saint Paul, Minnesota 55101-1806

Telephone: 651-266-8989
Facsimile: 651-266-9124
Web: www.stpaul.gov/dsi

NOTICE OF PUBLIC HEARING
Sound Level Variance
2021 Irish Fair of Minnesota

Dear St. Paul Property Owner:

This is to inform you of a request for a variance from the sound level limitations as indicated in the St. Paul Noise Ordinance (Chapter 293 of the St. Paul Legislative Code). Property owned by you and located near the noise source, may be affected by this variance request. Rental property owners must provide a copy of this notice to all renters or post a copy in a common area of the building so it can be viewed by the occupants.

Description of Variance:

Location: 200 Dr. Justus Ohage Blvd. – Harriet Island

Noise Source: Irish Fair of Minnesota has requested a sound level variance, at a requested sound level limit of 100 dBA measured at 75 feet, to provide the use of a sound system with amplified sound for the Irish Fair of Minnesota. The variance is requested for the hours of 3:00 p.m. to 10:00 p.m. on August 12, 10:00 a.m. to 11:00 p.m. on August 13, 8:00 a.m. to 11:00 p.m. on August 14, and 8:00 a.m. to 8:00 p.m. August 15, 2021. The Department of Safety and Inspections will be recommending the following conditions: 1) Variance will be for the hours of 3:00 p.m. until 10:00 p.m. on Thursday, August 12, from 10:00 a.m. to 11:00 p.m. on Friday, August 13, from 8:00 a.m. to 11:00 p.m. on Saturday, August 14, and from 8:00 a.m. to 8:00 p.m. on Sunday, August 15, 2021. 2) Main Stage: All electronically powered equipment, PA systems, loudspeakers or similar devices used in conjunction with the event must not exceed 95 dBA at 50 feet from the sound source. Amplified sound on the Main Stage must end at 10:00 p.m., per Parks Department end time Policy. 3) Pub Stage (Tent): All electronically powered equipment, PA systems, loudspeakers or similar devices used in conjunction with the event must not exceed 92 dBA at 50 feet from the sound source. Pub Stage amplified sound to end at 11:00 p.m. on Friday, August 13 and Saturday, August 14 per Parks Department end time Policy. 4) All Other Stages: All electronically powered equipment, PA systems, loudspeakers or similar devices used in conjunction with the event must not exceed 90 dBA at 50 feet from the sound source. 5) The applicant shall provide personnel and equipment who will provide continuous sound level monitoring at each sound source during the hours of the variance. 6) All electronically powered equipment, PA systems, loudspeakers, or similar devices located on the event grounds must be turned off no later than the above identified times at the specific locations on the event dates.

Applicant has acknowledged that any social gathering associated with this variance must be managed in full compliance with all applicable Governor Walz and Mayor Carter COVID-19 Orders including but not limited to Orders relating to distancing, mask wearing and attendance limits.

Public attendance at the City Council's regular meeting location is not feasible due to the COVID-19 health pandemic. Members of the public may view City Council meetings online at <https://stpaul.legistar.com/Calendar.aspx> or on local cable Channel 18.

Submit comments for Public Hearing electronically. The public may comment on public hearing items in writing or via voicemail. Any comments and materials submitted by 12:00 pm of the day before the meeting, August 3, 2021, and will be attached to the public record and available for review by the City Council. Comments may be submitted as follows: Written public comment on public hearing items can be submitted to Contact-Council@ci.stpaul.mn.us, CouncilHearing@ci.stpaul.mn.us, or by voicemail at 651-266-6805.

A public hearing before the City Council on this variance request will be held on:

Date: Wednesday, August 4, 2021

Time: 3:30 p.m.

Location: Members of the City Council will participate in City Council meetings by telephone or other electronic means. After the public hearing, the Council may grant, deny, or modify the variance request.

If you have questions about the sound level variance, please contact: Barb McMonigal-St.Dennis, Environmental Health Specialist, 651-266-9137, barb.mcmonigal-st.dennis@ci.stpaul.mn.us