

705 Summit Avenue
Ken Doyle
Apartment 4
Ceiling Height Issue

Bedroom 1

Goal: 50% or more of ceiling seven feet high or higher.

Total Area: $10-9 \times 12 = 129$ square feet.

Range of ceiling height: 6' – 7-4.

Area with ceiling seven feet or higher: 64.5 square feet

Percent with ceiling seven feet or higher: $64.5/129 = 50\%$

Total area minus area under radiator: 126 square feet

Area with ceiling seven feet or higher: 64.5

Percent with ceiling seven feet or higher: $64.5/126 = 51\%$

Bedroom 2

Goal: 50% or more of ceiling seven feet or higher.

Total Area: $9-6 \times 12 = 114$ square feet

Range of ceiling height: 6' – 7-4.

Area with ceiling seven feet or higher: 57 square feet

Percent with ceiling seven feet or higher: $57/114 = 50\%$

Total area minus area under radiator: 107.5 square feet

Area with ceiling seven feet or higher: 57 square feet

Percent with ceiling seven feet or higher: 53%


Note: If the inspector's measurements and his assertion that only 44% not 50% of the area of the bedrooms stand seven feet high or more are somehow "more correct" than ours, we have a shortfall of 6%. Six percent of Bedroom 1 is 7.7 square feet; of Bedroom 2, 6.8 square feet, both slightly less if we disregard the area beneath the radiators. In this event, I request a variance for each bedroom, because the shortfall is trivial and the ceiling height at the lowest end of the room (above the radiators) is still a full six feet.

I suppose we could install bookshelves or extra closets on either or both sides of the radiators, reducing the total area and increasing the percent above seven feet to 50% or higher. But this seems unnecessary owing to the trivial shortfall.

BR 2

BR 1

TOP VIEWS




10 1/2"

10 1/2"

14 1/2"

705 SUMMIT
APARTMENT 4

SIDE VIEW SAME EX. BOTTOM BR 2



14 1/2"

10 1/2"

9 1/2"

705 Summit Avenue
Ken Doyle
Apartment 4
Ceiling Height Issue

Bedroom 1

Goal: 50% or more of ceiling seven feet high or higher.
Total Area: $10-9 \times 12 = 129$ square feet.
Range of ceiling height: 6' – 7-4.
Area with ceiling seven feet or higher: 64.5 square feet
Percent with ceiling seven feet or higher: $64.5/129 = 50\%$

Total area minus area under radiator: 126 square feet
Area with ceiling seven feet or higher: 64.5
Percent with ceiling seven feet or higher: $64.5/126 = 51\%$

Bedroom 2

Goal: 50% or more of ceiling seven feet or higher.
Total Area: $9-6 \times 12 = 114$ square feet
Range of ceiling height: 6' – 7-4.
Area with ceiling seven feet or higher: 57 square feet
Percent with ceiling seven feet or higher: $57/114 = 50\%$

Total area minus area under radiator: 107.5 square feet
Area with ceiling seven feet or higher: 57 square feet
Percent with ceiling seven feet or higher: 53%

Note: If the inspector's measurements and his assertion that only 44% not 50% of the area of the bedrooms stand seven feet high or more are somehow "more correct" than ours, we have a shortfall of 6%. Six percent of Bedroom 1 is 7.7 square feet; of Bedroom 2, 6.8 square feet, both slightly less if we disregard the area beneath the radiators. In this event, I request a variance for each bedroom, because the shortfall is trivial and the ceiling height at the lowest end of the room (above the radiators) is still a full six feet.


I suppose we could install bookshelves or extra closets on either or both sides of the radiators, reducing the total area and increasing the percent above seven feet to 50% or higher. But this seems unnecessary owing to the trivial shortfall.

705 SUMMIT
APARTMENT 4


14'-11"
SIDE VIEW - SHARPER CORNERS



TOP VIEWS



BR1



BR2