

A SECTION
SCALE: 1/2" = 1'-0"


BOTTLE STEP
SCALE: 1/2" = 1'-0"



B ELEVATION
SCALE: 1/2" = 1'-0"




C PLAN
SCALE: 1/2" = 1'-0"




Food and drink
2,380 sf

PLAN
SCALE: 1/4" = 1'-0"



BACK BAR
SCALE: 1/2" = 1'-0"



BAR SECTION
SCALE: 1/2" = 1'-0"

- ### PLAN NOTES
1. THE GENERAL CONTRACTOR IS RESPONSIBLE TO PROVIDE AND INSTALL ALL NECESSARY AND APPROVED AS REQUIRED FOR THE INSTALLATION OF MECHANICAL AND ELECTRICAL SYSTEMS AS REQUIRED. SEE FURNISHMENTS FOR RELATED LOCATIONS.
 2. ALL WALLS SHALL BE METAL STUD FRAMING.
 3. THE GENERAL CONTRACTOR SHALL BE RESPONSIBLE TO PROVIDE FOR ALL DETAILS OF FLOOR FINISHES AND SHALL BE RESPONSIBLE FOR A FINISH LEVEL. THE FLOOR SHALL BE FINISHED AND INSPECTED BEFORE ANY CONSTRUCTION TO REMAIN SHALL BE PATCHED AND REPAIRED AS REQUIRED AND PREPARED TO RECEIVE NEW FINISHES PER FRESH PLAN.
 4. ALL EXISTING CONSTRUCTION TO REMAIN SHALL BE PATCHED AND REPAIRED AS REQUIRED AND PREPARED TO RECEIVE NEW FINISHES PER FRESH PLAN.
 5. ALL SURFACES NOT FINISHED TO REMAIN IF DAMAGED DURING DESTRUCTION OR ANY STAGE OF THE WORK SHALL BE REPAIRED BY THE GENERAL CONTRACTOR TO THE SAME QUALITY AS THE NEW CONSTRUCTION. IF SUCH BE THE GENERAL CONTRACTOR'S RESPONSIBILITY TO DETERMINE AND REPAIR THE DAMAGE AND RELIABLE TO GENERAL NOTES #3 OF THE GENERAL NOTES. NOTIFY THE ARCHITECT OF ANY DAMAGE FROM CONSTRUCTION.
 6. AT ALL LOCATIONS WHERE NEW ELECTRICAL AND MECHANICAL SYSTEMS ARE TO BE INSTALLED OR EXISTING SYSTEMS ARE TO BE REPAIRED OR REPLACED, THE CONTRACTOR SHALL PROVIDE ALL NECESSARY PERMITS AND COORDINATE WITH ALL NECESSARY AGENCIES AND UTILITIES TO BE INSTALLED OR REPAIRED. ALL ELECTRICAL AND MECHANICAL SYSTEMS SHALL BE INSTALLED IN ACCORDANCE WITH ALL APPLICABLE CODES AND REGULATIONS. ALL ELECTRICAL AND MECHANICAL SYSTEMS SHALL BE INSTALLED IN ACCORDANCE WITH ALL APPLICABLE CODES AND REGULATIONS.
 7. VERIFY ALL DIMENSIONS AND CLEARANCES WITHIN ELEMENT.
 8. VERIFY ALL DIMENSIONS AND CLEARANCES WITHIN ELEMENT. VERIFY ALL DIMENSIONS AND CLEARANCES WITHIN ELEMENT. VERIFY ALL DIMENSIONS AND CLEARANCES WITHIN ELEMENT.
 9. DO NOT SCALE OFF OF PLAN. CONSULT ARCHITECT WITH DIMENSIONAL SYSTEMS TO DETERMINE DIMENSIONS.
 10. PROVIDE A PATTERNS WITH FACE OF EXISTING FINISHES TO DETERMINE FINISHES TO BE MAINTAINED.
 11. CONTRACTOR SHALL VERIFY THE SITE AND BE RESPONSIBLE FOR ALL EXISTING CONDITIONS PER SITE SURVEY PER END.
 12. THE CONTRACTOR SHALL TAKE UP ALL NECESSARY PERMITS, INSURE, LICENSES AND CERTIFICATES AND PAY ALL FEES. COORDINATE THE PERMITS WITH ALL NECESSARY AGENCIES AND UTILITIES TO BE INSTALLED OR REPAIRED.
 13. THE CONTRACTOR SHALL TAKE UP ALL NECESSARY PERMITS, INSURE, LICENSES AND CERTIFICATES AND PAY ALL FEES. COORDINATE THE PERMITS WITH ALL NECESSARY AGENCIES AND UTILITIES TO BE INSTALLED OR REPAIRED.
 14. REFER TO DESIGN BUILD ENGINEERING DRAWINGS FOR MECHANICAL, ELECTRICAL, AND SANITARY SYSTEMS.
 15. ALL NEW WORK SHALL BE INSTALLED IN ACCORDANCE WITH ALL APPLICABLE CODES AND REGULATIONS. ALL NEW WORK SHALL BE INSTALLED IN ACCORDANCE WITH ALL APPLICABLE CODES AND REGULATIONS.
 16. REFER TO DESIGN BUILD ENGINEERING DRAWINGS FOR MECHANICAL, ELECTRICAL, AND SANITARY SYSTEMS.
 17. GO VERIFY FOR PATTERNS AND PERMITS.
 18. ON CLOSE UP OF THE PROJECT, CONTRACTOR SHALL VERIFY ALL FINISHES AND MAKE THE WORK MATCH ANY FINISHES.
 19. PROVIDE ALL MATERIALS AND FINISHES TO MATCH EXISTING FINISHES AND MAKE THE WORK MATCH ANY FINISHES.
 20. PROVIDE 5/8" CONCRETE BOARD IN PLACE OF GIP BOARD AT ALL.

- ### KEY NOTES
1. PROVIDE NEW STEEL FLOOR MATS AT ENTRY AND EXIT AREAS.
 2. 3/4" x 4" x 1/2" ACCESSIBLE STOREFRONT DOOR PROVIDE FINISH IN FULL BAR CLOSER, DEADWEIGHT AND SCISSOR HINGES.
 3. NEW 2 1/2" x 4" x 1/2" ACCESSIBLE STOREFRONT DOOR PROVIDE FINISH IN FULL BAR CLOSER, DEADWEIGHT AND SCISSOR HINGES.
 4. 1/2" x 4" x 1/2" ACCESSIBLE STOREFRONT DOOR PROVIDE FINISH IN FULL BAR CLOSER, DEADWEIGHT AND SCISSOR HINGES.
 5. 3/4" x 4" x 1/2" ACCESSIBLE STOREFRONT DOOR PROVIDE FINISH IN FULL BAR CLOSER, DEADWEIGHT AND SCISSOR HINGES.
 6. NEW 3/4" x 4" x 1/2" ACCESSIBLE STOREFRONT DOOR PROVIDE FINISH IN FULL BAR CLOSER, DEADWEIGHT AND SCISSOR HINGES.
 7. 1/2" x 4" x 1/2" ACCESSIBLE STOREFRONT DOOR PROVIDE FINISH IN FULL BAR CLOSER, DEADWEIGHT AND SCISSOR HINGES.
 8. PROVIDE 4" x 12" FLOOR MATS.
 9. NEW 1/2" x 4" x 1/2" ACCESSIBLE STOREFRONT DOOR PROVIDE FINISH IN FULL BAR CLOSER, DEADWEIGHT AND SCISSOR HINGES.
 10. NEW 1/2" x 4" x 1/2" ACCESSIBLE STOREFRONT DOOR PROVIDE FINISH IN FULL BAR CLOSER, DEADWEIGHT AND SCISSOR HINGES.
 11. NEW 1/2" x 4" x 1/2" ACCESSIBLE STOREFRONT DOOR PROVIDE FINISH IN FULL BAR CLOSER, DEADWEIGHT AND SCISSOR HINGES.
 12. 2" x 4" x 1/2" ACCESSIBLE STOREFRONT DOOR PROVIDE FINISH IN FULL BAR CLOSER, DEADWEIGHT AND SCISSOR HINGES.
 13. ACCESSIBLE SEAT.
 14. PROVIDE 1/2" x 4" x 1/2" ACCESSIBLE STOREFRONT DOOR PROVIDE FINISH IN FULL BAR CLOSER, DEADWEIGHT AND SCISSOR HINGES.
 15. PROVIDE 1/2" x 4" x 1/2" ACCESSIBLE STOREFRONT DOOR PROVIDE FINISH IN FULL BAR CLOSER, DEADWEIGHT AND SCISSOR HINGES.
 16. 1/2" x 4" x 1/2" ACCESSIBLE STOREFRONT DOOR PROVIDE FINISH IN FULL BAR CLOSER, DEADWEIGHT AND SCISSOR HINGES.
 17. 1/2" x 4" x 1/2" ACCESSIBLE STOREFRONT DOOR PROVIDE FINISH IN FULL BAR CLOSER, DEADWEIGHT AND SCISSOR HINGES.
 18. 1/2" x 4" x 1/2" ACCESSIBLE STOREFRONT DOOR PROVIDE FINISH IN FULL BAR CLOSER, DEADWEIGHT AND SCISSOR HINGES.
 19. 2 1/2" x 4" x 1/2" ACCESSIBLE STOREFRONT DOOR PROVIDE FINISH IN FULL BAR CLOSER, DEADWEIGHT AND SCISSOR HINGES.

little box

212 SHELLING AVE S
ST. PAUL, MN 55105

MONKEY
TEMPLE

BIO PERLUT
2019-02-03

CONSTRUCTION PLAN

A111