



CITY OF SAINT PAUL
Christopher B. Coleman, Mayor

375 Jackson Street, Suite 220
Saint Paul, Minnesota 55101-1806

Telephone: 651-266-8989
Facsimile: 651-266-9124
Web: www.stpaul.gov/dsi

August 20, 2012

Mark & Amalie Rhein
148 Wyoming St. E.
St. Paul, MN 55107

Dear Mr. & Mrs. Rhein:

This is to confirm that our office has received your application for a variance from the city's noise ordinance and that it is being processed.

You requested a variance to allow you to present amplified music for a wedding at 148 Wyoming Street East, between 6:00 p.m. and 11:00 p.m. on September 15, 2012. The recommendation is for a noise limit of 85 dBA as measured 50 feet from sound source from 6:00 p.m. – 10:00 p.m. and 75 dBA as measured 50 feet from sound source from 10:00 p.m. – 11:00 p.m.

A public hearing on your request for a variance has been scheduled for **September 5, 2012, 5:30 p.m.**, Third Floor, City Council Chambers, at the Saint Paul City Hall/Ramsey County Courthouse, 15 Kellogg Boulevard W., Saint Paul, Minnesota.

You may wish to be present at this hearing to answer any questions that the City Council might have. After the public hearing, the Council may grant, deny, or modify the variance request.

If you have any questions, you can reach Mark Kaisersatt, Environmental Health Specialist, at 651-266-1908, or e-mail him at mark.kaisersatt@ci.stpaul.mn.us .

Sincerely,

Natasha Murphy
Department of Safety & Inspections
Office Assistant III