



Sound Level Variance Application

Legislative Code Chapter 293. - Noise Regulations Application and \$178 fee should be submitted a minimum of sixty (60) days prior to the event date to allow ample time for required public notification period and scheduling of a Council public hearing. Applications submitted within sixty (60) days of the event date may not satisfy the processing timeline requirements.

1. Organization/person seeking variance: Minnesota United FC/Allianz Field
2. Event Name: Minnesota United FC vs. Sporting Kansas City
3. Address and physical description of noise source location (Event, Worksite): 400 Snelling Avenue N. St. Paul MN 55104
4. Responsible person: Steven Lorbiecki Title: Event Operations Manager
5. Telephone: 612-928-6405 E-Mail: Steven.L@mnufc.com
6. Date(s) variance requested: Saturday June 1st 2024
7. Noise source - Time(s) of operation: 5:00PM - 7:30PM
- Time(s) of pre-event sound check: 4:30PM
8. Sound level requested (dBA/Decibels): 95 dBA
9. Mailing address w/zip code: 400 Snelling Avenue N. St. Paul MN 55104
10. Briefly describe the noise source and equipment involved: SL100 stage with tower speakers placed on Spruce Tree Drive facing the stadium
11. Describe the steps that will be taken to minimize the noise levels: Stage and speakers are facing the stadium and focused on the activation space
12. State reason for seeking variance (example - music, announcements, construction, etc.): MLS Regular Season Soccer Game
13. Maximum number of attendees: 19,600
14. A site diagram & map must be attached showing location of noise source(s), streets, stages, tents, etc. (If there will be amplified sound, indicate location and direction that all speakers will be facing. Multiple locations may require more than one application.)
15. Submit completed application, site diagram/map, and \$178 fee to:
**CITY OF SAINT PAUL, DEPARTMENT OF SAFETY AND
INSPECTIONS 375 JACKSON STREET, SUITE 220
SAINT PAUL, MN 55101-1806**

I understand any social gathering associated with this variance must be managed in compliance with any applicable Mayor Carter executive order regarding vaccinations, distancing, masks and attendance limits.

Signature of responsible person: Steven Lorbiecki Date: 1/16/2024

Small/Medium Setup Example—DJ

2024 Dates: 5/15, 5/18, 7/3, 7/17, 9/18, 9/28



Large Setup Example—Stage

2024 Dates: 6/1, 6/8, 6/22, 7/20, 8/24, 10/19





Sound Level Variance Application


Legislative Code Chapter 293. - Noise Regulations Application and \$178 fee should be submitted a minimum of sixty (60) days prior to the event date to allow ample time for required public notification period and scheduling of a Council public hearing. Applications submitted within sixty (60) days of the event date may not satisfy the processing timeline requirements.

1. Organization/person seeking variance: Minnesota United FC/allianz Field
2. Event Name: Minnesota United FC vs FC Dallas
3. Address and physical description of noise source location (Event, Worksite):
400 Snelling Avenue N. St Paul MN 55104
4. Responsible person: Steven Lorbiecki Title: Event Operations Manager
5. Telephone: 612-928-6405 E-Mail: Steven.L@mnuhc.com
6. Date(s) variance requested: Saturday June 8th 2024
7. Noise source - Time(s) of operation: 5:00PM - 7:30PM
- Time(s) of pre-event sound check: 4:30 PM
8. Sound level requested (dBA/Decibels): 95 dBA
9. Mailing address w/zip code: 400 Snelling Avenue N. St Paul MN 55104
10. Briefly describe the noise source and equipment involved: SL100 Stage with tower speakers placed on Spruce Tree Dr. facing the stadium
11. Describe the steps that will be taken to minimize the noise levels: Stage and speakers are facing the stadium and focused on the activation space
12. State reason for seeking variance (example - music, announcements, construction, etc.): MLS Regular Season Soccer Game
13. Maximum number of attendees: 19,600
14. A site diagram & map must be attached showing location of noise source(s), streets, stages, tents, etc. (If there will be amplified sound, indicate location and direction that all speakers will be facing. Multiple locations may require more than one application.)
15. Submit completed application, site diagram/map, and \$178 fee to:
**CITY OF SAINT PAUL, DEPARTMENT OF SAFETY AND
INSPECTIONS 375 JACKSON STREET, SUITE 220
SAINT PAUL, MN 55101-1806**

I understand any social gathering associated with this variance must be managed in compliance with any applicable Mayor Carter executive order regarding vaccinations, distancing, masks and attendance limits.

Signature of responsible person: Steven Lorbiecki Date: 1/16/2024

Small/Medium Setup Example—DJ
2024 Dates: 5/15, 5/18, 7/3, 7/17, 9/18, 9/28



Large Setup Example—Stage
2024 Dates: 6/1, 6/8, 6/22, 7/20, 8/24, 10/19





Sound Level Variance Application


Legislative Code Chapter 293. - Noise Regulations Application and \$178 fee should be submitted a minimum of sixty (60) days prior to the event date to allow ample time for required public notification period and scheduling of a Council public hearing. Applications submitted within sixty (60) days of the event date may not satisfy the processing timeline requirements.

1. Organization/person seeking variance: Minnesota United FC/Allianz Field
2. Event Name: Minnesota United FC vs. Austin FC
3. Address and physical description of noise source location (Event, Worksite):
400 Snelling Avenue N. St Paul MN 55104
4. Responsible person: Steven Lorbiecki Title: Event Operations Manager
5. Telephone: 612-928-6405 E-Mail: Steven.L@mnufc.com
6. Date(s) variance requested: Saturday June 22nd 2024
7. Noise source - Time(s) of operation: 5:00PM-7:30PM
- Time(s) of pre-event sound check: 4:30PM
8. Sound level requested (dBA/Decibels): 95 dBa
9. Mailing address w/zip code: 400 Snelling Avenue N. St Paul MN 55104
10. Briefly describe the noise source and equipment involved: SL 100 stage with tower speakers positioned on Spruce Tree Drive facing the stadium
11. Describe the steps that will be taken to minimize the noise levels: Stage and sound are pointed towards the stadium focused on the activation space
12. State reason for seeking variance (example - music, announcements, construction, etc.): MLs Regular Season Soccer Game
13. Maximum number of attendees: 19,600
14. A site diagram & map must be attached showing location of noise source(s), streets, stages, tents, etc. (If there will be amplified sound, indicate location and direction that all speakers will be facing. Multiple locations may require more than one application.)
15. Submit completed application, site diagram/map, and \$178 fee to:
**CITY OF SAINT PAUL, DEPARTMENT OF SAFETY AND
INSPECTIONS 375 JACKSON STREET, SUITE 220
SAINT PAUL, MN 55101-1806**

I understand any social gathering associated with this variance must be managed in compliance with any applicable Mayor Carter executive order regarding vaccinations, distancing, masks and attendance limits.

Signature of responsible person: Steven Lorbiecki Date: 1/16/24

Small/Medium Setup Example—DJ
2024 Dates: 5/15, 5/18, 7/3, 7/17, 9/18, 9/28



Large Setup Example—Stage
2024 Dates: 6/1, 6/8, 6/22, 7/20, 8/24, 10/19

