



June 29, 2018

## **NOTICE OF PUBLIC HEARING**

### Sound Level Variance Irish Fair of MN 2018

Dear St. Paul Property Owner:

This is to inform you of a request for a variance from the sound level limitations as indicated in the St. Paul Noise Ordinance (Chapter 293 of the St. Paul Legislative Code). Property owned by you and located near the noise source, may be affected by this variance request. Rental property owners must provide a copy of this notice to all renters or post a copy in a common area of the building so it can be viewed by the occupants.

#### **Description of Variance:**

**Locations:** Harriet Island Regional Park

**Noise Source:** Irish Fair of Minnesota, represented by Erin Cooper, Executive Director, has requested a sound level variance, at a requested sound level limit of 100 dBA at 75 feet, in order to provide amplified music and the use of a sound system, during the Irish Fair of Minnesota, from 6:00 p.m. until 10:00 p.m. on Thursday, August 9, from 2:00 p.m. to 11:00 p.m. on Friday, August 10, from 8:00 a.m. to 11:00 p.m. on Saturday, August 11, and from 8:00 a.m. to 8:00 p.m. on Sunday, August 12, 2018. The Department of Safety and Inspections (DSI) recommends the following conditions: 1) Variance will be for the hours of 6:00 p.m. until 10:00 p.m. on Thursday, August 9, from 2:00 p.m. to 11:00 p.m. on Friday, August 10, from 8:00 a.m. to 11:00 p.m. on Saturday, August 11, and from 8:00 a.m. to 8:00 p.m. on Sunday, August 12, 2018. 2) Target Main Stage: All electronically powered equipment, PA systems, loudspeakers or similar devices used in conjunction with the event must not exceed 100 dBA at 75 feet from the sound source. Amplified sound on Target Stage must end at 10:00 p.m., per Parks Department end time Policy. 3) Pub Stage (Tent): All electronically powered equipment, PA systems, loudspeakers or similar devices used in conjunction with the event must not exceed 95 dBA at 50 feet from the sound source. Pub Stage amplified sound to end at 11:00 p.m., per Parks Department end time Policy. 4) All Other Stages: All electronically powered equipment, PA systems, loudspeakers or similar devices used in conjunction with the event must not exceed 90 dBA at 50 feet from the sound source. 5) The applicant shall provide personnel and equipment who will provide continuous sound level monitoring at each sound mix during the hours of the variance. 6) All electronically powered equipment, PA systems, loudspeakers, or similar devices located on the event grounds must be turned off no later than the above identified times at the specific locations on the event dates.

#### **A public hearing before the City Council on this variance request will be held on:**

Date: Wednesday, July 18, 2018

Time: 5:30 p.m.

Location: 3rd floor, City Hall Council Chambers

If you attend the public hearing, you will be given the opportunity to present verbal comments or objections before the City Council. If you are unable to attend the public hearing, you may submit written comments or objections with the City of St. Paul, Department of Safety and Inspections, 375 Jackson Street, Suite 220, Saint Paul, Minnesota 55101-1806, attention Barb McMonigal-St. Dennis or by email to [barb.mcmonigal-st.dennis@ci.stpaul.mn.us](mailto:barb.mcmonigal-st.dennis@ci.stpaul.mn.us). Written comments or objections must be received on or before Tuesday, July 17, 2018.