



Received

AUG 23 2022

375 Jackson Street, Suite 220  
Saint Paul, MN 55101-1806  
Tel: 651-266-8989 | Fax: 651-266-9124

City of Saint Paul - DSI


### Sound Level Variance Application

Legislative Code Chapter 293. - Noise Regulations Application and \$178 fee should be submitted a minimum of sixty (60) days prior to the event date to allow ample time for required public notification period and scheduling of a Council public hearing. Applications submitted within sixty (60) days of the event date may not satisfy the processing timeline requirements.


1. Organization/person seeking variance: Robert Cooley
2. Event Name: Twin Cities Marathon Party
3. Address and physical description of noise source location (Event, Worksite): 587 Summit Ave, St Paul, 55102. Band on front lawn during the marathon
4. Responsible person: Robert Cooley Title: NA
5. Telephone: 651-338-3880 E-Mail: rw.cooley@gmail.com
6. Date(s) variance requested: 10/2/22
7. Noise source - Time(s) of operation: 11:00 am - 1:00 pm  
- Time(s) of pre-event sound check: 10:30 am
8. Sound level requested (dBA/Decibels): 90?, based on web search on outdoor concerts 90-100
9. Mailing address w/zip code: 587 Summit Ave, St Paul MN 55102
10. Briefly describe the noise source and equipment involved: we plan on hiring a band, they will have amplifiers
11. Describe the steps that will be taken to minimize the noise levels: We can have the band turn it down. We want to be able to talk!
12. State reason for seeking variance (example - music, announcements, construction, etc.): Marathon!
13. Maximum number of attendees: 30
14. A site diagram & map must be attached showing location of noise source(s), streets, stages, tents, etc. (If there will be amplified sound, indicate location and direction that all speakers will be facing. Multiple locations may require more than one application.)
15. Submit completed application, site diagram/map, and \$178 fee to:  
CITY OF SAINT PAUL, DEPARTMENT OF SAFETY AND INSPECTIONS  
375 JACKSON STREET, SUITE 220  
SAINT PAUL, MN 55101-1806

I understand any social gathering associated with this variance must be managed in compliance with any applicable Mayor Carter executive order regarding vaccinations, distancing, masks and attendance limits.

Signature of responsible person: Robert W Cooley Date: 8/22/22



6" Tall Curb  
 Bottom of Walls Measured From Sidewalk  
 Not Curb





# DSI RECEIPT

CITY OF SAINT PAUL  
Department of Safety and Inspections  
375 Jackson Street Suite 220  
Saint Paul, Minnesota 55101-1806  
Phone: (651) 266-8989 Fax: (651) 266-9124  
www.stpaul.gov/dsi

Date: 08/23/2022

Received From: ROBERT COOLEY  
587 SUMMIT AVE ST PAUL MN 55102

Description:

Invoice Details	Invoice Amount	Amount Paid
1128868		
Noise Variance	\$178.00	\$178.00
<b>TOTAL AMOUNT PAID:</b>		<b>\$178.00</b>

Paid By:

Payment Type	Check #	Received Date	Amount
Check	1498	08/23/2022	\$178.00