

McMonigal-St Dennis, Barb (CI-StPaul)

From: City of Saint Paul <cityofsaintpaul@public.govdelivery.com>
Sent: Monday, August 30, 2021 3:55 PM
To: Graybar, Matthew (CI-StPaul); Skarda, Ashley (CI-StPaul); Mahamed, Mahamed (CI-StPaul); Maxwell, Chase (CI-StPaul); Addison.Vang@ci.stpaul.mn.us; Greene Guentzel, Amanda (CI-StPaul); Lovas, Mike (CI-StPaul); McKinney, Chelsey (CI-StPaul); Holcomb, Sabrill (CI-StPaul); Zimny, Joanna (CI-StPaul); Donovan, Suzanne (CI-StPaul); O'Brien, Ashley (CI-StPaul); #CI-StPaul_WebMaster; Clark Nickles; Kantner, Libby (CI-StPaul); Knutson, Jovan (CI-StPaul); Dumke, Alexander (CI-StPaul); Ruiz, Justin (CI-StPaul); Williams, Michael (CI-StPaul); Vang, Janie (CI-StPaul); Burchill, Hannah (CI-StPaul); Archibald, Dominique (CI-StPaul); Carey-Linskey, Liz (CI-StPaul); julian.robby@ci.stpaul.mn.us; Johnson, Cassi (CI-StPaul); Muhammad, Akbar (CI-StPaul); Sheldon, Tina (CI-StPaul); Eide, David (CI-StPaul); Middlebrook, TJay (CI-StPaul); Rong-Hwa Gau; Linston, Maxine (CI-StPaul); Nelson, Drew (CI-StPaul); Peterson, Janis (CI-StPaul); Dubruiel, Paul (CI-StPaul); Satterberg, Sarah (CI-StPaul); Koziol, Kristin (CI-StPaul); McMonigal-St Dennis, Barb (CI-StPaul)
Subject: Courtesy Copy: Sound Level Variance Application, University of St Thomas, Homecoming 5K

This is a courtesy copy of an email bulletin sent by Barb McMonigal-St. Dennis.

This bulletin was sent to the following groups of people:

Subscribers of ENS - D13: Union Park District Council (1076 recipients)

Event: University of St Thomas, Homecoming 5K

Description of Variance:

Location: 2115 Summit Avenue near Summit Avenue and Cretin Avenue

Noise Source: Zachary DuBois, University of St Thomas St. Paul campus manager, has requested a sound level variance, for 92 dBA as measured at 60 feet from all sound sources to present amplified sound with use of a sound system for the Homecoming 5K on October 9, 2021 at 2115 Summit Avenue. The variance is requested for the hours of 7:00 a.m. to 12:00 pm. with a pre-event sound check at 6:00 a.m. The Department of Safety and Inspections will be recommending the following conditions: 1) The Variance shall be for the hours of 7:00 a.m. until 12:00 p.m. on Saturday, October 9, 2021, with a pre-event sound check at 7:00 a.m. for the University of St Thomas Homecoming 5K. 2) All electronically powered equipment used in conjunction with the event shall not exceed 90 dBA as measured at 50 feet from all sound sources on October 9, 2021. 3) The applicant shall provide personnel and equipment to ensure compliance with the sound level variance conditions. 4) All electronically powered equipment, PA systems, loudspeakers or similar devices shall be turned off no later than 12:00 p.m. on October 9, 2021.

Applicant has acknowledged that any social gathering associated with this variance must be managed in full compliance with all applicable Governor Walz and Mayor Carter COVID-19 Orders including but not limited to Orders relating to distancing, mask wearing and attendance limits

Public attendance at the City Council’s regular meeting location is not feasible due to the COVID-19 health pandemic. Members of the public may view City Council meetings online at <https://stpaul.legistar.com/Calendar.aspx> or on local cable Channel 18.

Submit comments for Public Hearing electronically. The public may comment on public hearing items in writing or via voicemail. Any comments and materials submitted by 12:00 pm of the day before the meeting, Tuesday, September 14, 2021, and will be attached to the public record and available for review by the City Council. Comments may be submitted as follows: Written public comment on public hearing items can be submitted to Contact-Council@ci.stpaul.mn.us, CouncilHearing@ci.stpaul.mn.us, or by voicemail at 651-266-6805.

A public hearing before the City Council on this variance request will be held on:

Date: Wednesday, September 15, 2021

Time: 3:30 p.m.

Location: Members of the City Council will participate in City Council meetings by telephone or other electronic means.

After the public hearing, the Council may grant, deny, or modify the variance request.

If you have questions about the sound level variance, please contact: Barb McMonigal-St.Dennis, Environmental Health Specialist, 651-266-9137, barb.mcmonigal-st.dennis@ci.stpaul.mn.us



Questions? [Contact Us](#)

SAINT PAUL
MINNESOTA

STAY CONNECTED:



SUBSCRIBER SERVICES:

[Manage Preferences](#) | [Unsubscribe from ALL](#) | [Help](#)