



DSI RECEIPT

CITY OF SAINT PAUL
Department of Safety and Inspections
375 Jackson Street Suite 220
Saint Paul, Minnesota 55101-1806
Phone: (651) 266-8989 Fax: (651) 266-9124
www.stpaul.gov/dsi

Date: 04/30/2019

Received From: MINNESOTA UNITED FC
400 SNELLING AVE N ST PAUL MN 55104

Description:

Invoice Details

1053549

Noise Variance

Invoice Amount

\$344.00

Amount Paid

\$344.00

TOTAL AMOUNT PAID:

\$344.00

Paid By:

| Payment Type | Check # | Received Date | Amount |
|--------------|------------|---------------|----------|
| Credit Card | VISA- 1719 | 04/30/2019 | \$344.00 |



CITY OF SAINT PAUL

Business Licensing
375 Jackson Street, Suite 220
Saint Paul, Minnesota 55101-1806

Telephone: 651-2668989
Facsimile: 651-266-9124
Web: www.stpaul.gov/dsi

Sound Level Variance Application Legislative Code Chapter 293. - Noise Regulations

Application and \$172 fee payment should be submitted a minimum of sixty (60) days prior to the scheduled event start date. A public notification period is required prior to scheduling the application's Public Hearing before the Saint Paul City Council. Applications received fewer than sixty (60) days prior to the event may not satisfy the ordinance's processing timelines for placement on the Council's agenda.

1. Organization/person seeking variance: Minnesota United FC / Zacharia Litzelswope
2. Event Name: Minnesota United FC v. FC Cincinnati
3. Address and physical description of noise source location (Event, Worksite):
400 Snelling Ave N St. Paul, MN 55104
4. Responsible person: Zacharia Litzelswope Title: Director of Events
5. Telephone: (763) 285-7048 E-Mail: zacharia.1@mnufc.com
6. Date(s) variance requested: 6.29.19
7. Noise source - Time(s) of operation: 12:30PM - 7:00PM
- Time(s) of pre-event sound check: 11:30AM - 12:30PM
8. Sound level requested (dBA/Decibels): 105 dBA
9. Mailing address w/zip code: 400 Snelling Ave N St. Paul, MN 55104
10. Briefly describe the noise source and equipment involved: DJ for Beer Garden

11. Describe the steps that will be taken to minimize the noise levels: Aiming speakers only towards activation areas.

12. State reason for seeking variance (example - music, announcements, construction, etc.):
MLS Game

13. A site diagram & map must be attached showing location of noise source(s), streets, stages, tents, etc. (If there will be amplified sound, indicate location and direction that all speakers will be facing).

Multiple locations may require more than one application.

14. Submit completed application, site diagram/map, and \$172.00 fee to:

CITY OF SAINT PAUL
DEPARTMENT OF SAFETY AND INSPECTIONS
375 JACKSON STREET, SUITE 220
SAINT PAUL, MN 55101-1806


Signature of responsible person: _____

AA-ADA-EEO Employer

Date: 4/29/19

Notes

- DJ Booth is within Beer Garden
- Speakers are aimed towards stadium



REDEVELOPMENT

E AVE

BREW HALL

NW GATE

NE GATE

15 ST

SIMP

DJ

