



CITY OF SAINT PAUL

375 Jackson Street, Suite 220
St Paul, Minnesota 55101-1806

Telephone: 651-266-8989
Facsimile: 651-266-9124
Web: www.stpaul.gov/dsi

- Yog hais tias koj tsis to taub tsab ntawv no, hu rau tus txhais lus ntawm (651) 266-8989. Nws yog pab dawb xwb.
- Si necessita un traductor, por favor llamanos al (651)266-8989. No costo.

330

August 08, 2019

James A Sazevich
454 Smith Ave N
St Paul MN 55102-2726

CORRECTION NOTICE

Date: **August 08, 2019**
RE: **454 SMITH AVE N**
File #: **19-069856**

Dear Sir or Madam:

The City of Saint Paul, Department of Safety and Inspections has inspected the above referenced property on **August 08, 2019** and has determined that the following deficiencies exist in violation of the Saint Paul Legislative Code¹ (see footnote 1, below).

1. **SPLC 34.11 WATER:** Lack of Water Service. Immediately restore water service. Failure to provide water service will result in these premises being declared Unfit for Human Habitation and ordered vacated for lack of this basic facility. **PLEASE CONTACT SAINT PAUL REGIONAL WATER SERVICES AT 651-266-6350 TO SCHEDULE AN APPOINTMENT WITH THE METER SHOP TO COME OUT AND READ AND INSPECT YOUR WATER METER.**

You are hereby notified to correct these deficiencies in accordance with the appropriate codes. The Enforcement Officer will re-inspect these premises on **August 15, 2019**, by which date the violations noted must be corrected. **Failure to correct these deficiencies may result in the issuance of criminal charges²** and/or a civil lawsuit, and possible abatement/assessment by the City. All repairs and new installations must be made in accordance with the appropriate codes. Permits may be obtained by calling 651-266-8989.

You may file an appeal to this notice by contacting the City Clerk at 651-266-8585. Any appeal must be made in writing within 10 days of this notice. (You must submit a copy of this Notice when you appeal and pay a filing fee.)

If you have any questions or request additional information, please contact me. To arrange an appointment or request an extension of time to complete repairs, you will need to speak directly to me at 651-266-1914.

Sincerely,

Sean Westenhofer
Badge # 330
CODE ENFORCEMENT OFFICER

Footnotes:

- ¹ To see the Legislative Code go to www.stpaul.gov on the internet, click on "Departments", then click on "Department of Safety and Inspections", scroll down the page for the "Codes". Most Correction Notices derive from Chapter 34.
- ² Criminal charges can be brought on the day the violation is observed, but generally we allow time to correct unless this is a repeat violation.

SW

WARNING: Code inspection and enforcement trips cost the taxpayers money. If the violations are not corrected within the time period required in this notice, the city's costs in conducting a reinspection for compliance after the due date will be collected from the owner rather than being paid for by the taxpayers of the City. If additional new violations are discovered within the next following 12 months, the city's costs in conducting additional inspections at this same location within said 12 months will be collected from the owner rather than being paid for by the taxpayers of the City. Any such future costs will be collected via assessment against the real property and are in addition to any other fines or assessments which may be levied against you and your property.

cn60100 4/13