

## STAMP - Activities

[New Search](#)
[Help using this report](#)

**Run Date:** 09/28/18 08:20  
AM

**Sort by Most Recent Date**

**Starting Date:**

**House#:**

**Folder**

**Ending Date:**

**Type:**  ▼

**Street Name:**

**Folder Count:** 355

**Include Same PIN Addresses: Yes**

Click on [address link](#) to access GISmo, MapIT, and Ramsey County Info

Click on [ID# link](#) below to view detail

**PIN:202923420086**

<b>Address</b>	<b>In Date</b>	<b>ID #</b>	<b>Status</b>	<b>Type</b>	<b>Description</b>
<b><u>2228 Carter Ave Apt 3</u></b>	10/02/2017	<a href="#">17 188376</a>	Open	RE - Real Estate Assessments	Owner Milton Investment Company
<b><u>2228 Carter Ave Apt 4</u></b>	10/02/2017	<a href="#">17 188376</a>	Open	RE - Real Estate Assessments	Owner Milton Investment Company
	09/07/2016	<a href="#">16 076382</a>	Finald	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor Mrs Amy Henschell Brite Lite Electric CO
<b><u>2228 Carter Ave</u></b>	08/23/2018	<a href="#">18 097718</a>	Pending	CO - Certificate of Occupancy - Mixed (Res+Comm)	Responsible Party Maryann Milton Milton Investment Company - 202923420086
	10/02/2017	<a href="#">17 188376</a>	Open	RE - Real Estate Assessments	Owner Milton Investment Company
	03/12/2012	<a href="#">12 097302</a>	Open	GT - General Activity Tracking - Zoning - Preliminary review	202923420086 - (2228 Carter Ave, 2230 Carter Ave, 2232 Carter Ave, 2234 Carter Ave, 2236 Carter Ave, 2238 Carter Ave, 2254 Como Ave, 2256 Como Ave, 2258 Como Ave, 2260 Como Ave, 2262 Como Ave) - see GT 12-097302 for some (historical information on the property
	12/01/2009	<a href="#">09 331936</a>	Certified	CO - Certificate of Occupancy - Mixed (Res+Comm)	Responsible Party Maryann Milton Milton Investment Company - 202923420086
	12/01/2009	<a href="#">09 331937</a>	Closed	RF - Referral - C of O	Owner Milton Investment Company - Follow up on C of O folder approved with corrections.
	02/17/2006	<a href="#">06 033137</a>	Finald	SS - PW Sewer Permit - Sanitary - Repair	Contractor Al Webster Jr Webster Co Inc
	08/25/2005	<a href="#">05 150162</a>	History	CO - Certificate of Occupancy - Mixed (Res+Comm)	Responsible Party Maryann Milton Milton Investment Company - 202923420086
	04/08/2003	<a href="#">03 278982</a>	Closed	RF - Referral - Citizen Complaint	WATER DAMAGE
	03/26/2003	<a href="#">03 272812</a>	History	CO - Certificate of Occupancy - Mixed (Res+Comm)	Responsible Party Maryann Milton Milton Investment Company - 202923420086
	03/26/2003	<a href="#">03 272813</a>	Closed	RF - Referral - C of O	Owner Milton Investment Company - Follow up on C of O folder approved with corrections.
	11/19/2001	<a href="#">01 005263</a>	Canceled	XS - ECLIPS License - Miscellaneous - Second Hand Dealer	Licensee Marsha Holdhusen Crescent Moon - ECLIPS License# 20010005263

03/13/2001	<a href="#">01 024447</a>	History	CO - Certificate of Occupancy - Mixed (Res+Comm)	Responsible Party Maryann Milton Milton Investment Company - 202923420086
<b><u>2230 Carter Ave Rm 10</u></b>				
10/02/2017	<a href="#">17 188376</a>	Open	RE - Real Estate Assessments	Owner Milton Investment Company
<b><u>2230 Carter Ave - Lady Elegants Tea Room &amp; Gift Shoppe Inc</u></b>				
11/14/2017	<a href="#">17 213725</a>	Active/Issued	B - Building Permit - Commercial - Remodel	Contractor Katie Siegfried - HANGING SHEETROCK ON THE CEILING AND WALLS (PATCH WORK). BUILD A BAR TO SERVE COFFEE.
10/02/2017	<a href="#">17 188376</a>	Open	RE - Real Estate Assessments	Owner Milton Investment Company
10/31/2016	<a href="#">16 094164</a>	Active/Issued	B - Building Permit - Commercial - Express Repair	Contractor Chismar Construction LLC - RE-ROOF (SHINGLE W/TEAR OFF) AND RE-ROOF (FLAT W/TEAR OFF).
01/28/2016	<a href="#">16 006551</a>	Pending	CO - Certificate of Occupancy - Business	Responsible Party Maryann Milton Milton Investment Company - 12/05/2012 - This property has 6 different tenant spaces. SM
01/28/2016	<a href="#">16 006552</a>	Closed	RF - Referral - C of O	Owner Milton Investment Company - Follow up on C of O folder approved with corrections.
03/16/2015	<a href="#">15 018333</a>	Finald	E - Electrical Permit - Service & Circuits - Commercial Repair/Alter	Contractor Phil Krinkie The Snelling Co Inc
03/16/2015	<a href="#">15 018324</a>	Finald	W - Warm Air, Ventilation & General Sheet - Ventilation Only - Commercial Replace	Contractor Phil Krinkie The Snelling Co Inc
06/28/2013	<a href="#">13 203845</a>	In Compliance	CS - CSO Complaint - Sewer - Complaint	back up of storm sewer during recent rains, parking lot and courtyard area
05/24/2013	<a href="#">13 189122</a>	Scheduled	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Lady Elegant's Tea Room
05/23/2013	<a href="#">13 173315</a>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Lady Elegant's Tea Room
04/10/2013	<a href="#">10 128763</a>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Lady Elegant's Tea Room
02/15/2013	<a href="#">13 154321</a>	Certified	CO - Certificate of Occupancy - Business	Responsible Party Maryann Milton Milton Investment Company - 12/05/2012 - This property has 6 different tenant spaces. SM
03/26/2010	<a href="#">08 035907</a>	History	RS - Restaurant Inspection - Low Risk - Routine Inspection	Establishment Lady Elegant's Tea Room
02/11/2010	<a href="#">10 106257</a>	History	CO - Certificate of Occupancy - Business	Responsible Party Maryann Milton Milton Investment Company - 12/05/2012 - This property has 6 different tenant spaces. SM
01/14/2010	<a href="#">10 006650</a>	Active/Issued	PG - Plumbing/Gasfitting/Inside Water Piping - Plumbing/Inside Water (All) - Residential Replace	Contractor Leroy Tschida Tschida Bros Plbg Inc
05/01/2008	<a href="#">08 039214</a>	Canceled	XF - ECLIPS Food Related - Restaurant (3) - 13-50 Seats	Licensee Suzanne Sommerfeld Michelle Hubble & Lady Elegants Tea Room & Gift Shoppe Inc - ECLIPS License# 20030001643
02/29/2008	<a href="#">06 058125</a>	History		Establishment Lady Elegant's Tea Room

12/07/2006	<a href="#">06 283132</a>	Closed	RS - Restaurant Inspection - Low Risk - Routine Inspection RF - Referral - C of O	Owner Milton Investment Company - Follow up on C of O folder approved with corrections.
12/07/2006	<a href="#">06 283131</a>	History	CO - Certificate of Occupancy - Business	Responsible Party Maryann Milton Milton Investment Company
05/03/2006	<a href="#">06 077069</a>	Finald	E - Electrical Permit - Service & Circuits - Commercial Repair/Alter	Contractor Mrs Amy Henschell Brite Lite Electric CO
03/24/2006	<a href="#">04 067394</a>	History	RS - Restaurant Inspection - Low Risk - Routine Inspection	Establishment Lady Elegant's Tea Room
04/02/2004	<a href="#">03 370532</a>	History	RS - Restaurant Inspection - Low Risk - Routine Inspection	Establishment Lady Elegant's Tea Room - 04/02/04 This folder has one restaurant "B" license associated with it. [roy]
11/17/2003	<a href="#">03 397445</a>	Closed	RF - Referral - License Inspection	Owner Milton Investment Company - Lic #20030001643 Embellish by Lady Elegant's 2230 Carter AVE Restaurant (B) Michelle Sommerfeld 651-645- 6676 Change of Occupancy Assign to Carl Comparoni
11/07/2003	<a href="#">03 392298</a>	History	CO - Certificate of Occupancy - Business	Responsible Party Maryann Milton Milton Investment Company
11/06/2003	<a href="#">03 393601</a>	Canceled	XF - ECLIPS Food Related - Restaurant (B) - more than 12 seats	Licensee Suzanne Sommerfeld Michelle Hubble & Lady Elegants Tea Room & Gift Shoppe Inc - ECLIPS License# 20030001643
10/07/2003	<a href="#">03 358880</a>	History	RS - Restaurant Inspection - Low Risk - Routine Inspection	Establishment Embellish Tea Room
09/25/2003	<a href="#">03 350234</a>	History	RS - Restaurant Inspection - Low Risk - Routine Inspection	Establishment Embellish Tea Room
09/10/2003	<a href="#">03 301408</a>	History	RS - Restaurant Inspection - Low Risk - Routine Inspection	Establishment Embellish Tea Room
08/15/2003	<a href="#">03 340313</a>	Closed	SP - Stucco/Plaster - Stucco/Plaster - Commercial Repair/Alter	Contractor Stephen Donnelly Donnelly Co Inc Stephen - 16- Nov-2005: Folder closed by system due to no activity in one year . Closed without final approval
07/21/2003	<a href="#">03 328847</a>	Finald	E - Electrical Permit - Service & Circuits - Residential Repair/Alter	Contractor Ky Dan Electric Inc
05/09/2003	<a href="#">03 292076</a>	History	RS - Restaurant Inspection - Low Risk - Routine Inspection	Establishment Embellish Tea Room
05/01/2003	<a href="#">03 289848</a>	Canceled	XF - ECLIPS Food Related - Restaurant (L) - Limited	Licensee Michelle Sommerfeld Embellish By Lady Elegant's - ECLIPS License# 20030001643
04/30/2003	<a href="#">03 292695</a>	Project Completed	PV - Project Facilitator Review	Project Applicant Mrs Susan Somersfeld Embellish By Lady Elegant's - Applicant is taking over an existing business which combines the retail sales of tea products and other accessory merchandise, along with food service. The food service provides tea and sandwiches, cakes etc. to the guest. There are 26 seats

			proposed. Current business operation was approved as a retail food service (12 seats per zoning code) but had expanded the seating to 41 iwithout zoning approval and in violation of the code. The new owner wishes to keep at least 26 seat for this food service. Issues are restrooms, kitchen layout, SAC, parking and license upgrade.
04/28/2003	<a href="#">02 104134</a>	History	RS - Restaurant Inspection - Low Risk - Routine Inspection Establishment Embellish Tea Room
03/27/2003	<a href="#">03 273071</a>	Closed	RF - Referral - Citizen Complaint Owner Milton Investment Company - KILN VENTING snow ice
02/14/2003	<a href="#">03 255438</a>	Closed	CS - CSO Complaint - Exterior - Complaint
01/31/2003	<a href="#">03 252753</a>	Closed	CS - CSO Complaint - Graffiti - Complaint Graffiti on Waste Management dumpster in alley.
12/11/2002	<a href="#">02 244915</a>	Finald	E - Electrical Permit - Service & Circuits - Commercial Repair/Alter Contractor Freiberg Electric
10/18/2002	<a href="#">02 232345</a>	Closed	RF - Referral - Citizen Complaint Owner Milton Investment Company - No heat in entire bldg. Building heat run off of one large boiler.
04/26/2002	<a href="#">02 113930</a>	Closed	RF - Referral - Citizen Complaint Owner Pat Milton Milton Investment Company - EXIT WAY BLOCKED BY PRODUCT. SECOND FLOOR STAIRS ARE OBSTRUCTED AND THE EXITS ARE REDUCED IN WIDTH.
03/20/2002	<a href="#">02 105429</a>	Project Completed	PV - Project Facilitator Review Project Applicant Lisa Wynn - Proposing to open at new tea room at this address-see file
03/12/2002	<a href="#">02 101507</a>	History	RS - Restaurant Inspection - Low Risk - Plan Review Inspection Establishment Embellish Tea Room
02/20/2002	<a href="#">02 100468</a>	History	RS - Restaurant Inspection - Low Risk - Plan Review Inspection Establishment Embellish Tea Room
02/14/2002	<a href="#">02 067912</a>	History	RS - Restaurant Inspection - Low Risk - Plan Review Inspection Establishment Embellish Tea Room
02/13/2002	<a href="#">02 099820</a>	Closed	RF - Referral - Citizen Complaint Owner Pat Milton Milton Investment Company - ANONYMOUS COMPLAINT- FRONT STEPS IN COURTYARD ARE FALLING APART. BROKEN WINDOWS THROUGHOUT BUILDING. BATHROOM IN UNIT #10 - TOILET WAS LEAKING - NOW LAYING ON IT'S SIDE AND DRYED OUT. NO SMOKE DETECTORS IN BUILDING. LIGHTBULBS BURNED OUT IN HALLWAYS. NO STORM WINDOWS.
02/01/2002	<a href="#">02 000032</a>	Canceled	XF - ECLIPS Food Related - Restaurant (L) - Limited Licensee Lisa Wynn Embellish Tea's - ECLIPS License# 20020000032
01/14/2002	<a href="#">02 068067</a>	Finald	E - Electrical Permit - Service & Circuits - Commercial Repair/Alter Contractor Fine Line Electric Inc

01/11/2002	<a href="#">01_242698</a>	History	RS - Restaurant Inspection - Low Risk - Plan Review Inspection	Establishment Embellish Tea Room	
01/10/2002	<a href="#">02_067822</a>	Closed without Approval	PL - Plumbing & Gas Fitting (OLD) - Plumbing (ALL) - Commercial Repair/Alter	Contractor James Cokley Cokley Plumbing - 08-Aug-2003: FOLDER CLOSED BY SYSTEM DUE TO NO ACTIVITY IN ONE YEAR. . Closed without final approval	
01/10/2002	<a href="#">02_067824</a>	Closed	WU - Water Utility - Water Utility - Commercial Remodel	Contractor James Cokley Cokley Plumbing - 27-Oct-2005: Folder closed by system due to no activity in one year . Closed without final approval	
01/03/2002	<a href="#">02_066931</a>	Finald	B - Building Permit - Commercial - Remodel	Contractor Scott Wynn McDonald Remodeling - Closed without final approval	
12/19/2001	<a href="#">01_242646</a>	History	RS - Restaurant Inspection - Low Risk - Plan Review Inspection	Establishment Embellish Tea Room	
10/01/2001	<a href="#">01_004083</a>	Canceled	XS - ECLIPS License - Miscellaneous - Second Hand Dealer	Licensee Lisa Wynn Embellish - ECLIPS License# 20010004083	
05/18/2001	<a href="#">01_205157</a>	Active	PS - Pre-Fire Survey - Business	Owner Pat Milton Milton Investment Company	
03/13/2001	<a href="#">01_022245</a>	History	CO - Certificate of Occupancy - Business	Responsible Party Maryann Milton Milton Investment Company	
06/20/1995	<a href="#">95_074595</a>	Finald	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor Geving Electric Inc	
06/02/1992	<a href="#">92_073517</a>	Canceled	XS - ECLIPS License - Miscellaneous - Mercantile Broker	Licensee Cheryl Peterson-Schurke Boomerangs - ECLIPS License# 0073517	
04/01/1986	<a href="#">86_018114</a>	Canceled	XS - ECLIPS License - Miscellaneous - Mercantile Broker	Licensee Dahlines Yarn Knitware & A Dahlines Yarn Knitware & Antiques - ECLIPS License# 0018114	
12/19/1980	<a href="#">80_004719</a>	History	CO - Certificate of Occupancy - Business	Responsible Party Maryann Milton Milton Investment Company	
12/19/1980	<a href="#">80_014718</a>	History	CO - Certificate of Occupancy - Business	Responsible Party Maryann Milton Milton Investment Company	
<b><u>2232 Carter Ave Apt 11 - L'Europa Inc</u></b>					
	10/02/2017	<a href="#">17_188376</a>	Open	RE - Real Estate Assessments	Owner Milton Investment Company
<b><u>2232 Carter Ave Apt 12</u></b>					
	10/02/2017	<a href="#">17_188376</a>	Open	RE - Real Estate Assessments	Owner Milton Investment Company
<b><u>2232 Carter Ave Apt 13</u></b>					
	10/02/2017	<a href="#">17_188376</a>	Open	RE - Real Estate Assessments	Owner Milton Investment Company
<b><u>2232 Carter Ave Apt 15</u></b>					
	10/02/2017	<a href="#">17_188376</a>	Open	RE - Real Estate Assessments	Owner Milton Investment Company
<b><u>2232 Carter Ave</u></b>					
	10/02/2017	<a href="#">17_188376</a>	Open	RE - Real Estate Assessments	Owner Milton Investment Company
	03/23/2016	<a href="#">16_020809</a>	Pending	CO - Certificate of Occupancy - Mixed (Res+Comm)	Responsible Party Milton Investment Company - INSPECT REF # 38032 AT SAME TIME
	11/20/2014	<a href="#">14_348131</a>	Active/Issued	B - Building Permit - Mixed (Commercial/Residential) - Repair	Contractor Brad Nilles Nilles Builders Inc
	05/22/2013	<a href="#">13_188110</a>	Canceled	B - Building Permit - Commercial - Repair	Contractor Brad Nilles Nilles Builders Inc - PERMIT APPLICATION IN HOLD FOLDER -

03/06/2013	<a href="#">04 037799</a>	History	RS - Restaurant Inspection - High Risk - Plan Review Inspection	NEED LEGIBLE PLANS - CALLED ARCH. 6-7-13 WITHDRAWN PER NILES BUILDERS. Establishment Proposed Restaurant
03/02/2010	<a href="#">10 115421</a>	Resolved	CS - CSO Complaint - Traffic Sign/Light New - Complaint	Street light recently replaced (Friday, Feb. 26) with new type of bulb one block west of Carter and Como is too bright
02/19/2010	<a href="#">10 109939</a>	Closed	RF - Referral - Citizen Complaint	Owner Milton Investment Company - Unit #15 - Pipes leaking under kitchen sink - plumber has to remove cabinets, floor to repair problem, can't use kitchen for a week or more.
02/19/2010	<a href="#">10 109938</a>	Callback Pending	CS - CSO Complaint - Certificate of Occupancy - Complaint	Unit #15 - Pipes leaking under kitchen sink - plumber has to remove cabinets, floor to repair problem, can't use kitchen for a week or more.
12/04/2006	<a href="#">06 280769</a>	Certified	CO - Certificate of Occupancy - Mixed (Res+Comm)	Responsible Party Milton Investment Company - INSPECT REF # 38032 AT SAME TIME
04/29/2004	<a href="#">04 078904</a>	Closed No Action	PV - Project Facilitator Review	Project Applicant Catherine & Jorge Correa - Applicants are proposing to establish a restaurant with beer and wine in an existing building. The space where they wish to locate the restaurant was formerly occupied by Taste of Scandinavia as restaurant. This space has been vacant since 2001 when the former restaurant relocated across the street.
02/02/2004	<a href="#">04 037784</a>	History	RS - Restaurant Inspection - High Risk - Plan Review Inspection	Establishment Proposed Restaurant
11/19/2003	<a href="#">03 350246</a>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Mon Ami Catering
09/10/2003	<a href="#">03 292068</a>	History	RS - Restaurant Inspection - High Risk - Plan Review Inspection	Establishment Mon Ami Catering
06/20/2003	<a href="#">03 317069</a>	History	CO - Certificate of Occupancy - Mixed (Res+Comm)	Responsible Party Milton Investment Company - INSPECT REF # 38032 AT SAME TIME
04/28/2003	<a href="#">02 132110</a>	History	RS - Restaurant Inspection - High Risk - Plan Review Inspection	Establishment Mon Ami Catering
01/31/2003	<a href="#">03 252751</a>	Closed	CS - CSO Complaint - Graffiti - Complaint	Graffiti on Waste Management dumpster in alley.
12/03/2002	<a href="#">02 243145</a>	Closed	RF - Referral - Citizen Complaint	Owner Milton Investment Company - NO HEAT - UNIT 14
06/19/2002	<a href="#">02 133287</a>	Closed No Action	PV - Project Facilitator Review	Project Applicant Justin Greco, Executive Chef/Owner - Applicant is proposing to convert a former retail deli (dba Taste of Scandinavia) into a 50 to 60 seat restaurant and catering business. Plans include expanding the floor area of the deli into an adjacent unused space increasing the overall gross floor area to 2400 square feet. This expanded area

			would house separate kitchens for the restaurant and catering operation plus a private dining room. The former deli space would be used for the main restaurant seating and for two planned new restrooms. The existing floor levels for the restaurant is four to six steps below grade at the outside entry area. Wine and beer will be served. The space has sustained some water damage resulting from a parking lot drainage problem, so there are plans to remedy this problem as part of the proposed remodel.
06/13/2002	<a href="#">02 132108</a>	History	RS - Restaurant Inspection - High Risk - Plan Review Inspection Establishment Mon Ami Catering
11/14/2001	<a href="#">01 183559</a>	History	RS - Restaurant Inspection - High Risk - Routine Inspection Establishment Taste Of Scandinavia
03/20/2001	<a href="#">01 183557</a>	History	RS - Restaurant Inspection - High Risk - Routine Inspection Establishment Taste Of Scandinavia
03/19/2001	<a href="#">01 182082</a>	History	RS - Restaurant Inspection - High Risk - Routine Inspection Establishment Taste Of Scandinavia
03/13/2001	<a href="#">01 022271</a>	History	CO - Certificate of Occupancy - Mixed (Res+Comm) Responsible Party Milton Investment Company - INSPECT REF # 38032 AT SAME TIME
03/07/2001	<a href="#">01 181091</a>	History	RS - Restaurant Inspection - High Risk - Management Review Establishment Taste Of Scandinavia
02/27/2001	<a href="#">01 180416</a>	History	RS - Restaurant Inspection - High Risk - Routine Inspection Establishment Taste Of Scandinavia
02/12/2001	<a href="#">00 118865</a>	History	RS - Restaurant Inspection - High Risk - Routine Inspection Establishment Taste Of Scandinavia
06/22/2000	<a href="#">00 133149</a>	Finald	B - Building Permit - Single Family Dwelling - Express Repair Contractor Timothy F Colestock - Re-Siding.. Closed without final approval
02/11/2000	<a href="#">99 005931</a>	History	RS - Restaurant Inspection - High Risk - Routine Inspection Establishment Taste Of Scandinavia
10/08/1998	<a href="#">99 009766</a>	History	RS - Restaurant Inspection - High Risk - Routine Inspection Establishment Taste Of Scandinavia
10/07/1998	<a href="#">99 009777</a>	History	RS - Restaurant Inspection - High Risk - Routine Inspection Establishment Taste Of Scandinavia
09/24/1998	<a href="#">99 005450</a>	History	RS - Restaurant Inspection - High Risk - Routine Inspection Establishment Taste Of Scandinavia
09/08/1998	<a href="#">97 023286</a>	History	RS - Restaurant Inspection - High Risk - Routine Inspection Establishment Taste Of Scandinavia
08/07/1997	<a href="#">97 013881</a>	History	RS - Restaurant Inspection - High Risk - Routine Inspection Establishment Taste Of Scandinavia
08/06/1997	<a href="#">97 013840</a>	History	RS - Restaurant Inspection - High Risk - Routine Inspection Establishment Taste Of Scandinavia

07/31/1997	<a href="#">97 015680</a>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Taste Of Scandinavia
07/28/1997	<a href="#">96 009114</a>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Taste Of Scandinavia
07/05/1996	<a href="#">96 090301</a>	Finald	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor Claude M Anderson Electric Co Inc
01/23/1996	<a href="#">94 014598</a>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Taste Of Scandinavia
10/30/1995	<a href="#">95 081489</a>	Closed without Approval	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor Taste Of Scandinavia - Closed without final approval
12/14/1994	<a href="#">95 002662</a>	History	RS - Restaurant Inspection - Medium Risk - Routine Inspection	Establishment Taste Of Scandinavia
12/14/1994	<a href="#">99 005052</a>	Closed	EC - Environmental Complaint History (DC)	FOODHANDLER WAS EATING MEAT WHILE PREPARING SANDWICHES FOR CUSTOMERS.
11/16/1994	<a href="#">94 001302</a>	History	RS - Restaurant Inspection - Medium Risk - Routine Inspection	Establishment Taste Of Scandinavia
11/16/1994	<a href="#">95 002681</a>	History	RS - Restaurant Inspection - Medium Risk - Routine Inspection	Establishment Taste Of Scandinavia
11/14/1994	<a href="#">94 001375</a>	History	RS - Restaurant Inspection - Medium Risk - Routine Inspection	Establishment Taste Of Scandinavia
11/14/1994	<a href="#">94 012778</a>	History	RS - Restaurant Inspection - Medium Risk - Routine Inspection	Establishment Taste Of Scandinavia
11/14/1994	<a href="#">95 010460</a>	History	RS - Restaurant Inspection - Medium Risk - Routine Inspection	Establishment Taste Of Scandinavia
11/10/1994	<a href="#">94 009823</a>	History	RS - Restaurant Inspection - Medium Risk - Plan Review Inspection	Establishment Taste Of Scandinavia
11/01/1994	<a href="#">94 014295</a>	Canceled	XF - ECLIPS Food Related - Restaurant (B) - more than 12 seats	Licensee Juha Rouvinen Taste Of Scandinavia Inc - ECLIPS License# 0014295
10/13/1994	<a href="#">94 014641</a>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Taste Of Scandinavia
10/12/1994	<a href="#">94 014594</a>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Taste Of Scandinavia
10/10/1994	<a href="#">94 001090</a>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Taste Of Scandinavia
09/27/1994	<a href="#">95 000461</a>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Taste Of Scandinavia
09/14/1994	<a href="#">94 011715</a>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Taste Of Scandinavia
08/24/1994	<a href="#">94 011802</a>	History	RS - Restaurant Inspection - High Risk - Plan Review Inspection	Establishment Taste Of Scandinavia
06/08/1994	<a href="#">94 019619</a>	History	FG - Food Grocery - High Risk - Plan Review Inspection	Establishment Taste Of Scandinavia
01/31/1994	<a href="#">99 010584</a>	History	FG - Food Grocery - No Risk - Routine Inspection	Establishment Taste Of Scandinavia



01/14/1994	<a href="#">94 090685</a>	Canceled	XF - ECLIPS Food Related - Grocery (C)	Licensee Sherman Bakery Inc Pam Sherman's - ECLIPS License# 0090685
10/14/1993	<a href="#">99 010666</a>	History	FG - Food Grocery - No Risk - Routine Inspection	Establishment Taste Of Scandinavia
12/20/1991	<a href="#">99 010598</a>	History	FG - Food Grocery - No Risk - Routine Inspection	Establishment Taste Of Scandinavia
12/03/1991	<a href="#">99 011588</a>	History	FG - Food Grocery - No Risk - Routine Inspection	Establishment Taste Of Scandinavia
07/30/1991	<a href="#">99 011538</a>	History	FG - Food Grocery - No Risk - Routine Inspection	Establishment Taste Of Scandinavia
05/17/1971	<a href="#">71 004725</a>	History	CO - Certificate of Occupancy - Mixed (Res+Comm)	Responsible Party Milton Investment Company
05/17/1971	<a href="#">71 014724</a>	History	CO - Certificate of Occupancy - Mixed (Res+Comm)	Responsible Party Milton Investment Company

### **2234 Carter Ave**

10/02/2017	<a href="#">17 188376</a>	Open	RE - Real Estate Assessments	Owner Milton Investment Company
03/31/2015	<a href="#">15 022417</a>	Finald	PG - Plumbing/Gasfitting/Inside Water Piping - Plumbing/Inside Water (All) - Commercial Replace	Contractor Robert Wyllie Wyllie Plumbing
03/19/2015	<a href="#">15 019401</a>	Finald	E - Electrical Permit - Service & Circuits - Commercial Repair/Alter	Contractor John Kennedy Nilles Builders, Inc
03/12/2015	<a href="#">15 017395</a>	Withdrawn	B - Building Permit - Commercial - Repair	Contractor Brad Nilles Nilles Builders Inc
03/09/2015	<a href="#">15 016389</a>	Finald	RW - PW Right of Way Permit - Obstruction - Dumpster	Contractor Chuck Twin City Refuse
02/26/2015	<a href="#">15 013735</a>	Finald	B - Building Permit - Commercial - Remodel	Contractor Brad Nilles Nilles Builders Inc
11/08/2011	<a href="#">11 298186</a>	Finald	RW - PW Right of Way Permit - Excavation - Utility	Contractor Jon Froelich / Dave Schaaf Pw/Sewer Maintenance - SR# 1121374 GOPHER# 112971932
08/24/2007	<a href="#">07 137043</a>	Finald	B - Building Permit - Mixed (Commercial/Residential) - Express Repair	Contractor Erick N Kallerup Construction - 08/27/2007 Address changed from 2264 Commonwealth to 2234 Carver Ave per Eric.hl
04/07/2006	<a href="#">06 064553</a>	Active/Issued	XS - ECLIPS License - Miscellaneous - Laundry/Dry-cleaning Pick Up Station	Licensee Steven Rettler All Seasons Cleaners - ECLIPS License# 20060001063
04/24/1991	<a href="#">91 035999</a>	Canceled	XS - ECLIPS License - Miscellaneous - Laundry/Dry-cleaning Pick Up Station	Licensee William Fish All Season Cleaners - ECLIPS License# 0035999
03/29/1990	<a href="#">90 017796</a>	Canceled	XS - ECLIPS License - Miscellaneous - Laundry/Dry-cleaning Pick Up Station	Licensee Robert O'Donnell O'Donnells Cleaners - ECLIPS License# 0017796

### **2236 Carter Ave - The Little Wine Shoppe**

10/02/2017	<a href="#">17 188376</a>	Open	RE - Real Estate Assessments	Owner Milton Investment Company
11/16/2016	<a href="#">16 099469</a>	Assessed	CW - Contract Work Order - Police Work Order	Contractor Restoration Professionals
11/15/2016	<a href="#">16 099295</a>	Resolved	CS - CSO Complaint - Exterior - Complaint	
05/03/2013	<a href="#">13 180994</a>	Active/Issued		

			M - Mechanical Permit - Refrigeration - Residential Replace	Contractor Mr Michael Gjesdahl Team Mechanical, Inc.
02/13/2012	<a href="#">11 312646</a>	Active/Issued	XL - ECLIPS License - Liquor - Liquor Off Sale	Licensee Pamela Johnson The Little Wine Shoppe - ECLIPS License# 20110005065
02/10/2012	<a href="#">12 020958</a>	In Compliance	CL - Compliance Checks - Liquor Compliance Check	Licensee Pamela Johnson The Little Wine Shoppe - ECLIPS License# 20110005065
11/03/2006	<a href="#">06 262845</a>	Closed	CL - Compliance Checks - Liquor Compliance Check	Licensee Jeffrey Huff The Little Wine Shoppe - ECLIPS License# 20040002025
09/01/2006	<a href="#">06 131881</a>	Finaled	BS - Billboard / Sign - Signs - Commercial New	Contractor Jeffrey Huff - COPY TO READ: THE LITTLE WINE SHOPPE
04/27/2005	<a href="#">05 094849</a>	Finaled	E - Electrical Permit - Service & Circuits - Commercial Repair/Alter	Contractor Mrs Amy Henschell Brite Lite Electric CO
03/11/2005	<a href="#">05 075161</a>	Finaled	B - Building Permit - Commercial - Remodel	Contractor Jeff Huff
03/03/2005	<a href="#">04 087282</a>	Canceled	XL - ECLIPS License - Liquor - Liquor Off Sale	Licensee Jeffrey Huff The Little Wine Shoppe - ECLIPS License# 20040002025
05/17/2004	<a href="#">04 087436</a>	Closed	RF - Referral - License Inspection	Owner Milton Investment Company - Lic #20040002025 Little Wine Shop 2236 Carter Ave Liquor Off Sale Assign to Peggy Schlichte
01/27/2003	<a href="#">03 275274</a>	Canceled	XS - ECLIPS License - Miscellaneous - Second Hand Dealer (Antiques)	Licensee Antique Garden - ECLIPS License# 20030000148
01/13/2003	<a href="#">03 000148</a>	Canceled	XS - ECLIPS License - Miscellaneous - Second Hand Dealer	Licensee Antique Garden - ECLIPS License# 20030000148
10/02/2000	<a href="#">00 145335</a>	Finaled	BS - Billboard / Sign - Signs - Commercial New	Contractor Acme Awnings
11/01/1994	<a href="#">94 033471</a>	Withdrawn	XL - ECLIPS License - Liquor - Liquor Off Sale	Licensee Taste Of Scandinavia Inc - ECLIPS License# 0033471
08/16/1994	<a href="#">94 006514</a>	History	RS - Restaurant Inspection - Medium Risk - Routine Inspection	Establishment Taste Of Scandinavia
07/06/1994	<a href="#">94 006471</a>	History	RS - Restaurant Inspection - Medium Risk - Plan Review Inspection	Establishment Taste Of Scandinavia
05/16/1994	<a href="#">94 011177</a>	History	FG - Food Grocery - Medium Risk - Routine Inspection	Establishment Sherman Bakery Inc.
05/02/1994	<a href="#">94 014524</a>	History	FG - Food Grocery - Medium Risk - Routine Inspection	Establishment Sherman Bakery Inc.
01/31/1994	<a href="#">99 015613</a>	History	FG - Food Grocery - No Risk - Routine Inspection	Establishment Sherman Bakery Inc.
08/30/1993	<a href="#">99 015617</a>	History	FG - Food Grocery - No Risk - Routine Inspection	Establishment Sherman Bakery Inc.
02/19/1993	<a href="#">99 015569</a>	History	FG - Food Grocery - No Risk - Routine Inspection	Establishment Sherman Bakery Inc.
10/15/1992	<a href="#">99 015656</a>	History	FG - Food Grocery - No Risk - Routine Inspection	Establishment Sherman Bakery Inc.
03/04/1992	<a href="#">99 001970</a>	Closed	EC - Environmental Complaint History (DC)	CONVERTED FROM PARADOX SYSTEM. NO NARRATIVE.
03/04/1992	<a href="#">99 014181</a>	History	FG - Food Grocery - No Risk - Routine Inspection	Establishment Sherman Bakery Inc.
10/30/1991	<a href="#">99 014111</a>	History	FG - Food Grocery - No Risk - Routine Inspection	Establishment Sherman Bakery Inc.
06/26/1991	<a href="#">99 014202</a>	History		

FG - Food Grocery - No Risk Establishment Sherman Bakery  
- Routine Inspection Inc.

### 2238 Carter Ave

10/02/2017	<a href="#">17 188376</a>	Open	RE - Real Estate Assessments	Owner Milton Investment Company
06/04/2016	<a href="#">16 037604</a>	Active/Issued	XS - ECLIPS License - Miscellaneous - Second Hand Dealer	Licensee Katheryn Menaged Scarborough Fair - ECLIPS License# 20160001482
04/19/2016	<a href="#">16 028329</a>	Finald	PG - Plumbing/Gasfitting/Inside Water Piping - Plumbing/Inside Water (All) - Commercial Replace	Contractor Jessica Ostebo Master Plumbing Services LLC
04/11/2016	<a href="#">16 026008</a>	Active/Issued	M - Mechanical Permit - Refrigeration - Residential New	Contractor James Boehm Boehm Heating CO
12/06/2002	<a href="#">02 244035</a>	Closed	RF - Referral - Citizen Complaint	Crescent Moon - Has water leaking from restaurant above (Muffelleta's) into storage area. Looks like greasy dish water. Is pooling on floor and light fixtures. Smells terrible and is concerned with mold issues. Has contacted owner of bldg with no response.
10/17/2002	<a href="#">02 231853</a>	Closed	RF - Referral - Citizen Complaint	Owner Milton Investment Company - Whole building that includes 2238 and 2230 has no heat. Is mixed commercial/residential and the building is run off of one boiler. Apts and businesses/restaurants are very cold.
03/15/1996	<a href="#">94 017478</a>	History	MT - Massage - Medium Risk - Routine Inspection	Establishment Open Hands
07/22/1994	<a href="#">94 003175</a>	History	MT - Massage - Medium Risk - Plan Review Inspection	Establishment Open Hands
05/04/1994	<a href="#">94 067044</a>	Canceled	XW - ECLIPS License - Water/Health - Massage Center - A (Commercial)	Licensee Open Hands Therapeutic MA Open Hands - ECLIPS License# 0067044
02/21/1984	<a href="#">84 006493</a>	History	CO - Certificate of Occupancy - Mixed (Res+Comm)	Responsible Party Maryann Milton Milton Investment Company - 202923420086
02/21/1984	<a href="#">84 016487</a>	History	CO - Certificate of Occupancy - Mixed (Res+Comm)	Responsible Party Maryann Milton Milton Investment Company - 202923420086

### 2254 Como Ave

10/02/2017	<a href="#">17 188376</a>	Open	RE - Real Estate Assessments	Owner Milton Investment Company
02/12/2016	<a href="#">16 010453</a>	Resolved	CS - CSO Complaint - Garbage Rubbish - Complaint	Trash, debris and a number of junk vehicles throughout the rear parking lot. Also trash along the east side of the building.

### 2256 Como Ave

10/02/2017	<a href="#">17 188376</a>	Open	RE - Real Estate Assessments	Owner Milton Investment Company
------------	---------------------------	------	------------------------------	---------------------------------

### 2258 Como Ave

10/02/2017	<a href="#">17 188376</a>	Open	RE - Real Estate Assessments	Owner Milton Investment Company
05/14/2008	<a href="#">08 075265</a>	Resolved	CS - CSO Complaint - Tree - Complaint	Trim back the blvd trees
02/17/2006	<a href="#">06 033131</a>	Finald	SS - PW Sewer Permit - Sanitary - Repair	Contractor Al Webster Jr Webster Co Inc - NELY 1/2 OF VAC ALLEY ADJ AND FOL SUBJ TO AVE LOT 1 BLK 38 a.k.a. 2262 como

02/17/2006	<a href="#">06 031878</a>	Finald	SS - PW Sewer Permit - Storm - Repair	Contractor Al Webster Jr Webster Co Inc - NELY 1/2 OF VAC ALLEY ADJ AND FOL SUBJ TO AVE LOT 1 BLK 38
02/11/2003	<a href="#">03 254723</a>	Closed	CS - CSO Complaint - Snow Walk - Complaint	Snow covering sidewalks, public having to climb over snowbanks to enter Milton Square businesses and restrauants Address: 2258 - 2262 Como Ave. - 2230 - 2244 Carter Street 2/13/03 lb Returned Snow walk - no such number for 2258 Como ave.
01/30/2002	<a href="#">02 097175</a>	Closed	RF - Referral - Citizen Complaint	Owner Pat Milton Milton Investment Company - Address range 2258-2262 AKA 2228 CARTER WHILE DOING LICENSE CHECK FOUND VIOLATIONS
12/05/1998	<a href="#">98 008420</a>	Canceled	XS - ECLIPS License - Miscellaneous - Second Hand Dealer	Licensee Lark's Limited - ECLIPS License# 19980008420
12/05/1998	<a href="#">98 008420</a>	Canceled	XS - ECLIPS License - Miscellaneous - Second Hand Dealer	Licensee Lark's Limited - ECLIPS License# 19980008420
<b><u>2260 Como Ave - Muffuletta In The Park</u></b>				
08/30/2018	<a href="#">18 099792</a>	Under Review	B - Building Permit - Commercial - Remodel	Contractor Jans Enterprises - PAINT, BATHROOM TILES, BUILD BAR
07/26/2018	<a href="#">18 088318</a>	Pending	XL - ECLIPS License - Liquor - Liquor-Outdoor Service Area (Patio)	Licensee Alejandro Victoria Nico's Tacos - ECLIPS License# 20180002651
07/26/2018	<a href="#">18 088310</a>	Pending	XE - ECLIPS License - Entertainment - Entertainment (A)	Licensee Alejandro Victoria Nico's Tacos - ECLIPS License# 20180002651
07/26/2018	<a href="#">18 088320</a>	Pending	XL - ECLIPS License - Liquor - Liquor On Sale - Sunday	Licensee Alejandro Victoria Nico's Tacos - ECLIPS License# 20180002651
07/26/2018	<a href="#">18 088309</a>	Pending	XL - ECLIPS License - Liquor - Liquor On Sale - 101-180 Seats	Licensee Alejandro Victoria Nico's Tacos - ECLIPS License# 20180002651
10/02/2017	<a href="#">17 188376</a>	Open	RE - Real Estate Assessments	Owner Milton Investment Company
11/04/2014	<a href="#">14 343546</a>	Active/Issued	BS - Billboard / Sign - Temporary Sign - Commercial New	Contractor Paul Miller Lets Get Graphic Creations Inc
10/07/2013	<a href="#">13 239185</a>	Scheduled	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Muffuletta In The Park
10/07/2013	<a href="#">11 312815</a>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Muffuletta In The Park - MDH Inspection on8/8/13
04/16/2013	<a href="#">13 174651</a>	Inspected	B - Building Permit - Mixed (Commercial/Residential) - Repair	Contractor Brad Nilles Nilles Builders Inc
12/28/2011	<a href="#">11 312806</a>	Closed	LC - DSI Env Health Complaint - Health-Safety-Environment - Env Health - Food	THREE INDIVIDUALS FROM TWO SEPARATE PARTIES COMPLAINED OF ILLNESS AFTER EATING DINNER HERE ON 12/26. ALL OF THE ILL INDIVIDUALS ATE THE SHRIMP RISOTTO.
12/27/2011	<a href="#">11 290217</a>	History	RS - Restaurant Inspection - High Risk - Complaint Inspection	Establishment Muffuletta In The Park
10/17/2011	<a href="#">11 270909</a>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Muffuletta In The Park

08/31/2011	<a href="#">11 132832</a>	History	RS - Restaurant Inspection - High Risk - Complaint Inspection	Establishment Muffuletta In The Park
04/21/2011	<a href="#">11 132490</a>	Closed	LC - DSI Env Health Complaint - Health-Safety- Environment - Env Health - Food	ALLEGEDLY, FOUR PEOPLE OF A PARTY OF SIX BECAME ILL AFTER EATING LUNCH HERE ON 4/13/11. ONE PERSON AT THE TIME OF INVESTIGATION HAD BEEN INTERVIEWED. THAT PERSON ATE BEER CHEESE SOUP AND A SALMON CAESAR SALAD. SYMPTOMS INCLUDED NAUSEA, CRAMPS, AND BLOODY STOOL THAT LASTED FOR TWO DAYS.
04/21/2011	<a href="#">10 917247</a>	History	RS - Restaurant Inspection - High Risk - Complaint Inspection	Establishment Muffuletta In The Park
10/28/2010	<a href="#">10 902605</a>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Muffuletta In The Park
09/23/2010	<a href="#">10 612145</a>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Muffuletta In The Park
07/26/2010	<a href="#">10 611810</a>	Closed	LC - DSI Env Health Complaint - Health-Safety- Environment - Env Health - Food	RECEIVED A CALL FROM MDH ON 7/23/10. STOOL SAMPLES FROM THREE PEOPLE WHO HAD EATEN AT THIS RESTAURANT ON THE SAME DATE TESTED POSITIVE FOR SALMONELLA ENTERIDITIS. THE THREE PEOPLE ALL ATE BRUNCH AT THE RESTAURANT ON SUNDAY JULY 4. ALL THREE REPORTED EATING EGGS BENEDICT.
07/23/2010	<a href="#">09 303134</a>	History	RS - Restaurant Inspection - High Risk - Complaint Inspection	Establishment Muffuletta In The Park
11/09/2009	<a href="#">09 318401</a>	Finald	E - Electrical Permit - Service & Circuits - Commercial Repair/Alter	Contractor Krause Electric
10/19/2009	<a href="#">09 279142</a>	History	RS - Restaurant Inspection - High Risk - Complaint Inspection	Establishment Muffuletta In The Park
10/15/2009	<a href="#">09 299912</a>	Closed	LC - DSI Env Health Complaint - Health-Safety- Environment	RECEIVED REPORT FROM MDH ABOUT A POSSIBLE FOODBORNE ILLNESS. ONE PERSON BECAME ILL WITH VOMITING 7.5 HOURS AFTER EATING AT THIS ESTABLISHMENT. MEAL DATE: 10/3/09 AT 8:00 PM. MEAL INCLUDED CRACKERS AND HUMMUS (SHARED BY 8 PEOPLE), CHICKEN COBB SALAD WITH HOUSE DRESSING, SPARKLING WINE, ICE WATER, AND HERBAL TEA.
09/29/2009	<a href="#">09 065699</a>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Muffuletta In The Park
05/01/2009	<a href="#">09 006353</a>	History	RS - Restaurant Inspection - High Risk - Complaint Inspection	Establishment Muffuletta In The Park
05/01/2009	<a href="#">09 064947</a>	Closed	LC - DSI Env Health Complaint - Health-Safety- Environment - Env Health - Food	1 of 2 people ill after eating dinner here on 4/27/09. The meal included salmon mousse, roasted asparagus, marissa cheese with

			grapes, strawberries, and honey, bread with garlic, water with lemon, and ice cream.
04/21/2009	<a href="#">07 089178</a>	Canceled	CT - Certificate of Insurance - Awning - Insurance
03/12/2009	<a href="#">09 040358</a>	Closed	PA - Parks Summary Abatement - Graffiti Owner Milton Investment Company - Graffiti Police Report East wall of the building
03/12/2009	<a href="#">09 040357</a>	Resolved	CS - CSO Complaint - Graffiti - Complaint Graffiti Police Report East wall of the building
01/06/2009	<a href="#">08 241881</a>	History	RS - Restaurant Inspection - High Risk - Complaint Inspection Establishment Muffuletta In The Park
01/06/2009	<a href="#">09 003487</a>	Closed	LC - DSI Env Health Complaint - Health-Safety- Environment - Env Health - Food COMPLAINANTS REPORT BEING SICK AFTER EATING AT THIS RESTAURANT. 2 OF 2 ILL. MEAL TIME: 5:00 PM ON SATURDAY 1/3/09 MEAL CONSISTED OF: GNOCCHI WITH DUCK CONFIT, BREAD, SALAD, RASPBERRY-CHOCOLATE DESSERT, AND WINE. VOMITING ONSET 7:00 PM ON SUNDAY 1/4/08 (BOTH RECOVERED) DIARRHEA ONSET 10:00 PM ON SUNDAY 1/4/08 (ONLY ONE WITH DIARRHEA).
12/31/2008	<a href="#">08 153066</a>	History	RS - Restaurant Inspection - High Risk - Routine Inspection Establishment Muffuletta In The Park
12/18/2008	<a href="#">08 234771</a>	Closed Withdrawn	PV - Project Facilitator Review See document under GT folder #08223260 regarding email
12/16/2008	<a href="#">08 223260</a>	Closed	GT - General Activity Tracking - License Contact Robert Vint Muffuletta In The Park - 12-16-08: Robert, As we discussed, attached is a pre-licensing checklist regarding your inquiry to upgrade to a full liquor license at the above referenced location. We can schedule a project review meeting once you have the floorplan for the entire building (showing square footages for each space, and specifying the uses for each space), and a site plan showing the available parking on the property. If I were to speculate on this matter, I would guess there may be a parking related issue with regards to meeting applicable City Zoning requirements. However, without the floorplan and siteplan we cannot determine specifics for this situation. Please let me know if you have any further questions regarding this matter. Jeff F.
09/17/2008	<a href="#">08 149048</a>	History	RS - Restaurant Inspection - High Risk - Routine Inspection Establishment Muffuletta In The Park
09/10/2008	<a href="#">08 127701</a>	History	RS - Restaurant Inspection - High Risk - Routine Inspection Establishment Muffuletta In The Park
09/10/2008	<a href="#">08 147749</a>	Closed	PA - Parks Summary Abatement - Graffiti Owner Milton Investment Company - Graffiti on the planters in front of property
09/10/2008	<a href="#">08 147748</a>	Resolved	

08/05/2008	<a href="#">07 175698</a>	History	CS - CSO Complaint - Graffiti - Complaint	Graffiti on the planters in front of property
			RS - Restaurant Inspection - High Risk - Complaint Inspection	Establishment Muffuletta In The Park
08/05/2008	<a href="#">08 126559</a>	Closed	LC - DSI Env Health Complaint - Health-Safety-Environment - Env Health - Food	COMPLAINT RECEIVED 8/4/08. CUSTOMER WAS AT A DINNER HERE ON 8/2/08 AT 8:00 PM. MEAL INCLUDED SALMON WITH ONIONS AND LEMON, AN APPETIZER WITH BRIE AND APPLES, BREAD BASKET, CRACKERS, WINE, AND ICE WATER. ONSET OF DIARRHEA 8/3/08 AT 3:00 AM (7 HOUR INCUBATION) 50 PEOPLE WERE IN ATTENDANCE; ONLY ONE REPORTED ILL. LEFTOVERS WERE EATEN THE FOLLOWING DAY; SYMPTOMS RETURNED IMMEDIATELY AFTER EATING THEM.
04/15/2008	<a href="#">08 058477</a>	Finaled	E - Electrical Permit - Service & Circuits - Commercial Repair/Alter	Contractor Hermes Electric Inc
01/31/2008	<a href="#">08 008541</a>	Canceled	XF - ECLIPS Food Related - Restaurant (4) - 51-150 Seats	Licensee Parasole Rest Hldngs Inc Muffuletta In The Park - ECLIPS License# 0045708
12/31/2007	<a href="#">07 228459</a>	Finaled	B - Building Permit - Commercial - Remodel	Contractor Copeland Building Corporation - MILTON SQUARE.
12/28/2007	<a href="#">07 226247</a>	Closed	CL - Compliance Checks - Liquor Compliance Check	Licensee David Pacunas Muffuletta In The Park - ECLIPS License# 0045708
12/28/2007	<a href="#">07 226249</a>	Closed	CL - Compliance Checks - Liquor Compliance Check	Licensee David Pacunas Muffuletta In The Park - ECLIPS License# 0045708
10/18/2007	<a href="#">07 027678</a>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Muffuletta In The Park
04/02/2007	<a href="#">07 054878</a>	Finaled	E - Electrical Permit - Service & Circuits - Commercial Repair/Alter	Contractor Larson Electric Systems, Inc.
03/30/2007	<a href="#">07 053546</a>	Finaled	M - Mechanical Permit - Gas - Commercial Replace	Contractor John Matthews Air Conditioning Assoc., Inc.
03/30/2007	<a href="#">07 053551</a>	Finaled	W - Warm Air, Ventilation & General Sheet - Warm Air Only - Commercial Replace	Contractor John Matthews Air Conditioning Assoc., Inc. - 04/04/2008: Automatically closed by system due to no activity in one year. 04/16/2008: Automatically closed by system due to no activity in one year.
03/30/2007	<a href="#">07 053564</a>	Finaled	M - Mechanical Permit - Refrigeration - Commercial Replace	Contractor John Matthews Air Conditioning Assoc., Inc.
03/26/2007	<a href="#">07 050681</a>	Finaled	RW - PW Right of Way Permit - Obstruction - Hoisting	Contractor Dan, John Gmach / Jesse Wentland Armstrong Crane And Rigging - AIR HANDLING EQUIPMENT ONE TRAFFIC LANE, ONE PARKING LANE AND SIDEWALK USE TYPE III BARRICADES AND CONES FOR LANE SHIFT
03/23/2007	<a href="#">07 050105</a>	Finaled	M - Mechanical Permit - Gas - Commercial Repair/Alter	Contractor Jeff Czech Check Refrigeration
03/14/2007	<a href="#">07 045022</a>	Finaled		

		RW - PW Right of Way Permit - Obstruction - Hoisting	Contractor Dan, John Gmach / Jesse Wentland Armstrong Crane And Rigging - AIR HANDLING EQUIPMENT. ONE TRAFFIC LANE AND ONE PARKING LANE AND SIDEWALK. TYPE III BARRICADES.	
02/26/2007	<a href="#">07 025843</a>	History	RS - Restaurant Inspection - High Risk - Plan Review Inspection	Establishment Muffuletta In The Park
02/22/2007	<a href="#">07 019776</a>	History	RS - Restaurant Inspection - High Risk - Plan Review Inspection	Establishment Muffuletta In The Park
02/06/2007	<a href="#">07 012317</a>	History	RS - Restaurant Inspection - High Risk - Management Review	Establishment Muffuletta In The Park
01/23/2007	<a href="#">06 007042</a>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Muffuletta In The Park
11/20/2006	<a href="#">06 272795</a>	Closed	BW - Building Warning - Double/Penalty Fee	Owner Milton Investment Company - 11/20/06 Double Fee Window Replacement/ Gless Construction Per Steve T. jaf
11/03/2006	<a href="#">06 262368</a>	Closed	CL - Compliance Checks - Liquor Compliance Check	Licensee Allyson Tarnowski Muffuletta In The Park - ECLIPS License# 0045708
10/18/2006	<a href="#">06 247225</a>	Canceled	XL - ECLIPS License - Liquor - Liquor-Outdoor Service Area (Patio)	Licensee Parasole Rest Hldngs Inc Muffuletta In The Park - ECLIPS License# 0045708
01/17/2006	<a href="#">05 052177</a>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Muffuletta In The Park
05/11/2005	<a href="#">05 099036</a>	Finald	E - Electrical Permit - Service & Circuits - Commercial Repair/Alter	Contractor South Side Electric Inc
01/13/2005	<a href="#">04 056422</a>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Muffuletta In The Park
03/16/2004	<a href="#">03 418738</a>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Muffuletta In The Park
12/26/2003	<a href="#">03 418423</a>	Closed	LC - DSI Env Health Complaint - Health-Safety-Environment - Env Health - Food	12/24/03: RECEIVED REPORT FROM MN DEPT OF HEALTH: PARTY OF 6 ATE AT MUFULETTA 12/15/03 NOON. THREE OF THEM BECAME ILL 3-4 HOURS LATER: HEADACHE, NAUSEA, FATIGUE, 2 HAD DIARRHEA. ALL THREE ATE SHRIMP SCAMPI, BRIE AND TOAST. NO OTHER FOODS IN COMMON. [DW]
12/26/2003	<a href="#">03 264913</a>	History	RS - Restaurant Inspection - High Risk - Complaint Inspection	Establishment Muffuletta In The Park
04/30/2003	<a href="#">03 292532</a>	Closed	SP - Stucco/Plaster - Stucco/Plaster - Commercial Repair/Alter	Contractor Daniel Gausman Gausman Plastering & Stucco Inc - 16-Nov-2005: Folder closed by system due to no activity in one year . Closed without final approval
03/05/2003	<a href="#">03 263767</a>	Closed	SP - Stucco/Plaster - Stucco/Plaster Group I - Commercial Repair/Alter	Contractor Stephen P Donnelly CO - 16-Nov-2005: Folder closed by system due to no activity in one year . Closed without final approval



02/28/2003	<a href="#">03 249215</a>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Muffuletta In The Park
01/10/2003	<a href="#">02 236424</a>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Muffuletta In The Park
12/18/2002	<a href="#">02 246282</a>	Expired	B - Building Permit - Commercial - Repair	Contractor Brost Commercial - Other-See Comments.
12/18/2002	<a href="#">02 246287</a>	Withdrawn	FN - Fence Permit - Commercial	Contractor Brost Commercial
11/26/2002	<a href="#">02 241969</a>	Finald	E - Electrical Permit - Service & Circuits - Commercial Repair/Alter	Contractor A E M Electric Services Corporation - ADDN TO PERMIT #02-224831 (CIRCUITS PLUS THREE EXTRA INSPECTIONS
10/30/2002	<a href="#">02 229096</a>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Muffuletta In The Park
10/07/2002	<a href="#">02 227746</a>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Muffuletta In The Park
10/04/2002	<a href="#">02 228332</a>	Closed without Approval	M - Mechanical Permit - Refrigeration - Commercial Replace	Contractor Donald Czech Donald C Czech - Closed without final approval
10/04/2002	<a href="#">02 228382</a>	Finald	PL - Plumbing & Gas Fitting (OLD) - Gasfitting Only - Residential Repair/Alter	Contractor Patrick Reilly Reilly Plumbing Company
10/03/2002	<a href="#">02 222753</a>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Muffuletta In The Park
09/23/2002	<a href="#">02 224831</a>	Finald	E - Electrical Permit - Service & Circuits - Commercial Repair/Alter	Contractor A E M Electric Services Corporation
09/17/2002	<a href="#">02 223138</a>	Expired	B - Building Permit - Commercial - Remodel	Contractor Brost Commercial Home Repair Inc - Verified with L.Z. and was informed that J.Haw. was ok with parking. dmg 9-17-02
09/05/2002	<a href="#">02 102845</a>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Muffuletta In The Park - 7-23-02 DAVE R. CALLED (644-9116) WITH A QUESTION ON INSTALLING A NEW WALK-IN FREEZER OUTSIDE. THEY WILL PROVIDE PLANS AND CALL FOR AN INSPECTION IF THEY DECIDE TO DO IT. SJO
02/28/2002	<a href="#">01 242353</a>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Muffuletta In The Park
12/19/2001	<a href="#">01 216887</a>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Muffuletta In The Park
07/30/2001	<a href="#">01 185747</a>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Muffuletta In The Park
04/10/2001	<a href="#">01 185044</a>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Muffuletta In The Park
04/04/2001	<a href="#">01 181107</a>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Muffuletta In The Park
02/27/2001	<a href="#">00 119493</a>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Muffuletta In The Park
02/07/2001	<a href="#">01 123548</a>	Closed	LC - DSI Env Health Complaint - Health-Safety-	2/5/01: COMPLAINANT REPORTED TO MDH CHILLS,

		Environment - Env Health - Food	NAUSEA AND WEAKNESS, ONSET 2/4, 2:00 A.M. aTE AT MUFULETTA'S 2/2 NOON: TROUT, MASHED POTATO, APPLE CRISP, ICE CREAM.
07/18/2000	<a href="#">00 136022</a>	Finald	W - Warm Air, Ventilation & General Sheet - Ventilation Only - Commercial Repair/Alter Contractor John Matthews Air Conditioning Assoc., Inc.
02/23/2000	<a href="#">99 002108</a>	History	RS - Restaurant Inspection - High Risk - Routine Inspection Establishment Muffuletta In The Park
08/02/1999	<a href="#">99 100694</a>	Active/Issued	SP - Stucco/Plaster - Stucco/Plaster Group I - Commercial Repair/Alter Contractor Dk Gausman Sons Inc
12/24/1998	<a href="#">99 021589</a>	History	RS - Restaurant Inspection - High Risk - Routine Inspection Establishment Muffuletta In The Park
12/23/1998	<a href="#">99 021596</a>	History	RS - Restaurant Inspection - High Risk - Routine Inspection Establishment Muffuletta In The Park
12/21/1998	<a href="#">99 016324</a>	History	RS - Restaurant Inspection - High Risk - Routine Inspection Establishment Muffuletta In The Park
11/18/1998	<a href="#">99 016263</a>	History	RS - Restaurant Inspection - High Risk - Routine Inspection Establishment Muffuletta In The Park
11/17/1998	<a href="#">99 014234</a>	History	RS - Restaurant Inspection - High Risk - Routine Inspection Establishment Muffuletta In The Park
11/16/1998	<a href="#">99 016684</a>	History	RS - Restaurant Inspection - High Risk - Routine Inspection Establishment Muffuletta In The Park
10/08/1998	<a href="#">99 009732</a>	History	RS - Restaurant Inspection - High Risk - Routine Inspection Establishment Muffuletta In The Park
09/23/1998	<a href="#">99 016754</a>	History	RS - Restaurant Inspection - High Risk - Routine Inspection Establishment Muffuletta In The Park
09/09/1998	<a href="#">97 005954</a>	History	RS - Restaurant Inspection - High Risk - Routine Inspection Establishment Muffuletta In The Park
03/27/1998	<a href="#">98 135020</a>	Closed without Approval	E - Electrical Permit - Electrical - Commercial Repair/Alter Contractor Tim White Gephart Electric Company Inc - Closed without final approval
10/20/1997	<a href="#">95 004419</a>	History	FE - Food Special Event - No Risk - Routine Inspection Establishment Muffuletta In The Park
05/08/1997	<a href="#">97 016023</a>	History	RS - Restaurant Inspection - High Risk - Routine Inspection Establishment Muffuletta In The Park
04/28/1997	<a href="#">97 024498</a>	History	RS - Restaurant Inspection - High Risk - Routine Inspection Establishment Muffuletta In The Park
04/03/1997	<a href="#">97 010512</a>	History	RS - Restaurant Inspection - High Risk - Routine Inspection Establishment Muffuletta In The Park
03/12/1997	<a href="#">94 010154</a>	History	RS - Restaurant Inspection - High Risk - Routine Inspection Establishment Muffuletta In The Park
08/21/1995	<a href="#">95 077983</a>	Finald	E - Electrical Permit - Electrical - Commercial Repair/Alter Contractor South Side Electric Inc
04/18/1994	<a href="#">94 019586</a>	History	Establishment Muffuletta In The Park

04/18/1994	<a href="#">99 004202</a>	Closed	RS - Restaurant Inspection - High Risk - Routine Inspection EC - Environmental Complaint History (DC)	On 4/7, at 7:00p.m., 3 Females ate dinner. Complainant (female, age 38) got ill, other 2 (female, ages 39 & 48) did not. Complainant doesn't know what others ate. Complainant had broasted chicken 'Special' dinner- with small potatoes, mixed vegetables, caesar salad with croutons, diet Pepsi, & cappucino. About 10:00pm she started with waves of nausea. 45 minutes later, started "extremely violent" vomiting, then about 2-3 hours later started cramps & diarrhea. Vomiting lasted until 5:00 am on 4/8. She became dehydrated & lost 12 lbs overnight. She had weighed at Dr's office that day, & knew her.
01/24/1994	<a href="#">99 012839</a>	History	RS - Restaurant Inspection - No Risk - Routine Inspection	Establishment Muffuletta In The Park
01/18/1994	<a href="#">99 012793</a>	History	RS - Restaurant Inspection - No Risk - Routine Inspection	Establishment Muffuletta In The Park
11/24/1993	<a href="#">99 012813</a>	History	RS - Restaurant Inspection - No Risk - Routine Inspection	Establishment Muffuletta In The Park
11/01/1993	<a href="#">99 012788</a>	History	RS - Restaurant Inspection - No Risk - Routine Inspection	Establishment Muffuletta In The Park
10/06/1993	<a href="#">99 004542</a>	Closed	EC - Environmental Complaint History (DC)	CONVERTED FROM PARADOX SYSTEM. NO NARRATIVE.
10/06/1993	<a href="#">99 012826</a>	History	RS - Restaurant Inspection - No Risk - Routine Inspection	Establishment Muffuletta In The Park
06/24/1993	<a href="#">99 004508</a>	Closed	EC - Environmental Complaint History (DC)	CONVERTED FROM PARADOX SYSTEM. NO NARRATIVE.
11/10/1992	<a href="#">99 012800</a>	History	RS - Restaurant Inspection - No Risk - Routine Inspection	Establishment Muffuletta In The Park
08/23/1991	<a href="#">99 010624</a>	History	RS - Restaurant Inspection - No Risk - Routine Inspection	Establishment Muffuletta In The Park
04/23/1991	<a href="#">99 010590</a>	History	RS - Restaurant Inspection - No Risk - Routine Inspection	Establishment Muffuletta In The Park
05/30/1990	<a href="#">99 004524</a>	Closed	EC - Environmental Complaint History (DC)	CONVERTED FROM PARADOX SYSTEM. NO NARRATIVE.
05/01/1990	<a href="#">99 004474</a>	Closed	EC - Environmental Complaint History (DC)	CONVERTED FROM PARADOX SYSTEM. NO NARRATIVE.
06/24/1988	<a href="#">88 045708</a>	Canceled	XF - ECLIPS Food Related - Restaurant (B) - more than 12 seats	Licensee David Pacunas Muffuletta In The Park - ECLIPS License# 0045708
06/24/1988	<a href="#">88 045708</a>	Canceled	XL - ECLIPS License - Liquor - Malt On Sale (Strong)	Licensee Parasole Rest Hldngs Inc Muffuletta In The Park - ECLIPS License# 0045708
06/24/1988	<a href="#">88 045708</a>	Canceled	XL - ECLIPS License - Liquor - Wine On Sale	Licensee Parasole Rest Hldngs Inc Muffuletta In The Park - ECLIPS License# 0045708
12/30/1987	<a href="#">87 016339</a>	Canceled		

12/30/1987	<a href="#">87 016339</a> Canceled	XL - ECLIPS License - Liquor - Malt On Sale (Strong) XL - ECLIPS License - Liquor - Wine On Sale	Licensee Restaurant Marketing Inc Muffuletta In The Park - ECLIPS License# 0016339 Licensee Restaurant Marketing Inc Muffuletta In The Park - ECLIPS License# 0016339
<b><u>2262 Como Ave Apt Dwnstr</u></b>			
10/02/2017	<a href="#">17 188376</a> Open	RE - Real Estate Assessments	Owner Milton Investment Company
<b><u>2262 Como Ave</u></b>			
09/18/2018	<a href="#">18 105280</a> Active/Issued	B - Building Permit - Commercial - Express Repair	Contractor Schroeder Exteriors Inc - TEAR OFF ROOF AND RE-ROOF WITH TIMBERLINE SMALL FLAT ROOFS WITH DURO-LAST.
07/25/2018	<a href="#">18 087788</a> Finaled	B - Building Permit - Commercial - Repair	Contractor Doug Montzka Doug Montzka Concrete & Masonry - Other-See Comments. BLOCK IN BASEMENT DOOR AND WATERPROOF, IN FILL STAIRWAY PIT WITH DIRT
10/02/2017	<a href="#">17 188376</a> Open	RE - Real Estate Assessments	Owner Milton Investment Company
10/10/2016	<a href="#">16 087166</a> Finaled	RW - PW Right of Way Permit - Excavation - Joint Sewer Permit	Contractor Mike Boston M & B Services LLC - Joint Sewer Excavation Permit
10/10/2016	<a href="#">16 087165</a> Finaled	SS - PW Sewer Permit - Sanitary - Repair	Contractor Mike Boston M & B Services LLC - Repair in the street Contractor needs to replace Sewer Maintenance traffic control with their own traffic control when they get this permit, and notify sewer maintenance at 266-9850 to pick up their traffic control. If there is a road plate on site contact sewer maintenance to pick up once you are on the site working.
05/14/2008	<a href="#">08 075264</a> Resolved	CS - CSO Complaint - Tree - Complaint	Stump on the blvd, was told that someone was coming out to remove it. Has not happened yet? 6/3/08 - Stump on blvd (1 foot high, removed last year), possible tripping hazard. Youths play around area.
09/25/2007	<a href="#">07 151721</a> Withdrawn	BS - Billboard / Sign - Temporary Sign - Commercial New	Contractor Jon Schumacher St Anthony Park Community Foundation - ST ANTHONY PARK, KEEP IT IN THE NEIGHBORHOOD
11/20/2006	<a href="#">06 272791</a> Finaled	B - Building Permit - Commercial - Express Repair	Contractor Carlos Gilliland Gilley's Home Improvement
07/27/2006	<a href="#">06 115986</a> Finaled	W - Warm Air, Ventilation & General Sheet - General Sheet Metal - Commercial Repair/Alter	Contractor Lynn Bishop Nac Mechanical & Electrical Services
06/09/2006	<a href="#">06 095267</a> Expired	B - Building Permit - Commercial - Express Repair	Contractor Erick N Kallerup Construction - 08/16/2007: Automatically closed by system due to no activity in one year.
01/03/2005	<a href="#">05 044531</a> Finaled	PG - Plumbing/Gasfitting/Inside Water Piping - Gasfitting Only - Residential Replace	Contractor Gregory Ryan Ryan Plumbing & Heating CO
10/30/2003	<a href="#">03 385604</a> Finaled		Contractor Mayer Electric Corporation

10/30/2003	<a href="#">03 385599</a>	Withdrawn	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor Mayer Electric Corporation - Connect 1 compactor
09/10/2003	<a href="#">03 350676</a>	Closed	E - Electrical Permit - Electrical - Commercial Repair/Alter	Owner Milton Investment Company - Blocked exits.
04/18/2003	<a href="#">03 286843</a>	Finaled	RF - Referral - Citizen Complaint	Contractor Victory Roofing Siding Inc - AKA 2228 Carter. Closed without final approval
04/16/2003	<a href="#">03 285952</a>	Finaled	B - Building Permit - Commercial - Remodel	Contractor Freiberg Electric
11/07/2002	<a href="#">02 238006</a>	Finaled	E - Electrical Permit - Service & Circuits - Commercial Repair/Alter	Contractor Harry Horwitz Horwitz Inc.
10/15/2002	<a href="#">02 231067</a>	Closed without Approval	M - Mechanical Permit - Steam or Hot Water - Residential Replace	Contractor Aaron Gunderson / Bob Grill Hunt Electric Corporation - Closed without final approval
10/01/2002	<a href="#">02 227079</a>	Finaled	E - Electrical Permit - Service & Circuits - Commercial Repair/Alter	Contractor Harry Horwitz Horwitz Inc.
09/04/2002	<a href="#">02 219470</a>	Finaled	M - Mechanical Permit - Gas - Commercial Replace	Contractor Bob Cheney Determan Brownie Inc. - REMOVE 1 UNDERGROUND 1000 GALLON HEATING OIL TANK.
09/14/2000	<a href="#">00 143415</a>	Closed	EG - Fire Engineering - Hazardous Materials - Tank Removal	Owner Pat Milton Milton Investment Company
09/14/2000	<a href="#">00 143414</a>	Closed without Approval	BW - Building Warning - Field Application	Contractor MAGGIE McMAHON Mcquillan Bros Plumbing & Heating - Closed without final approval
09/14/2000	<a href="#">00 143467</a>	Closed	PL - Plumbing & Gas Fitting (OLD) - Plumbing (ALL) - Commercial Repair/Alter	Contractor MAGGIE McMAHON Mcquillan Bros Plumbing & Heating - Closed without final approval
08/05/1996	<a href="#">96 091975</a>	Closed	WU - Water Utility - Water Utility - Commercial Remodel	Contractor Stephen Donnelly Donnelly Co Inc Stephen - Closed without final approval
			SP - Stucco/Plaster - Stucco/Plaster Group II - Commercial Repair/Alter	