

[illegible]

[illegible]

Progress Notes	Closing Notes	Action ID
Inside Property Material:		Create Property Material Investigation SO
EXISTING/DISCONNECT READING INFORMATION: Meter Reading: LF Reading: Field Notes: Meter data logged, in 360 NEW METER & REMOTE INFORMATION Meter Size: Meter #: Initial Reading: New Remote (MIU) #: Initial LF Reading:	Field Notes: Meter data logged, in 360	
3/4 no display	3/4 no display	Generate Meter Check-in Service Order
EXISTING/DISCONNECT READING INFORMATION Meter Reading:lb LF Reading: Field Notes: lb replaced register Inside Property Material : Lead Packet Distributed? : NEW METER & REMOTE INFORMATION Meter Size: Meter #: Initial Reading: 000000.020 New Remote (MIU) #: 1565166934 Initial LF Reading: LF Remote (MIU) #: Meter Head Change Only? yes Remote Location: Remote Type: WAS THERE A SPACER AT THE PROPERTY? COMMERCIAL ACCOUNTS ONLY: Is there a By-Pass? METER LOCATION: Bad Plumbing? RATE ON METER: Before HF:	3/8/21 - HEAD CHANGE - DISCONNECT: NONE - NEW HEAD: 000000.020	CODE VIOLATION STEP 1- USE FOR IN-HOUSE ESTIMATES
		Disconnect for Non-Pay