



CITY OF SAINT PAUL
Christopher B. Coleman, Mayor

ENVIRONMENTAL HEALTH SERVICES
375 Jackson Street, Suite 220
Saint Paul, Minnesota 55101-1806

Telephone: 651-266-8989
Facsimile: 651-266-9124
Web: www.stpaul.gov/dsi

April 4, 2016

Tony Wendland
Xcel Energy
825 Rice Street
Saint Paul MN 55117

Dear Mr. Wendland:

This is to confirm that our office has received your application for a variance from the city's noise ordinance and that it is being processed.

The Department of Safety and Inspections has recommended that a variance be issued, with conditions, to bore a section of pipeline under I-35E for Michigan Street between Erie and Duke Streets for pipe replacement.

A public hearing on your request for a variance has been scheduled for **Wednesday, April 20, 2016 at 5:30 p.m.**, Third Floor, City Council Chambers, at the Saint Paul City Hall/Ramsey County Courthouse, 15 Kellogg Boulevard W., Saint Paul, Minnesota.

You may wish to be present at this hearing to answer any questions that the City Council might have. After the public hearing, the Council may grant, deny, or modify the variance request.

If you have any questions, please contact:

Barb McMonigal-St.Dennis, Environmental Health Specialist
651-266-9137
barb.mcmonigal-st.dennis@ci.stpaul.mn.us

Enclosure