



CITY OF SAINT PAUL
Christopher B. Coleman, Mayor

375 Jackson Street, Suite 220
Saint Paul, Minnesota 55101-1806

Telephone: 651-266-8989
Facsimile: 651-266-9124

April 9, 2015

NOTICE OF PUBLIC HEARING
Twin Cities Jazz Festival 2015 – Rice Park
Sound Level Variance

TO: CapitolRiver Council District 17

This is to inform you of a request for a variance from the sound level limitations as indicated in the St. Paul Noise Ordinance (Chapter 293 of the St. Paul Legislative Code). Property owned by you and located near the noise source, may be affected by this variance request. Rental property owners must provide a copy of this notice to all renters or post a copy in a common area of the building so it can be viewed by the occupants.

Description of Variance:

Location: Event will be located outdoors at Rice Park

Noise Source: Twin Cities Jazz Festival has applied for a sound level variance in order to provide music outdoors at Rice Park on Friday, June 26, 2015, and Saturday June 27, 2015, from 6:00 p.m. to 10:00 p.m. The Department of Safety and Inspections (DSI) recommends the following conditions: 1) The variance shall be for the hours of 6:00 p.m. to 10:00 p.m. on June 26, and 27, 2015. 2) All electronically powered equipment used in conjunction with the event shall not exceed 85 dBA as measured 50 feet from sound source. 3) The applicant shall provide personnel and equipment to ensure compliance with the sound level variance conditions. 4) All electronically powered equipment, PA systems, loudspeakers or similar devices shall be turned off no later than 10:00 p.m. on the dates of the event.

A public hearing before the City Council on this variance request will be held on:

Date: Wednesday, May 6, 2015

Time: 5:30 p.m.

Location: 3rd floor, City Hall Council Chambers

If you attend the public hearing, you will be given the opportunity to present verbal comments or objections before the City Council.

If you are unable to attend the public hearing, you may file written comments or objections with the: City of St. Paul, Department of Safety and Inspections, 375 Jackson Street, Suite 220, Saint Paul, Minnesota 55101-1806, attention Barb McMonigal-St.Dennis or by email to barb.mcmonigal-st.dennis@ci.stpaul.mn.us. Written comments or objections must be received on or before Tuesday, May 5, 2015.