

JUL 12 2021



CITY OF SAINT PAUL

Business Licensing  
375 Jackson Street, Suite 220  
Saint Paul, Minnesota 55101-1806

Telephone: 651-266-8989  
Facsimile: 651-266-9124  
Web: [www.stpaul.gov/dsi](http://www.stpaul.gov/dsi)

### Sound Level Variance Application

#### Legislative Code Chapter 293. - Noise Regulations

Application and \$175 fee should be submitted a minimum of sixty (60) days prior to the event date to allow ample time for required public notification period and scheduling of a Council public hearing. Applications submitted within sixty (60) days of the event date may not satisfy the processing timeline requirements.


1. Organization/person seeking variance: Stone Saloon, SBC dba Waldmann
2. Event Name: Waldmann Oktoberfest
3. Address and physical description of noise source location (Event, Worksite): 445 Smith Ave N, on south side of building in our outdoor patio space
4. Responsible person: Tom Schroeder Title: Pres./CEO
5. Telephone: 612-385-8838 E-Mail: tom@waldmannbrewery.com
6. Date(s) variance requested: Sept. 17, 18 & 19; Sept. 24, 25 & 26
7. Noise source - Time(s) of operation: noon - 10pm on 17, 18, 24 & 25; noon - 7pm on 19 & 26  
- Time(s) of pre-event sound check: one hour prior
8. Sound level requested (dBA/Decibels): 85Db
9. Mailing address w/zip code: Waldmann Brewery, 445 Smith Ave N, St. Paul MN 55102
10. Briefly describe the noise source and equipment involved: Music and announcements from a PA system (Samsung Expert, xP300 or equivalent) w/ 2 speakers on stands
11. Describe the steps that will be taken to minimize the noise levels: Strict adherence to event ending times, periodic decibel testing, and a commitment to respectful and
12. State reason for seeking variance (example - music, announcements, construction, etc.): To enable small ensembles of musicians to be heard, along with announcements.
13. Maximum number of attendees: 75 indoors, 125 outdoors
14. Describe steps that will be taken to prevent COVID-19 virus spread: Adherence to any/all State and local orders and CDC guidance then - applicable -
15. A site diagram & map must be attached showing location of noise source(s), streets, stages, tents, etc. (If there will be amplified sound, indicate location and direction that all speakers will be facing). **Multiple locations may require more than one application.**
16. Submit completed application, site diagram/map, and **\$175.00** fee to:  
CITY OF SAINT PAUL  
DEPARTMENT OF SAFETY AND INSPECTIONS  
375 JACKSON STREET, SUITE 220  
SAINT PAUL, MN 55101-1806

2) provide sound monitoring.

I understand that any social gathering associated with this variance must be managed in full compliance with all applicable Governor Walz COVID-19 orders relating to distancing, masks and attendance limits.

Signature of responsible person: Thomas Schroeder Date: 7/4/21

Smith Ave



5th

Restaurant / (log room) (2 story)

(exit)

Outdoor patio

Speakers

Stage

Tent

entrance

(connector)

Bar area / (2 story)

entrance

Alley



# DSI RECEIPT

**CITY OF SAINT PAUL**  
Department of Safety and Inspections  
375 Jackson Street Suite 220  
Saint Paul, Minnesota 55101-1806  
Phone: (651) 266-8989 Fax: (651) 266-9124  
www.stpaul.gov/dsi

Date: 07/13/2021

Received From: STONE SALOON SBC dba: WALDMANN  
194 MCBOAL ST ST PAUL MN 55102

**Description:**

**Invoice Details**

1109958

Noise Variance

**Invoice Amount**

\$175.00

**Amount Paid**

\$175.00

**TOTAL AMOUNT PAID:**

**\$175.00**

**Paid By:**

Payment Type	Check #	Received Date	Amount
Check	4368	07/13/2021	\$175.00