

STAMP - Activities

[New Search](#)
[Help using this report](#)

Run Date: 10/04/19 03:29 PM

Sort by Most Recent Date

Starting Date:

House#:

Folder

Type: All Folder Types ▼

Ending Date:

Street Name:

Folder Count: 192

Include Same PIN Addresses: Yes

Click on [address link](#) to access GISmo, MapIT, and Ramsey County Info

Click on [ID# link](#) below to view detail

PIN:082822240041

Address	In Date	ID #	Status	Type	Description
<u>194 Cesar Chavez St - El Amanecer Restaurant</u>					
	08/08/2019	19 072718	Pending	XL - ECLIPS License - Liquor - Liquor On Sale - 2 AM Closing	Licensee Judy Delgado La Costa Mexican Sports Bar & Grill - ECLIPS License# 20160000962
	07/08/2019	19 061315	Inspection Pending	RW - PW Right of Way Permit - Obstruction - Sidewalk Cafe	Contractor Judy Vargas Delgado La Costa Mexican Sports Bar & Grill - Sidewalk Café - La Costa Mexican Sports Bar & Grill ECLIPSE License ID #20160000962
	06/04/2019	19 047028	Closed	LC - DSI Env Health Complaint - Health-Safety-Environment	Karaoke and loud music being played on Fridays and Saturdays pass midnight
	06/04/2019	19 047027	Resolved	CS - CSO Complaint - Noise - Complaint	Karaoke and loud music being played on Fridays and Saturdays pass midnight
	04/22/2019	19 033179	Resolved	CS - CSO Complaint - License - Complaint	Reportedly serving without checking I.D and to underage consumers
	04/12/2019	19 030614	Finaled	EG - Fire Engineering - Hazardous Materials - Tank - Aboveground Outside	Contractor Brad Schroder Schroder Concessions - INSTALL 4 - 100 LB LP CYLINDERS AT CINCO DE MAYO
	09/10/2018	18 077038	Active/Issued	XE - ECLIPS License - Entertainment - Gambling Location	Licensee Judy Delgado La Costa Mexican Sports Bar & Grill - ECLIPS License# 20160000962
	09/04/2018	18 100675	Finaled	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor Accredited Electrical Solutions LLC - Retrofit 8 - 2X4' and 3 - wraps main floor kitchen.
	08/14/2018	18 062013	Active/Issued	XL - ECLIPS License - Liquor - Liquor-Outdoor Service Area (Sidewalk)	Licensee Judy Delgado La Costa Mexican Sports Bar & Grill - ECLIPS License# 20160000962
	08/06/2018	18 062020	Active/Issued	XE - ECLIPS License - Entertainment - Entertainment (B)	Licensee Judy Delgado La Costa Mexican Sports Bar & Grill - ECLIPS License# 20160000962
	05/18/2018	18 063881	Open	GT - General Activity Tracking - SCS	05/18/2018 Applicant submitted proposed sidewalk seating plan attached and emailed to PW for review. JWF
	05/14/2018	18 061820	Finaled	RW - PW Right of Way Permit - Obstruction - Sidewalk Cafe	Contractor Judy Vargas Delgado La Costa Mexican Sports Bar & Grill - Sidewalk Café - La Costa Mexican Sports Bar & Grill ECLIPSE License ID #20160000962
	04/27/2018	18 056819	Finaled		Contractor Premier Management Llc - INSTALL 10 - 20 LB LP GAS

		EG - Fire Engineering - Hazardous Materials - Tank - Aboveground Outside	CYLINDERS FOR OUTDOOR COOKING AT CINCO DE MAYO	
01/30/2018	17 221271	Canceled	XE - ECLIPS License - Entertainment - Entertainment (A)	Licensee Judy Delgado La Costa Mexican Sports Bar & Grill - ECLIPS License# 20160000962
09/29/2017	17 103548	Open	RE - Real Estate Assessments	Owner Premier Management Llc
07/06/2017	17 057297	In Process	CO - Certificate of Occupancy - Assembly	Responsible Party Premier Management Llc
06/07/2017	17 047545	Open	GT - General Activity Tracking - License	06/07/2017 generated 300' property ownership list for liq. sidewalk & emailed to KS to send to business owner. JWF
05/15/2017	17 038807	Pending	CL - Compliance Checks - Liquor Compliance Check	Licensee Judy Delgado La Costa Mexican Sports Bar & Grill - ECLIPS License# 20160000962
05/15/2017	17 038791	Pending	CL - Compliance Checks - Liquor Compliance Check	Licensee Judy Delgado La Costa Mexican Sports Bar & Grill - ECLIPS License# 20160000962
05/02/2017	17 034549	Certified	CO - Certificate of Occupancy - Assembly	Responsible Party Premier Management Llc
04/28/2017	16 023345	Active/Issued	XL - ECLIPS License - Liquor - Liquor On Sale - Sunday	Licensee Judy Delgado La Costa Mexican Sports Bar & Grill - ECLIPS License# 20160000962
04/28/2017	16 023348	Active/Issued	XL - ECLIPS License - Liquor - Liquor On Sale - 100 seats or less	Licensee Judy Delgado La Costa Mexican Sports Bar & Grill - ECLIPS License# 20160000962
03/29/2017	17 024083	Approved No Appeal	BZ - Board of Zoning Appeals Cases - Major Variance - Commercial	Applicant Judy Delgado - The applicant is requesting a variance of the off-street parking requirement. She intends to establish a new restaurant in the floor space where a previous restaurant was located but does not have access to the existing parking in the rear of the lot. Based on the gross floor area of the restaurant, 11 spaces are required and 11 spaces are available on the property. The previous owner had two lots: one where the restaurant is located and one to the west, used for parking and access to the rear parking. The western-most lot was lost through tax-forfeiture and purchased by a separate owner who will not allow access over his property to the parking behind the restaurant at 194 Cesar Chavez St. Without access to the existing parking, a variance request for all 11 spaces is needed.
03/15/2017	17 020006	Withdrawn	BZ - Board of Zoning Appeals Cases - Major Variance - Commercial	Applicant Judy Delgado - The applicant is requesting a variance of the off-street parking requirement. She intends to establish a new restaurant in the floor space where a previous restaurant was located but does not have access to the existing parking in the rear of the lot. Based on the gross floor area of the restaurant, 11 spaces are

			required and 11 spaces are available on the property. The previous owner had two lots: one where the restaurant is located and one to the west, used for parking and access to the rear parking. The western-most lot was lost through tax-forfeiture and purchased by a separate owner who will not allow access over his property to the parking behind the restaurant at 194 Cesar Chavez St. Without access to the existing parking, a variance request for all 11 spaces is needed.
01/25/2017	17 006326	Finaled	M - Mechanical Permit - Refrigeration - Commercial Replace Contractor Steven Kelly Shamrock Group - LA COSTA SPORT BAR- INSTALL NEW WALK-IN COOLER 9' x 10' x 6.5' WITH NEW REFRIGERATION SYSTEM
01/17/2017	17 003718	Withdrawn	M - Mechanical Permit - Refrigeration - Commercial Replace Contractor Steven Kelly Shamrock Group - WITHDRAWN- DUPLICATE PERMIT PULLED ON-LINE & MAILED IN. see - Permit#17-006326. Install a new walk in cooler 9' x 10' x 6.5' with new refrigeration system.
11/28/2016	16 101960	Finaled	SK - PW Sidewalk Permit Contractor Joseph Biagini Joseph Construction Of St Paul Inc - Replacing 216 sq. ft. of 6" mainline sidewalk.
11/03/2016	16 095904	Finaled	PG - Plumbing/Gasfitting/Inside Water Piping - Plumbing/Inside Water (All) - Commercial Replace Contractor Brian Ventsch B & B Plumbing LLC
10/25/2016	16 092463	Finaled	E - Electrical Permit - Electrical - Commercial Repair/Alter Contractor Kay Allied Electric Company Of MN LLC
10/25/2016	16 092455	Abandoned	E - Electrical Permit - Electrical - Commercial Repair/Alter Contractor Kay Allied Electric Company Of MN LLC - Wire outlets for the bar equipment Outlets for TVs and dinning room Wire the lower level bathrooms General lights for dinning room
10/04/2016	16 085543	Active/Issued	BS - Billboard / Sign - Signs - Commercial New Contractor Jeff Knutson Twin Cities Sign Installations LLC - COPY TO READ: LA COSTA MEXICAN SPORTS BAR + GRILL
09/28/2016	16 083941	Finaled	W - Warm Air, Ventilation & General Sheet - Ventilation Only - Commercial Replace Contractor Rick Binder Binder Heating & A/C Inc - CFM calculations (HRV sizing): occupancy $89 \times 7.5 = 668$ cfm sq. ft. $1232 \times .18 = 222$ cfm
09/09/2016	16 077482	Inspected	B - Building Permit - Commercial - Repair Contractor Klein Group Remodeling Incorporated - Tenant Finish, replace exterior windows with garage door style doors and fix previous framing corrections.
08/29/2016	16 073767	Closed	PA - Parks Summary Abatement - Garbage Rubbish Owner Premier Management Llc - REMOVE MATTRESS, MISC RUBBISH FROM PARKING AREA.
08/29/2016	16 073695	Withdrawn	B - Building Permit - Commercial - Remodel Contractor Klein Group Remodeling Incorporated -

08/23/2016	16 071499	Resolved	CS - CSO Complaint - Garbage Rubbish - Complaint	04/26/2017 DUPLICATE PERMIT WITHDRAWN PER PLAN REVIEW. AMW INSTALL BEAM LVL, OVERHEAD DOORS (3), ENERGY WALLS
07/14/2016	16 057595	Resolved	CS - CSO Complaint - Dumping - Complaint	Restaurant is being remodeled and people are filling their dumpster. A mattress was dumped here and pulled over to the State St side of alley.
07/06/2016	16 054684	Resolved	CS - CSO Complaint - Garbage Rubbish - Complaint	Dumping in the back of the building (mattress, and other) garbage in parking lot
05/17/2016	16 037525	Closed	PA - Parks Summary Abatement - Garbage Rubbish	Owner Bayview Loan Servicing Llc - REMOVE: BAGS OF GARBAGE ON GROUND, FURNITURE , MATTRESSES, TIRES, ETC. AROUND DUMPSTER.
05/06/2016	16 034184	Resolved	CS - CSO Complaint - Dumping - Complaint	mattresses, couches, tires, and other junk dumped next to the dumpster
04/21/2016	16 028998	Closed	E - Electrical Permit - Service & Circuits - Commercial Repair/Alter	Contractor Kohout Select LLC - EL AMANECER RESTAURANT- DINING ROOM REMODEL, TRACK LIGHTING, OUTLETS
04/19/2016	16 028262	Withdrawn	B - Building Permit - Commercial - Repair	Contractor Dmz Construction LLC - 04/26/2017 PERMIT WITHDRAWN PER PLAN REVIEW. AMW CORRECT FAULTY FRAMING Kevin has the permit application and plans.
04/18/2016	16 027923	Inspected	B - Building Permit - Commercial - Express Repair	Contractor Judy Delgado - RE ROOF
04/04/2016	16 023946	Finald	B - Building Permit - Commercial - Remodel	Contractor Dmz Construction LLC - INTERIOR DEMO ONLY
04/04/2016	16 023928	Withdrawn	B - Building Permit - Commercial - Remodel	Contractor Dmz Construction LLC - 04/26/2017 WITHDRAWN PER PLAN REVIEW. AMW GENERAL REMODEL NEW FLOORS, REAPIR WALLS AND INSTALL BAR. ADD WINDOWS TO FRONT OF BUILDING.
03/29/2016	16 023294	Closed	BW - Building Warning - Stop Order	Owner Angel Sanchez - Plans and application must be submitted and approved before continuing work. Received notification from Kris Skow Fiske stating interior finishes and walls had been demolished for remodel. Was able to verify looking through storefront window. left red tag on front door.
11/21/2013	13 252221	Scheduled	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment El Amanecer Restaurant
11/21/2013	12 018175	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment El Amanecer Restaurant - MDH inspection on 11/1/13
02/25/2013	13 157292	History	CO - Certificate of Occupancy - Assembly	Responsible Party Premier Management Llc
01/25/2012	11 309111	History		Establishment El Amanecer Restaurant

		RS - Restaurant Inspection - High Risk - Routine Inspection	
12/12/2011	10 898662	History	RS - Restaurant Inspection - High Risk - Routine Inspection
			Establishment El Amanecer Restaurant
05/05/2011	11 138120	Certified	CO - Certificate of Occupancy - Assembly
			Responsible Party Angel Sanchez - 082822240041
10/26/2010	10 914425	Closed	PA - Parks Summary Abatement - Graffiti
			Owner Angel Sanchez - Numerous gang tags on property
10/26/2010	10 914424	Transferred - Closed	CS - CSO Complaint - Graffiti - Complaint
			Numerous gang tags on property
09/09/2010	10 704089	History	RS - Restaurant Inspection - High Risk - Routine Inspection
			Establishment El Amanecer Restaurant
08/04/2010	09 262075	History	RS - Restaurant Inspection - High Risk - Routine Inspection
			Establishment El Amanecer Restaurant
08/27/2009	09 084715	History	RS - Restaurant Inspection - High Risk - Routine Inspection
			Establishment El Amanecer Restaurant
06/08/2009	09 067467	History	RS - Restaurant Inspection - High Risk - Routine Inspection
			Establishment El Amanecer Restaurant
05/05/2009	08 176650	History	RS - Restaurant Inspection - High Risk - Routine Inspection
			Establishment El Amanecer Restaurant
03/11/2009	09 039884	Closed	RF - Referral - C of O
			Owner Angel Sanchez - Follow up on C of O folder approved with corrections.
03/11/2009	09 039883	History	CO - Certificate of Occupancy - Assembly
			Responsible Party Angel Sanchez - 082822240041
11/02/2008	08 148317	Canceled	XF - ECLIPS Food Related - Restaurant (4) - 51-150 Seats
			Licensee Angel Sanchez El Amanecer Restaurant - ECLIPS License# 19990003783
10/14/2008	08 175922	History	RS - Restaurant Inspection - High Risk - Routine Inspection
			Establishment El Amanecer Restaurant
10/13/2008	08 136486	History	RS - Restaurant Inspection - High Risk - Routine Inspection
			Establishment El Amanecer Restaurant
08/20/2008	08 122526	History	RS - Restaurant Inspection - High Risk - Routine Inspection
			Establishment El Amanecer Restaurant
07/28/2008	08 101293	History	RS - Restaurant Inspection - High Risk - Routine Inspection
			Establishment El Amanecer Restaurant
06/25/2008	07 219107	History	RS - Restaurant Inspection - High Risk - Routine Inspection
			Establishment El Amanecer Restaurant
12/13/2007	07 218122	Closed	LC - DSI Env Health Complaint - Health-Safety- Environment - Env Health - Food
			12/12/07: Complainant says saw 3-4 mice come out of kitchen. Wife saw mice in women's restroom. [dw]
12/13/2007	07 185971	History	RS - Restaurant Inspection - High Risk - Complaint Inspection
			Establishment El Amanecer Restaurant
11/01/2007	07 185929	Closed	LC - DSI Env Health Complaint - Health-Safety- Environment - Env Health - Food
			10/31/07: Received complaint regarding a recording studio in basement near food storage. [dw]
10/31/2007	07 134735	History	RS - Restaurant Inspection - High Risk - Complaint Inspection
			Establishment El Amanecer Restaurant

08/20/2007	06 250755	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment El Amanecer Restaurant
05/01/2007	07 070738	Closed	CS - CSO Complaint - Graffiti - Complaint	Gang marking on rear of 194 Concord St.
11/20/2006	06 137814	Canceled	XE - ECLIPS License - Entertainment - Entertainment (A)	Licensee Angel Sanchez El Amanecer Restaurant - ECLIPS License# 19990003783
11/20/2006	06 137856	Canceled	XL - ECLIPS License - Liquor - Malt On Sale (Strong)	Licensee Angel Sanchez El Amanecer Restaurant - ECLIPS License# 19990003783
11/20/2006	06 137906	Canceled	XL - ECLIPS License - Liquor - Wine On Sale	Licensee Angel Sanchez El Amanecer Restaurant - ECLIPS License# 19990003783
11/20/2006	06 277319	Withdrawn	XL - ECLIPS License - Liquor - Liquor On Sale - 2 AM Closing	Licensee Angel Sanchez El Amanecer Restaurant - ECLIPS License# 19990003783
11/20/2006	99 003783	Canceled	XL - ECLIPS License - Liquor - Malt On Sale (3.2)	Licensee Angel Sanchez El Amanecer Restaurant - ECLIPS License# 19990003783
10/24/2006	06 251991	History	CO - Certificate of Occupancy - Assembly	Responsible Party Angel Sanchez - 082822240041
10/18/2006	05 219885	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment El Amanecer Restaurant
07/21/2006	06 113168	Closed	RF - Referral - Citizen Complaint	Owner Angel Sanchez - Has advertisement for others businesses painted on the side of the building
07/21/2006	06 113167	Closed	CS - CSO Complaint - Certificate of Occupancy - Complaint	Has advertisement for others businesses painted on the side of the building
12/19/2005	05 216962	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment El Amanecer Restaurant
12/12/2005	05 061181	History	RS - Restaurant Inspection - High Risk - Plan Review Inspection	Establishment El Amanecer Restaurant
07/13/2005	05 131263	Closed	RF - Referral - Citizen Complaint	Owner Angel Sanchez - This appliance placement deficiency was found at the time of the inspection and testing of the new UL 300 fire suppression upgrade.
03/28/2005	05 080631	Closed	RF - Referral - Citizen Complaint	Owner Angel Sanchez - Deficiencies noted on 1/4/05.
02/07/2005	05 045901	History	RS - Restaurant Inspection - High Risk - Plan Review Inspection	Establishment El Amanecer Restaurant
01/05/2005	04 209183	History	RS - Restaurant Inspection - High Risk - Plan Review Inspection	Establishment El Amanecer Restaurant
12/13/2004	04 181511	History	RS - Restaurant Inspection - High Risk - Plan Review Inspection	Establishment El Amanecer Restaurant
11/15/2004	04 192819	History	CO - Certificate of Occupancy - Assembly	Responsible Party Angel Sanchez - 082822240041
10/27/2004	04 163260	History	RS - Restaurant Inspection - High Risk - Plan Review Inspection	Establishment El Amanecer Restaurant
10/11/2004	04 165847	Closed	RF - Referral - Citizen Complaint	Owner Angel Sanchez - Deficiencies noted on Northland report dated 7/13/04.
10/04/2004	04 120160	History	RS - Restaurant Inspection - High Risk - Plan Review Inspection	Establishment El Amanecer Restaurant

07/16/2004	04 111957	History	RS - Restaurant Inspection - High Risk - Plan Review Inspection	Establishment El Amanecer Restaurant
07/15/2004	04 119328	Finaled	E - Electrical Permit - Service & Circuits - Commercial Repair/Alter	Contractor Rapid Electric, Inc.
06/18/2004	04 107032	Finaled	PG - Plumbing/Gasfitting/Inside Water Piping - Plumbing/Inside Water (All) - Commercial Alter	Contractor Gregory Romain Burnomatic Mooney & Ridler - 27-Oct-2005: Folder closed by system due to no activity in one year . Closed without final approval
03/17/2004	04 056794	Finaled	EG - Fire Engineering - Special Extinguishing System - Existing Building - Alter Systems	Contractor Northland Fire Protection - EL AMANECER -- REMOVE AND REPLACE ANSUL R102 SYSTEM
08/21/2003	03 343038	Finaled	B - Building Permit - Commercial - Remodel	Contractor O & V Construction - 16-Nov-2005: Folder closed by system due to no activity in one year . Closed without final approval
03/11/2003	03 265828	History	CO - Certificate of Occupancy - Assembly	Responsible Party Angel Sanchez - 082822240041
01/28/2003	03 251880	Finaled	E - Electrical Permit - Service & Circuits - Commercial Repair/Alter	Contractor Rapid Electric, Inc.
05/18/2001	01 202883	Active	PS - Pre-Fire Survey - Business	Owner Angel Sanchez
09/24/1999	99 003783	Canceled	XF - ECLIPS Food Related - Restaurant (B) - more than 12 seats	Licensee Angel Sanchez El Amanecer Restaurant - ECLIPS License# 19990003783

196 CESAR CHAVEZ ST - HISTORIC/ARCHIVED - Archived 10/19/2011

09/29/2017	17 103548	Open	RE - Real Estate Assessments	Owner Premier Management Llc
------------	---------------------------	------	------------------------------	------------------------------

194 Concord St - Historic/Archived

09/29/2017	17 103548	Open	RE - Real Estate Assessments	Owner Premier Management Llc
01/24/2008	08 014480	Closed	CL - Compliance Checks - Liquor Compliance Check	Licensee Angel Sanchez El Amanecer Restaurant - ECLIPS License# 19990003783
11/29/2006	06 276497	Closed	CL - Compliance Checks - Liquor Compliance Check	Licensee Angel Sanchez El Amanecer Restaurant - ECLIPS License# 19990003783
06/28/2004	04 111391	Closed	CS - CSO Complaint - Graffiti - Complaint	Graffiti etched on the glass of the front door
06/07/2004	04 073804	History	RS - Restaurant Inspection - High Risk - Plan Review Inspection	Establishment El Amanecer Restaurant
05/10/2004	04 084194	Closed	CS - CSO Complaint - Graffiti - Complaint	Graffiti on commercial building wall. 5/18/04: Waiver Recieved
04/20/2004	04 050899	History	RS - Restaurant Inspection - High Risk - Plan Review Inspection	Establishment El Amanecer Restaurant - 04/05/04 This folder has one restaurant "B" license associated with it. [roy]
03/02/2004	04 043309	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment El Amanecer
02/17/2004	04 035322	History	RS - Restaurant Inspection - High Risk - Plan Review Inspection	Establishment El Amanecer
01/26/2004	04 019381	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment El Amanecer
01/07/2004	03 415211	History		Establishment El Amanecer

		RS - Restaurant Inspection - High Risk - Plan Review Inspection	
12/18/2003	03 411906 History	RS - Restaurant Inspection - High Risk - Plan Review Inspection	Establishment El Amanecer
12/11/2003	03 384311 History	RS - Restaurant Inspection - High Risk - Plan Review Inspection	Establishment El Amanecer
10/29/2003	03 381395 History	RS - Restaurant Inspection - High Risk - Plan Review Inspection	Establishment El Amanecer
10/24/2003	03 379188 History	RS - Restaurant Inspection - High Risk - Plan Review Inspection	Establishment El Amanecer
10/22/2003	03 374492 History	RS - Restaurant Inspection - High Risk - Plan Review Inspection	Establishment El Amanecer
10/16/2003	03 372082 History	RS - Restaurant Inspection - High Risk - Plan Review Inspection	Establishment El Amanecer
10/10/2003	03 340244 History	RS - Restaurant Inspection - High Risk - Plan Review Inspection	Establishment El Amanecer
09/30/2003	03 358790 Closed	RF - Referral - Citizen Complaint	Owner Angel Sanchez - Deficiencies noted on Northland report dated 8/21/03.
08/15/2003	03 340243 History	RS - Restaurant Inspection - High Risk - Plan Review Inspection	Establishment El Amanecer
05/19/2003	03 292070 History	RS - Restaurant Inspection - High Risk - Plan Review Inspection	Establishment El Amanecer
04/29/2003	03 273796 History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment El Amanecer
03/27/2003	03 262012 History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment El Amanecer
02/28/2003	03 261918 Closed without Approval	M - Mechanical Permit - Refrigeration - Commercial Repair/Alter	Contractor Craig Welna Total Refrigeration Systems - Closed without final approval
02/27/2003	03 261909 History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment El Amanecer
02/26/2003	03 261843 History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment El Amanecer
02/25/2003	02 105363 History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment El Amanecer
10/01/2002	02 227318 Closed	CS - CSO Complaint - Graffiti - Complaint	Graffiti on the side of building. 10 -2-02 graffiti
03/19/2002	01 200331 History	RS - Restaurant Inspection - High Risk - Plan Review Inspection	Establishment El Amanecer
05/08/2001	00 150162 History	RS - Restaurant Inspection - High Risk - Plan Review Inspection	Establishment El Amanecer
05/08/2001	01 189141 Closed	LC - DSI Env Health Complaint - Health-Safety- Environment	05/08/01 Complainant called at about 11:30 am today. He said he was here earlier this morning and saw about 50 rats running around the building near the parking lot. He said there is a

			vent coming from the building about 2 or 3 feet above the ground that has grease coming out of it . It is is on the side of the building near the fence. He said rats were seen here and by the garbage. If you sit in the parking lot you will see the rats running all over. They were in broad daylight. [ROY]
03/13/2001	01 020927	History	CO - Certificate of Occupancy - Assembly Responsible Party Angel Sanchez - 082822240041
11/15/2000	00 130448	History	RS - Restaurant Inspection - High Risk - Plan Review Inspection Establishment El Amanecer
08/08/2000	00 138960	Closed	FS - Fire Suppression Systems - Other Fire Extinguishing Systems - Commercial Repair/Alter Contractor Northland Fire And Security Inc - 01/02/2001: All FS permits transferred from LIEP to Fire.. Closed without final approval
06/27/2000	00 133620	Finaled	W - Warm Air, Ventilation & General Sheet - Warm Air & Ventilation - Commercial Replace Contractor Joann Zinken Centerpoint Energy Minnegasco,Div Centerpoint - Closed without final approval
06/08/2000	00 131244	Finaled	M - Mechanical Permit - Gas - Commercial Repair/Alter Contractor Joann Zinken Centerpoint Energy Minnegasco,Div Centerpoint
06/02/2000	00 130445	Closed without Approval	B - Building Permit - Commercial - Remodel Contractor Isreal Bravo Bravo And Associates - 08-Aug-2003: FOLDER CLOSED BY SYSTEM DUE TO NO ACTIVITY IN ONE YEAR. . Closed without final approval
06/01/2000	00 128920	Closed	BW - Building Warning - Field Application Owner Manuel R Bravo
06/01/2000	00 128919	Closed without Approval	E - Electrical Permit - Service & Circuits - Commercial Repair/Alter Contractor Joann Zinken Centerpoint Energy Minnegasco,Div Centerpoint - Closed without final approval
05/31/2000	00 125396	History	RS - Restaurant Inspection - High Risk - Complaint Inspection Establishment El Amanecer
05/31/2000	00 128361	Closed	LC - DSI Env Health Complaint - Health-Safety-Environment - Complaint Inspection ATE CHICKEN CHIMICHANGA 5/28/00 7:30 p.m. NAUSEA, VOMITING, DIARRHEA ON 5/29. ALSO ATE CHIPS & SALSA (SHARED), RICE & BEANS, WATER/ICE.
05/30/2000	00 128921	History	RS - Restaurant Inspection - High Risk - Plan Review Inspection Establishment El Amanecer
04/27/2000	00 125393	History	RS - Restaurant Inspection - High Risk - Plan Review Inspection Establishment El Amanecer
04/14/2000	00 118252	History	RS - Restaurant Inspection - High Risk - Plan Review Inspection Establishment El Amanecer
02/04/2000	00 116083	History	RS - Restaurant Inspection - High Risk - Plan Review Inspection Establishment El Amanecer
01/04/2000	99 003834	History	RS - Restaurant Inspection - High Risk - Complaint Inspection Establishment El Amanecer - ANONYMOUS COMPLAINT OF COCKROACHES IN DINING ROOM
01/04/2000	00 116079	Closed	LC - DSI Env Health Complaint - Animals-Rodents-Insects COCKROACHES SEEN ON WALL OF DINING AREA

09/24/1999	99 000341	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment El Amanecer
09/08/1999	99 174130	Closed without Approval	M - Mechanical Permit - Refrigeration - Commercial Repair/Alter	Contractor Joann Zinken Centerpoint Energy Minnegasco,Div Centerpoint - 12/7/01 - Permit was closed by system administrator because it is a data converted permit from the old dBase system. Permit and inspection details are available in the file bank.. Closed without final approval
09/08/1999	99 174137	Finaled	M - Mechanical Permit - Gas - Commercial Repair/Alter	Contractor Joann Zinken Centerpoint Energy Minnegasco,Div Centerpoint
09/08/1999	99 174143	Finaled	W - Warm Air, Ventilation & General Sheet - Warm Air & Ventilation - Commercial Repair/Alter	Contractor Joann Zinken Centerpoint Energy Minnegasco,Div Centerpoint
09/03/1999	99 173968	Finaled	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor Joann Zinken Centerpoint Energy Minnegasco,Div Centerpoint
08/25/1998	98 013762	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment El Amanecer
01/22/1997	97 022515	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment El Amanecer
04/24/1996	96 017355	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment El Amanecer
03/19/1996	96 014669	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment El Amanecer
03/19/1996	99 002445	Closed	EC - Environmental Complaint History (DC)	CUSTOMER ATE HERE ON 9/4/95. WHILE EATING HERE HE SAW TWO COCKROACHES ON THE WALL BY THEIR TABLE. HE SAID THEY ALSO SAW A COCKROACH WHEN THEY WERE PAYING THEIR BILL. THE COCKROACH WAS ON THE COUNTER BY THE CASH REGISTER. [ROY]
01/04/1996	95 015245	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment El Amanecer
01/04/1996	99 004068	Closed	EC - Environmental Complaint History (DC)	CUSTOMER ATE HERE ON 9/4/95. WHILE EATING HERE HE SAW TWO COCKROACHES ON THE WALL BY THEIR TABLE. HE SAID THEY ALSO SAW A COCKROACH WHEN THEY WERE PAYING THEIR BILL. THE COCKROACH WAS ON THE COUNTER BY THE CASH REGISTER. [ROY]
01/02/1996	95 024820	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment El Amanecer
01/02/1996	99 006099	Closed	EC - Environmental Complaint History (DC)	CUSTOMER ATE HERE ON 9/4/95. WHILE EATING HERE HE SAW TWO COCKROACHES ON THE WALL BY THEIR TABLE. HE SAID THEY ALSO SAW A COCKROACH WHEN THEY WERE PAYING THEIR BILL. THE COCKROACH WAS ON

12/26/1995	95 023926	History	RS - Restaurant Inspection - High Risk - Routine Inspection	THE COUNTER BY THE CASH REGISTER. [ROY] Establishment El Amanecer
12/26/1995	99 004921	Closed	EC - Environmental Complaint History (DC)	CUSTOMER ATE HERE ON 9/4/95. WHILE EATING HERE HE SAW TWO COCKROACHES ON THE WALL BY THEIR TABLE. HE SAID THEY ALSO SAW A COCKROACH WHEN THEY WERE PAYING THEIR BILL. THE COCKROACH WAS ON THE COUNTER BY THE CASH REGISTER. [ROY]
12/11/1995	95 016497	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment El Amanecer
12/11/1995	99 002437	Closed	EC - Environmental Complaint History (DC)	CUSTOMER ATE HERE ON 9/4/95. WHILE EATING HERE HE SAW TWO COCKROACHES ON THE WALL BY THEIR TABLE. HE SAID THEY ALSO SAW A COCKROACH WHEN THEY WERE PAYING THEIR BILL. THE COCKROACH WAS ON THE COUNTER BY THE CASH REGISTER. [ROY] . . .
10/10/1995	95 004429	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment El Amanecer
10/10/1995	99 003514	Closed	EC - Environmental Complaint History (DC)	CUSTOMER ATE HERE ON 9/4/95. WHILE EATING HERE HE SAW TWO COCKROACHES ON THE WALL BY THEIR TABLE. HE SAID THEY ALSO SAW A COCKROACH WHEN THEY WERE PAYING THEIR BILL. THE COCKROACH WAS ON THE COUNTER BY THE CASH REGISTER. [ROY] . .
09/12/1995	95 008302	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment El Amanecer
09/12/1995	99 006348	Closed	EC - Environmental Complaint History (DC)	CUSTOMER ATE HERE ON 9/4/95. WHILE EATING HERE HE SAW TWO COCKROACHES ON THE WALL BY THEIR TABLE. HE SAID THEY ALSO SAW A COCKROACH WHEN THEY WERE PAYING THEIR BILL. THE COCKROACH WAS ON THE COUNTER BY THE CASH REGISTER. [ROY] . .
09/06/1995	94 004001	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment El Amanecer
09/06/1995	99 004700	Closed	EC - Environmental Complaint History (DC)	CUSTOMER ATE HERE ON 9/4/95. WHILE EATING HERE HE SAW TWO COCKROACHES ON THE WALL BY THEIR TABLE. HE SAID THEY ALSO SAW A COCKROACH WHEN THEY WERE PAYING THEIR BILL. THE COCKROACH WAS ON THE COUNTER BY THE CASH REGISTER. [ROY] .
06/22/1994	94 024621	History	RS - Restaurant Inspection - Medium Risk - Routine Inspection	Establishment El Amanecer
06/22/1994	99 000684	Closed		

02/02/1994	99 001689	History	EC - Environmental Complaint History (DC) RS - Restaurant Inspection - No Risk - Routine Inspection	Possible cockroach problem in restaurant. 6/10/94 D.O. . Establishment El Amanecer
02/02/1994	99 002746	Closed	EC - Environmental Complaint History (DC)	CONVERTED FROM PARADOX SYSTEM. NO NARRATIVE.
09/28/1993	99 001708	History	RS - Restaurant Inspection - No Risk - Routine Inspection	Establishment El Amanecer
08/31/1993	99 012237	History	RS - Restaurant Inspection - No Risk - Routine Inspection	Establishment El Amanecer
07/07/1993	99 012247	History	RS - Restaurant Inspection - No Risk - Routine Inspection	Establishment El Amanecer
03/11/1993	99 012199	History	RS - Restaurant Inspection - No Risk - Routine Inspection	Establishment El Amanecer
03/02/1993	99 012273	History	RS - Restaurant Inspection - No Risk - Routine Inspection	Establishment El Amanecer
03/19/1992	99 012220	History	RS - Restaurant Inspection - No Risk - Routine Inspection	Establishment El Amanecer
07/02/1991	99 002678	Closed	EC - Environmental Complaint History (DC)	CONVERTED FROM PARADOX SYSTEM. NO NARRATIVE.
02/05/1991	91 018560	Canceled	XF - ECLIPS Food Related - Restaurant (B) - more than 12 seats	Licensee El Amanecer - ECLIPS License# 0018560
02/05/1991	91 018560	Canceled	XL - ECLIPS License - Liquor - Malt On Sale (3.2)	Licensee El Amanecer - ECLIPS License# 0018560
09/11/1990	99 002776	Closed	EC - Environmental Complaint History (DC)	CONVERTED FROM PARADOX SYSTEM. NO NARRATIVE.
01/03/1990	99 002711	Closed	EC - Environmental Complaint History (DC)	CONVERTED FROM PARADOX SYSTEM. NO NARRATIVE.
03/25/1987	87 004587	Certified	CO - Certificate of Occupancy - Assembly	Responsible Party Manuel Bravo - 082822240041
03/25/1987	87 014586	History	CO - Certificate of Occupancy - Assembly	Responsible Party Manuel Bravo - 082822240041
<u>196 Concord St - Historic/Archived</u>				
09/29/2017	17 103548	Open	RE - Real Estate Assessments	Owner Premier Management Llc