



CITY OF SAINT PAUL

ENVIRONMENTAL HEALTH SERVICES
375 Jackson Street, Suite 220
Saint Paul, Minnesota 55101-1806

Telephone: 651-266-8989
Facsimile: 651-266-9124
Web: www.stpaul.gov/dsi

August 25, 2020

Thomas Schroeder
Waldmann Brewery
445 Smith Avenue
Saint Paul MN 55102

Dear Thomas Schroeder:

This is to confirm that our office has received your application for a variance from the city's noise ordinance and that it is being processed. The Department of Safety and Inspections has recommended that a variance be issued with conditions.

Public attendance at the City Council's regular meeting location is not feasible due to the COVID-19 health pandemic. Members of the public may view City Council meetings online at <https://stpaul.legistar.com/Calendar.aspx> or on local cable Channel 18.

Submit Comments for Public Hearing Electronically

The public may comment on public hearing items in writing or via voicemail. Any comments and materials submitted by 12:00 pm of the day before the meeting, Tuesday, Sept. 8, 2020, and will be attached to the public record and available for review by the City Council. Comments may be submitted as follows:

Written public comment on public hearing items can be submitted to Contact-Council@ci.stpaul.mn.us, CouncilHearing@ci.stpaul.mn.us, or by voicemail at 651-266-6805.

A public hearing before the City Council on this variance request will be held on:

Date: Wednesday, September 9, 2020

Time: 3:30 p.m.

Location: Members of the City Council will participate in City Council meetings by telephone or other electronic means.

After the public hearing, the Council may grant, deny, or modify the variance request.

If you have questions about the sound level variance, please contact: Barb McMonigal-St.Dennis, Environmental Health Specialist, 651-266-9137, barb.mcmonigal-st.dennis@ci.stpaul.mn.us

Enclosure



CITY OF SAINT PAUL

ENVIRONMENTAL HEALTH SERVICES
375 Jackson Street, Suite 220
Saint Paul, Minnesota 55101-1806

Telephone: 651-266-8989
Facsimile: 651-266-9124
Web: www.stpaul.gov/dsi

August 25, 2020

Thomas Schroeder
Waldmann Brewery
445 Smith Avenue
Saint Paul MN 55102

Dear Thomas Schroeder:

This is to confirm that our office has received your application for a variance from the city's noise ordinance and that it is being processed. The Department of Safety and Inspections has recommended that a variance be issued with conditions.

Public attendance at the City Council's regular meeting location is not feasible due to the COVID-19 health pandemic. Members of the public may view City Council meetings online at <https://stpaul.legistar.com/Calendar.aspx> or on local cable Channel 18.

Submit Comments for Public Hearing Electronically

The public may comment on public hearing items in writing or via voicemail. Any comments and materials submitted by 12:00 pm of the day before the meeting, Tuesday, Sept. 8, 2020, and will be attached to the public record and available for review by the City Council. Comments may be submitted as follows:

Written public comment on public hearing items can be submitted to Contact-Council@ci.stpaul.mn.us, CouncilHearing@ci.stpaul.mn.us, or by voicemail at 651-266-6805.

A public hearing before the City Council on this variance request will be held on:

Date: Wednesday, September 9, 2020

Time: 3:30 p.m.

Location: Members of the City Council will participate in City Council meetings by telephone or other electronic means.

After the public hearing, the Council may grant, deny, or modify the variance request.

If you have questions about the sound level variance, please contact: Barb McMonigal-St.Dennis, Environmental Health Specialist, 651-266-9137, barb.mcmonigal-st.dennis@ci.stpaul.mn.us

Enclosure